

Round



Con la nuova linea di cucine moderne ROUND, Lube propone una filosofia green, che si concretizza nelle ante realizzate in PET: materiale plastico totalmente rinnovabile e riciclabile. Le superfici innovative e performanti pensate per l'ambiente cucina si accostano ad una particolare attenzione per le tematiche ambientali, in un equilibrio vincente tra professionalità e rispetto per l'ambiente.

With the new ROUND modern kitchen model, Cucine Lube introduce a "green" philosophy, which takes shape in the PET door finish: a renewable and recyclable plastic material. The innovative and high-performance surfaces designed for the kitchen environment combine each other with a particular focus on environmental issues, for a winning balance between professionalism and respect for the environment.

Neck

Anta senza profilo per apertura con gola

Door without profile for finger rail opening



Lux

Anta con profilo per aperture con gola

Door with profile openings with finger rail



CARATTERISTICHE TECNICHE

ANTE E FRONTALI
CASSETTI

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** effetto legno materico fiamma verticale, post-formata quattro lati con interno in melaminico, nei colori: larice bianco retro bianco (opz.2414N), larice grigio lava retro argilla (opz.2417N), larice conchiglia retro conchiglia (opz.2415N), larice visone retro visone (opz.2416N), larice nero retro lavagna (opz.2418N)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** effetto legno fiamma verticale, post-formata quattro lati con interno in melaminico, nei colori: olmo sabbia retro visone (opz.5077), olmo tabacco retro fango (opz.5078), olmo scuro retro fango (opz.5079), olmo petrolio retro lavagna (opz.5080)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** colore tinta unita opaco, post-formata quattro lati con interno in melaminico, nei colori: bianco ottico retro bianco (opz.7465), grigio fossena retro argilla (opz.9616), sabbia tenue retro conchiglia (opz.7718), daino retro visone (opz.9455), terra bruna retro fango (opz.8845), grigio lakis retro lavagna (opz.9618), rosso sedona retro visone (opz.8132), verde berillo retro visone (opz.8422), grigio velato retro bianco (opz.9600), blu dusty retro argilla (opz.8324)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** materica effetto malta, post-formata quattro lati con interno in melaminico, nei colori: bianco assoluto retro bianco (opz.PM01N), grigio lava retro argilla (opz.PM04), sabbia retro conchiglia (opz.PM02N), visone retro visone (opz.PM03), grigio asfalto retro lavagna (opz.PM05)

*** il polietilenteraftelato, conosciuto sotto l'abbreviazione PET, è una materia sintetica moderna, ecologica e riciclabile al 100%. Le principali caratteristiche che lo diversificano dalle tradizionali materie plastiche sono la flessibilità e l'eccellente stabilità dimensionale che lo rendono inalterabile nel tempo. L'elevata resistenza al calore, all'usura ed all'invecchiamento termico fanno del PET uno dei materiali più innovativi ed orientati al futuro.**

GOLE E PROFILI

vedi pag.16-17

STRUTTURE

ANTE: larice grigio lava retro argilla, malta grigio lava retro argilla, grigio fossena opaco retro argilla, blu dusty opaco retro argilla di serie : nobilitato argilla (opz.9690) schiena e ripiano argilla (opz.9690)
ANTE: larice conchiglia retro conchiglia, malta sabbia retro conchiglia, sabbia tenue opaco retro conchiglia di serie : nobilitato conchiglia (opz.8910) schiena e ripiano conchiglia (opz.8910)
ANTE: larice bianco retro bianco, malta bianco assoluto retro bianco, bianco ottico opaco retro bianco, grigio velato opaco retro bianco di serie : nobilitato bianco (opz.001) schiena e ripiano bianco (opz.001)
ANTE: larice visone retro visone, malta visone retro visone, daino opaco retro visone, olmo sabbia retro visone, rosso sedona opaco retro visone, verde berillo opaco retro visone di serie : nobilitato visone (opz.948M) schiena e ripiano visone (opz.948M)
ANTE: larice nero retro lavagna, malta grigio asfalto retro lavagna, olmo petrolio retro lavagna, grigio lakis retro lavagna di serie : nobilitato lavagna (opz.9620) schiena e ripiano lavagna (opz.9620)
ANTE: olmo tabacco retro fango, olmo scuro retro fango, terra bruna retro fango di serie : nobilitato fango (opz.8860) schiena e ripiano fango (opz.8860)



GRUPPO LUBE ECOLOGIC
IL GRUPPO LUBE UTILIZZA PER I COMPONENTI DELLE CUCINE, MATERIALE CONFORME AL REGOLAMENTO EPA TSCA TITLE VI, UNO DEI PIU' SEVERI IN MERITO ALLE NORMATIVE DI SALVAGUARDIA AMBIENTALE.

*per componenti si intendono tutte le strutture, alcune ante e alcuni complementi del modello.

GREENGUARD
LE STRUTTURE DELLE CUCINE SONO CONTRADDISTINTE DALLA CERTIFICAZIONE GREENGUARD PER SODDISFARE GLI STANDARD PIU' RIGOROSI IN TERMINI DI LIVELLI DI EMISSIONE DI COMPOSTI ORGANICI VOLATILI (COV).

MENSOLE

vedi pag.54

ZOCCOLI

vedi pag.55



TECHNICAL FEATURES

DOORS AND DRAWER FRONTS	22 mm-thick door with panel in certified MDF (compliant with US EPA TSCA TITLE VI) coated with polymeric sheet PET* textured wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: white larch with white rear (opt.2414N), lava grey larch with clay rear (opt.2417N), shell larch with shell rear (opt.2415N), mink larch with mink rear (opt.2416N), black larch with blackboard rear (opt.2418N) 22 mm-thick door with panel in certified MDF (compliant with US EPA TSCA TITLE VI) coated with polymeric sheet PET* wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: sand elm with mink rear (opt.5077), tobacco elm with mud rear (opt.5078), dark elm with mud rear (opt.5079), oil elm with blackboard rear (opt.5080) 22 mm-thick door with panel in certified MDF (compliant with US EPA TSCA TITLE VI) coated with polymeric sheet PET* matt solid colour, post-formed on four sides with melamine interior, in these colours: optical white with white rear (opt.7465), fossena grey with clay rear (opt.9616), soft sand with shell rear (opt.7718), deer with mink rear (opt.9455), brown earth with mud rear (opt.8845), lakis grey with blackboard rear (opt.9618), sedona red with mink rear (opt.8132), beryl green with mink rear (opt.8422), veiled grey with white rear (opt.9600), blu dusty with clay rear (opt.8324) 22 mm-thick door with panel in certified MDF (compliant with US EPA TSCA TITLE VI) coated with polymeric sheet PET* textured mortar effect, post-formed on four sides with melamine interior, in these colours: absolute white with white rear (opt.PM01N), lava grey with clay rear (opt.PM04), sand with shell rear (opt.PM02N) mink with mink rear (opt.PM03), grey asphalt with blackboard rear (opt.PM05) * polyethylene terephthalate, abbreviated as PET, is a modern synthetic material, environmentally friendly and 100% recyclable. The main features that distinguish it from traditional plastics are its flexibility and excellent dimensional stability, which renders it unalterable over time. Its high resistance to heat, wear and thermal ageing makes PET one of the most innovative, future-oriented materials.
FINGER RAILS AND PROFILES	see page 16-17
CARCASSES	DOORS: lava grey larch with clay rear, lava grey mortar with clay rear, matt fossena grey with clay rear, matt blu dusty with clay rear standard: melamine-coated clay (opt.9690) clay back panel and shelf (opt.9690) DOORS: shell larch with shell rear, sand mortar with shell rear, matt soft sand with shell rear standard: melamine-coated shell (opt.8910) shell back panel and shelf (opt.8910) DOORS: white larch with white rear, absolute white mortar with white rear, matt optical white with white rear, matt veiled grey with white rear standard: melamine-coated white (opt.001), white back panel and shelf (opt.001) DOORS: mink larch with mink rear, mink mortar with mink rear, matt deer with mink rear, sand elm with mink rear, matt sedona red with mink rear, matt beryl green with mink rear standard: melamine-coated mink (opt.948M) mink back panel and shelf (opt.948M) DOORS: black ash with blackboard rear, grey asphalt mortar with blackboard rear, oil elm with blackboard rear, matt lakis grey with blackboard rear standard: melamine-coated slate grey (opt.9620) slate grey back panel and shelf (opt.9620) DOORS: tobacco elm with mud rear, dark elm with mud rear, matt brown earth with mud rear standard: melamine-coated mud (opt.8860) mud back panel and shelf (opt.8860)
SHELVES	see page 54
PLINTHS	see page 55



Round

Neck

cod. N15

Lux

cod. L15

SP. 22 MM TH. 22 MM

ante effetto legno materico post-formate 4 lati
doors with textured wood effect post-formed on 4 sides



larice bianco
retro bianco (opz.2414N)
white larch with white rear

larice grigio lava
retro argilla (opz.2417N)
lava grey larch with clay rear
**N.B.: disponibile a partire
da Novembre 2022**
Note: available from
November 2022

larice conchiglia
retro conchiglia (opz.2415N)
shell larch with shell rear
**N.B.: disponibile a partire
da Novembre 2022**
Note: available from
November 2022

larice visone
retro visone (opz.2416N)
mink larch with mink rear
**N.B.: disponibile a partire
da Novembre 2022**
Note: available from
November 2022

larice nero
retro lavagna (opz.2418N)
black larch with blackboard rear

ante effetto legno post-formate 4 lati
doors with wood effect post-formed on 4 sides



olmo sabbia
retro visone (opz.5077)
sand elm with mink rear

olmo tabacco
retro fango (opz.5078)
tobacco elm with mud rear

olmo scuro
retro fango (opz.5079)
dark elm with mud rear

olmo petrolio
retro lavagna (opz.5080)
oil elm with blackboard rear

Neck

Lux



particolare anta con incavo
presa maniglia su bordo
door detail with recessed
handle grip at edge



particolare anta profilo curvo
door with curved profile detail



particolare anta profilo ad "ELLE"
door with "L" shaped profile detail



particolare anta profilo inclinato
door with inclined profile detail

Round

Neck
Lux

cod. **N15**

cod. **L15**

SP. 22 MM TH. 22 MM

ante tinta unita opache post-formate 4 lati
doors with solid matt colour post-formed 4 sides




bianco ottico
retro bianco (opz.7465)
optical white with white rear




grigio fossena
retro argilla (opz.9616)
fossena grey with clay rear




sabbia tenue
retro conchiglia (opz.7718)
soft sand with shell rear



daino
retro visone (opz.9455)
deer with mink rear




terra bruna
retro fango (opz.8845)
brown earth with mud rear



grigio lakis
retro lavagna (opz.9618)
lakis grey with blackboard rear



rosso sedona
retro visone (opz.8132)
sedona red with mink rear



verde berillo
retro visone (opz.8422)
beryl green with mink rear



grigio velato
retro bianco (opz.9600)
veiled grey with white rear



blu dusty
retro argilla (opz.8324)
blu dusty with clay rear

Neck

LUX



particolare anta con incavo
presa maniglia su bordo
door detail with recessed
handle grip at edge



particolare anta profilo curvo
door with curved profile detail



particolare anta profilo ad "ELLE"
door with "L" shaped profile detail



particolare anta profilo inclinato
door with inclined profile detail

Round

SP. 22 MM TH. 22 MM

Neck

LUX

cod. N15

cod. L15

ante effetto malta materico post-formate 4 lati
doors with textured mortar effect post-formed 4 sides



malta bianco assoluto
retro bianco (opz.PM01N)
absolute white mortar with
white rear




malta grigio lava
retro argilla (opz.PM04)
lava grey mortar with
clay rear



malta sabbia
retro conchiglia (opz.PM02N)
sand mortar with shell rear



malta visone
retro visone (opz.PM03)
mink mortar with mink rear



malta grigio asfalto
retro lavagna (opz.PM05)
grey asphalt mortar with
blackboard rear

Neck



particolare anta con incavo
presa maniglia su bordo
door detail with recessed
handle grip at edge

LUX



particolare anta profilo curvo
door with curved profile detail



particolare anta profilo ad "ELLE"
door with "L" shaped profile detail



particolare anta profilo inclinato
door with inclined profile detail

CARATTERISTICHE TECNICHE

ANTE E FRONTALI
CASSETTI

anta sp.22 mm con pannello in mdf certificato (conforme [US EPA TSCA TITLE VI](#)) rivestita in foglia polimerica **PET*** effetto legno materico fiamma verticale con lavorazione “Rayè” post-formata quattro lati con interno in melaminico, nei colori: larice bianco retro bianco (opz.2414R), larice grigio lava retro argilla (opz.2417R), larice conchiglia retro conchiglia (opz.2415R), larice visone retro visone (opz.2416R), larice nero retro lavagna (opz.2418R)

anta sp.22 mm con pannello in mdf certificato (conforme [US EPA TSCA TITLE VI](#)) rivestita in foglia polimerica **PET*** effetto legno fiamma verticale con lavorazione “Rayè” post-formata quattro lati con interno in melaminico, nei colori: olmo sabbia retro visone (opz.5077R), olmo tabacco retro fango (opz.5078R), olmo scuro retro fango (opz.5079R), olmo petrolio retro lavagna (opz.5080R)

anta sp.22 mm con pannello in mdf certificato (conforme [US EPA TSCA TITLE VI](#)) rivestita in foglia polimerica **PET*** colore tinta unita opaco con lavorazione “Rayè” post-formata quattro lati con interno in melaminico, nei colori: bianco ottico retro bianco (opz.7465R), grigio fossena retro argilla (opz.9616R), sabbia tenue retro conchiglia (opz.7718R), daino retro visone (opz.9455R), terra bruna retro fango (opz.8845R), grigio lakis retro lavagna (opz.9618R), rosso sedona retro visone (opz.8132R), verde berillo retro visone (opz.8422R), grigio velato retro bianco (opz.9600R), blu dusty retro argilla (opz.8324R)

*** il polietilenteraftelato, conosciuto sotto l'abbreviazione PET, è una materia sintetica moderna, ecologica e riciclabile al 100%. Le principali caratteristiche che lo diversificano dalle tradizionali materie plastiche sono la flessibilità e l'eccellente stabilità dimensionale che lo rendono inalterabile nel tempo. L'elevata resistenza al calore, all'usura ed all'invecchiamento termico fanno del PET uno dei materiali più innovativi ed orientati al futuro.**

GOLE E PROFILI

vedi pag.16-17

STRUTTURE

ANTE: larice grigio lava retro argilla, grigio fossena opaco retro argilla, blu dusty opaco retro argilla di serie : nobilitato argilla (opz.9690) schiena e ripiano argilla (opz.9690)
ANTE: larice conchiglia retro conchiglia, sabbia tenue opaco retro conchiglia di serie : nobilitato conchiglia (opz.8910) schiena e ripiano conchiglia (opz.8910)
ANTE: larice bianco retro bianco, bianco ottico opaco retro bianco, grigio velato opaco retro bianco di serie : nobilitato bianco (opz.001) schiena e ripiano bianco (opz.001)
ANTE: larice visone retro visone, daino opaco retro visone, olmo sabbia retro visone, rosso sedona opaco retro visone, verde berillo opaco retro visone di serie : nobilitato visone (opz.948M) schiena e ripiano visone (opz.948M)
ANTE: larice nero retro lavagna, olmo petrolio retro lavagna, grigio lakis retro lavagna di serie : nobilitato lavagna (opz.9620) schiena e ripiano lavagna (opz.9620)
ANTE: olmo tabacco retro fango, olmo scuro retro fango, terra bruna retro fango di serie : nobilitato fango (opz.8860) schiena e ripiano fango (opz.8860)



GREENGUARD
LE STRUTTURE DELLE CUCINE SONO CONTRADDISTINTE DALLA CERTIFICAZIONE GREENGUARD PER SODDISFARE GLI STANDARD PIU' RIGOROSI IN TERMINI DI LIVELLI DI EMISSIONE DI COMPOSTI ORGANICI VOLATILI (COV).

MENSOLE

vedi pag.54

ZOCCOLI

vedi pag.55



TH. 22 MM

TECHNICAL FEATURES

DOORS AND DRAWER FRONTS	22 mm-thick door with panel in certified MDF (compliant with US EPA TSCA TITLE VI) coated with polymeric sheet PET* textured wood effect vertical grain with processing “Rayè” post-formed on four sides with melamine interior, in these colours: white larch with white rear (opt.2414R), lava grey larch with clay rear (opt.2417R), shell larch with shell rear (opt.2415R), mink larch with mink rear (opt.2416R), black larch with blackboard rear (opt.2418R) 22 mm-thick door with panel in certified MDF (compliant with US EPA TSCA TITLE VI) coated with polymeric sheet PET* wood effect vertical grain with processing “Rayè” post-formed on four sides with melamine interior, in these colours: sand elm with mink rear (opt.5077R), tobacco elm with mud rear (opt.5078R), dark elm with mud rear (opt.5079R), oil elm with blackboard rear (opt.5080R) 22 mm-thick door with panel in certified MDF (compliant with US EPA TSCA TITLE VI) coated with polymeric sheet PET* matt solid colour with processing “Rayè” post-formed on four sides with melamine interior, in these colours: optical white with white rear (opt.7465R), fossena grey with clay rear (opt.9616R), soft sand with shell rear (opt.7718R), deer with mink rear (opt.9455R), brown earth with mud rear (opt.8845R), lakis grey with blackboard rear (opt.9618R), sedona red with mink rear (opt.8132R), beryl green with mink rear (opt.8422R), veiled grey with white rear (opt.9600R), blu dusty with clay rear (opt.8324R) * polyethylene terephthalate, abbreviated as PET, is a modern synthetic material, environmentally friendly and 100% recyclable. The main features that distinguish it from traditional plastics are its flexibility and excellent dimensional stability, which renders it unalterable over time. Its high resistance to heat, wear and thermal ageing makes PET one of the most innovative, future-oriented materials.
FINGER RAILS AND PROFILES	see page 16-17
CARCASSES	DOORS: lava grey larch with clay rear, matt fossena grey with clay rear, matt blu dusty with clay rear standard: melamine-coated clay (opt.9690) clay back panel and shelf (opt.9690) DOORS: shell larch with shell rear, matt soft sand with shell rear standard: melamine-coated shell (opt.8910) shell back panel and shelf (opt.8910) DOORS: white larch with white rear, matt optical white with white rear, matt veiled grey with white rear standard: melamine-coated white (opt.001), white back panel and shelf (opt.001) DOORS: mink larch with mink rear, matt deer with mink rear, sand elm with mink rear, matt sedona red with mink rear, matt beryl green with mink rear standard: melamine-coated mink (opt.948M) mink back panel and shelf (opt.948M) DOORS: black ash with blackboard rear, oil elm with blackboard rear, matt lakis grey with blackboard rear standard: melamine-coated slate grey (opt.9620) slate grey back panel and shelf (opt.9620) DOORS: tobacco elm with mud rear, dark elm with mud rear, matt brown earth with mud rear standard: melamine-coated mud (opt.8860) mud back panel and shelf (opt.8860)
SHELVES	see page 54
PLINTHS	see page 55



SP. 22 MM TH. 22 MM

ante effetto legno materico post-formate 4 lati
doors with textured wood effect post-formed on 4 sides



larice bianco
retro bianco (opz.2414N)
white larch with white rear



larice grigio lava
retro argilla (opz.2417N)
lava grey larch with clay rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022



larice conchiglia
retro conchiglia (opz.2415N)
shell larch with shell rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022



larice visone
retro visone (opz.2416N)
mink larch with mink rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022



larice nero
retro lavagna (opz.2418N)
black larch with blackboard rear

ante effetto legno post-formate 4 lati
doors with wood effect post-formed on 4 sides



olmo sabbia
retro visone (opz.5077)
sand elm with mink rear




olmo tabacco
retro fango (opz.5078)
tobacco elm with mud rear




olmo scuro
retro fango (opz.5079)
dark elm with mud rear



olmo petrolio
retro lavagna (opz.5080)
oil elm with blackboard rear




particolare anta con incavo
presa maniglia su bordo
door detail with recessed
handle grip at edge



SP. 22 MM TH. 22 MM

ante tinta unita opache post-formate 4 lati
doors with solid matt colour post-formed 4 sides



bianco ottico
retro bianco (opz.7465R)
optical white with white rear


grigio fossena
retro argilla (opz.9616R)
fossena grey with clay rear

sabbia tenue
retro conchiglia (opz.7718R)
soft sand with shell rear

daino
retro visone (opz.9455R)
deer with mink rear

terra bruna
retro fango (opz.8845R)
brown earth with mud rear

grigio lakis
retro lavagna (opz.9618R)
lakis grey with blackboard rear



rosso sedona
retro visone (opz.8132R)
sedona red with mink rear


verde berillo
retro visone (opz.8422R)
beryl green with mink rear

grigio velato
retro bianco (opz.9600R)
veiled grey with white rear

blu dusty
retro argilla (opz.8324R)
blu dusty with clay rear



particolare anta con incavo
presa maniglia su bordo
door detail with recessed
handle grip at edge




gola tipo “elle”
“L” type finger rail

anta doga con incavo
doga door with recess

Apertura con gola / Opening by finger rail

Neck

gola tipo “elle”
“L” type finger rail



**Anta neck con incavo
per gola tipo “elle”**
neck door with recess
for “L” type finger rail


Lux

gola tipo “elle”
“L” type finger rail



**Anta con
profilo curvo**
Door with curved
profile

(opz P C + cod. colore)



**Anta con
profilo ad “elle”**
door with “L”
shaped profile

(opz P L + cod. colore)



**Anta con
profilo inclinato**
door with inclined
profile

(opz P I + cod. colore)

Finiture gole e profili / Finger rails and profiles finishes


Neck - Lux

**Finitura gola e profilo
spazzolato**
Finger rail and profile
brushed finish




titanio ossidato
(opz.414)
titanium oxidized
(opt.414)


**Finiture gole e profili
verniciati a polvere
opachi**
Matt finger rails
and profiles powder
coated finishes




conchiglia (opz.7403)
shell (opt.7403)




grigio selce (opz.SEL)
flint grey (opt.SEL)



ghisa (opz.9509)
cast iron (opt.9509)




silver dark (opz.9507)
dark silver (opt.9507)



bianco assoluto
(opz.740S)
absolute white
(opt.740S)




nero (opz.7892)
black (opt.7892)






lino (opz.W770)
linen (opt.W770)

GOLA “ELLE” ORIZZONTALE SOTTOTOP

UNDERMOUNT HORIZONTAL “ELLE” FINGER RAIL

	COD.				COD.	
Gola sottotop tipo “A” Type “A” undermount finger rail  al ml per lm G950010			Angolo interno a 90° per gola tipo “A” 90° interior corner for “A” type finger rail  cadauno each G950050			
Terminale aperto dx o sx per gola tipo “A” da utilizzare a fine composizione RH or LH open end for type “A” finger rail to be placed at the end of the composition  terminale DX RH end G950021 terminale SX LH end G950022			Angolare con snodo per unione fuori squadra per gola tipo “A” Corner piece with joint for out-of-plumb joining for type “A” finger rail 			
Terminale chiuso dx o sx per gola tipo “A” da utilizzare solo tra basi e colonne RH or LH closure for type “A” finger rail to be placed only between base units and column  terminale DX RH end G950031 terminale SX LH end G950032			 da 0 a 180° G950060			
Coppia angolari per kit raccordo base angolo 110x110 Couple corner piece for fitting kit corner base unit 110x110  SX LH DX RH in alluminio aluminium angolare DX RH corner piece G950058 angolare SX LH corner piece G950059						


GOLA “ELLE” ORIZZONTALE INTERMEDIA			GOLE “ELLE” VERTICALI PER COLONNE		
INTERMEDIATE HORIZONTAL “ELLE” FINGER RAIL			VERTICAL “ELLE” FINGER RAILS FOR COLUMNS		
	COD.			COD.	
Gola intermedia tipo “B” Type “B” intermediate finger rail  al ml per lm	G950110		Mezza gola verticale tipo “C” (completa di distanziale) Type “C” half vertical finger rail (complete with spacer)   sezione mezza gola tipo “C” cross section of type “C” finger rail Piedi H 13 H 96 H 132 H 204 H 228 Piedi H 6 H 108 H 144 H 216	G950310 G950330 G950350 G950370 G950320 G950340 G950360	
Terminale aperto dx o sx per gola tipo “B” da utilizzare a fine composizione RH or LH open end for type “B” finger rail to be placed at the end of the composition  terminale DX RH end terminale SX LH end	G950121 G950122		Gola verticale intermedia tipo “D” (completa di distanziale) Type “D” intermediate vertical finger rail (complete with spacer)   sezione gola tipo “D” cross section of type “D” finger rail Piedi H 13 H 96 H 132 H 204 H 228 Piedi H 6 H 108 H 144 H 216	G950410 G950430 G950450 G950470 G950420 G950440 G950460	
Terminale chiuso dx o sx per gola tipo “B” da utilizzare solo tra cassettiere e lavastoviglie/colonne RH or LH closure for type “B” finger rail to be placed only between drawer units and dishwasher/columns  terminale DX RH end terminale SX LH end	G950131 G950132		Gola verticale laterale tipo “E” (completa di distanziale) Type “E” lateral vertical finger rail (complete with spacer)   sezione gola tipo “E” cross section of type “E” finger rail Piedi H 13 H 96 H 132 H 204 H 228 Piedi H 6 H 108 H 144 H 216	G950510 G950530 G950550 G950570 G950520 G950540 G950560	

NOZIONI UTILI - gole “elle” orizzontali per basi

USEFUL INFORMATION - HORIZONTAL “ELLE” FINGER RAILS FOR BASE UNITS


VISTA FRONTALE ZOCCOLO H 13 PER BASI H 88

FRONT VIEW PLINTH H 13 FOR BASE UNITS H 88




VISTA FRONTALE ZOCCOLO H 6 PER BASI H 90

FRONT VIEW PLINTH H 6 FOR BASE UNITS H 90




VISTA LATERALE (sezione) ZOCCOLO H 13 PER BASI H 88

SIDE VIEW (CROSS SECTION) PLINTH H 13 FOR BASE UNITS H 88





VISTA LATERALE (sezione) ZOCCOLO H 6 PER BASI H 90

SIDE VIEW (CROSS SECTION) PLINTH H 6 FOR BASE UNITS H 90



VISTA DALL'ALTO

TOP VIEW



Composizione con ante di finitura laterali: alla dimensione finale della cucina, sommare sempre lo spessore delle ante di finitura (ogni anta 1,2 cm)


Composition with side finishing panels: to the final size of the kitchen, always add the thickness of the finishing panels (each panel 12 mm)

NOZIONI UTILI - gole “elle” verticali per colonne

USEFUL INFORMATION - VERTICAL “ELLE” FINGER RAILS FOR COLUMNS


VISTA FRONTALE ZOCCOLO H 13

FRONT VIEW PLINTH H 13




VISTA FRONTALE ZOCCOLO H 6

FRONT VIEW PLINTH H 6



VISTA DALL'ALTO

TOP VIEW



Composizione fianco strutturale
a vista come anta:
alla dimensione finale della cucina,
sommare sempre lo spessore dei
distanziali tra le colonne
(ogni distanziale 3 cm)


Composition with visible side panel to match door:
to the final size of the kitchen, always add the thickness
of the spacers between the two columns (each spacer 3 cm)

Composizione con ante di finitura
laterali, alla dimensione finale della
cucina, sommare sempre lo spessore
dei distanziali tra le colonne
(ogni distanziale 3 cm) e lo spessore
delle ante di finitura (ogni anta 1,2 cm)


Composition with side finishing panels to the final size of the
kitchen, always add the thickness of the spacer between the
two columns (each spacer 3 cm) and the thickness of the
finishing panels (each panel 12 mm)

Anta con maniglia


Door with handle



FRONTALE
anta con
maniglia
frontale
door with front
handle



IN TESTA
anta con
maniglia in testa
door with top
mounted handle



INCASSATA
anta con maniglia
incassata
door with built-in
handle

TH. 22 MM

TECHNICAL FEATURES

DOORS AND DRAWER FRONTS

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** textured wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: white larch with white rear (opt.2414N), lava grey larch with clay rear (opt.2417N), shell larch with shell rear (opt.2415N), mink larch with mink rear (opt.2416N), black larch with blackboard rear (opt.2418N)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: sand elm with mink rear (opt.5077), tobacco elm with mud rear (opt.5078), dark elm with mud rear (opt.5079), oil elm with blackboard rear (opt.5080)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** matt solid colour, post-formed on four sides with melamine interior, in these colours: optical white with white rear (opt.7465), fossena grey with clay rear (opt.9616), soft sand with shell rear (opt.7718), deer with mink rear (opt.9455), brown earth with mud rear (opt.8845), lakis grey with blackboard rear (opt.9618), sedona red with mink rear (opt.8132), beryl green with mink rear (opt.8422), veiled grey with white rear (opt.9600), blu dusty with clay rear (opt.8324)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** textured mortar effect, post-formed on four sides with melamine interior, in these colours: absolute white with white rear (opt.PM01N), lava grey with clay rear (opt.PM04), sand with shell rear (opt.PM02N) mink with mink rear (opt.PM03), grey asphalt with blackboard rear (opt.PM05)

*** polyethylene terephthalate, abbreviated as PET, is a modern synthetic material, environmentally friendly and 100% recyclable. The main features that distinguish it from traditional plastics are its flexibility and excellent dimensional stability, which renders it unalterable over time. Its high resistance to heat, wear and thermal ageing makes PET one of the most innovative, future-oriented materials.**

HANDLES

see page 28-31

CARCASSES

DOORS: lava grey larch with clay rear, lava grey mortar with clay rear, matt fossena grey with clay rear, matt blu dusty with clay rear
standard: melamine-coated clay (opt.9690) clay back panel and shelf (opt.9690)
DOORS: shell larch with shell rear, sand mortar with shell rear, matt soft sand with shell rear
standard: melamine-coated shell (opt.8910) shell back panel and shelf (opt.8910)
DOORS: white larch with white rear, absolute white mortar with white rear, matt optical white with white rear, matt veiled grey with white rear
standard: melamine-coated white (opt.001), white back panel and shelf (opt.001)
DOORS: mink larch with mink rear, mink mortar with mink rear, matt deer with mink rear, sand elm with mink rear, matt sedona red with mink rear, matt beryl green with mink rear
standard: melamine-coated mink (opt.948M) mink back panel and shelf (opt.948M)
DOORS: black ash with blackboard rear, grey asphalt mortar with blackboard rear, oil elm with blackboard rear, matt lakis grey with blackboard rear
standard: melamine-coated slate grey (opt.9620) slate grey back panel and shelf (opt.9620)
DOORS: tobacco elm with mud rear, dark elm with mud rear, matt brown earth with mud rear
standard: melamine-coated mud (opt.8860) mud back panel and shelf (opt.8860)

SHELVES

see page 54

PLINTHS

see page 55



SP. 22 MM TH. 22 MM

ante effetto legno materico post-formate 4 lati
doors with textured wood effect post-formed on 4 sides



larice bianco
retro bianco (opz.2414N)
white larch with white rear



larice grigio lava
retro argilla (opz.2417N)
lava grey larch with clay rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022



larice conchiglia
retro conchiglia (opz.2415N)
shell larch with shell rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022



larice visone
retro visone (opz.2416N)
mink larch with mink rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022



larice nero
retro lavagna (opz.2418N)
black larch with blackboard rear

ante effetto legno post-formate 4 lati
doors with wood effect post-formed on 4 sides



olmo sabbia
retro visone (opz.5077)
sand elm with mink rear



olmo tabacco
retro fango (opz.5078)
tobacco elm with mud rear



olmo scuro
retro fango (opz.5079)
dark elm with mud rear




olmo petrolio
retro lavagna (opz.5080)
oil elm with blackboard rear



particolare
con maniglia
detailed
with handle

SP. 22 MM TH. 22 MM

ante tinta unita opache post-formate 4 lati
doors with solid matt colour post-formed 4 sides



bianco ottico
retro bianco (opz.7465)
optical white with white rear


grigio fossena
retro argilla (opz.9616)
fossena grey with clay rear

sabbia tenue
retro conchiglia (opz.7718)
soft sand with shell rear

daino
retro visone (opz.9455)
deer with mink rear

terra bruna
retro fango (opz.8845)
brown earth with mud rear

grigio lakis
retro lavagna (opz.9618)
lakis grey with blackboard rear



rosso sedona
retro visone (opz.8132)
sedona red with mink rear

verde berillo
retro visone (opz.8422)
beryl green with mink rear

grigio velato
retro bianco (opz.9600)
veiled grey with white rear

blu dusty
retro argilla (opz.8324)
blu dusty with clay rear



particolare
con maniglia
detailed
with handle

SP. 22 MM TH. 22 MM

ante effetto malta materico post-formate 4 lati
doors with textured mortar effect post-formed 4 sides



malta bianco assoluto
retro bianco (opz.PM01N)
absolute white mortar with
white rear



malta grigio lava
retro argilla (opz.PM04)
lava grey mortar with
clay rear



malta sabbia
retro conchiglia (opz.PM02N)
sand mortar with shell rear



malta visone
retro visone (opz.PM03)
mink mortar with mink rear



malta grigio asfalto
retro lavagna (opz.PM05)
grey asphalt mortar with
blackboard rear



particolare
con maniglia
detailed
with handle

DI SERIE STANDARD



Maniglia 577N finitura nichel satinato
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 577N satin nickel finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 320 mm

A RICHIESTA ON REQUEST



Maniglia 60S finitura silver dark
anta L 15 → passo 96 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 60S dark silver finish
door W 15 → centre-to-centre distance 96 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 320 mm



Maniglia 60V finitura visone
anta L 15 → passo 96 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 60V mink finish
door W 15 → centre-to-centre distance 96 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 320 mm



Maniglia 567A finitura soft verniciata antracite
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 567A coated soft anthracite finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 320 mm



Maniglia 567 finitura nichel satinato
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 567 satin nickel finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 320 mm



Maniglia 475S finitura nichel satinato
anta L 15 → passo 96 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 475S satin nickel finish
door W 15 → centre-to-centre distance 96 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 320 mm



Maniglia 59S finitura silver dark
anta L 15 → passo 32 mm
anta L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 448 mm

Handle 59S dark silver finish
door W 15 → centre-to-centre distance 32 mm
door W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 448 mm



Maniglia 59G finitura ghisa
anta L 15 → passo 32 mm
anta L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 448 mm

Handle 59G cast iron finish
door W 15 → centre-to-centre distance 32 mm
door W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 448 mm



Maniglia 59A finitura acciaio anodizzato
anta L 15 → passo 32 mm
anta L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 448 mm


Handle 59A anodized steel finish
door W 15 → centre-to-centre distance 32 mm
door W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 448 mm

MANIGLIA VERTICALE M42V
M42V HANDLE VERTICAL



Maniglia M42V finitura nichel satinata
passo in funzione dell'anta
Handle M42V nickel satin finish
centre-to-centre distance varies according to the door

N.B.: la maniglia verticale non è disponibile per tutti gli elementi. Non inseribile su pensili, basi con cassetti e cestone
Note: The vertical handle is not compatible with all the elements. Is not possible to insert it on the wall units and base units with drawers and deep drawers.



A RICHIESTA ON REQUEST



Maniglia 948S finitura silver dark
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm



Maniglia 948G finitura ghisa
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm



Maniglia 948T finitura titanio
anta L 15 → passo 64 mm
anta da L 30 a L 45 → passo 160 mm
anta da L 60 a L 120 → passo 320 mm

Handle 948S dark silver finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 320 mm

Handle 948G cast iron finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 320 mm

Handle 948T titanium finish
door W 15 → centre-to-centre distance 64 mm
door from W 30 to W 45 → centre-to-centre distance 160 mm
door from W 60 to W 120 → centre-to-centre distance 320 mm



Anta Pensile
Wall unit door





Anta Base
Base unit door



Anta Colonna
Column door

Angolo pensile a libro
Corner wall unit folding



MANIGLIE HANDLES

N.B.: In presenza di questa maniglia
non si possono tassativamente realizzare fuori misura in larghezza.
Note: Custom-sized length elements cannot be realized using this handle.



Maniglia H53 finitura silver dark




Maniglia H52 finitura titanio


Handle H53 dark silver finish

Handle H52 titanium finish

MANIGLIA APPLICATA IN TESTA TOP-MOUNTED HANDLE



MANIGLIA FRONTALE PER ANTA COLONNA FRONT DOOR HANDLE FOR COLUMN





SP. 22 MM

CARATTERISTICHE TECNICHE

ANTE E FRONTALI
CASSETTI

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** effetto legno materico fiamma verticale, post-formata quattro lati con interno in melaminico, nei colori: larice bianco retro bianco (opz.2414N), larice grigio lava retro argilla (opz.2417N), larice conchiglia retro conchiglia (opz.2415N), larice visone retro visone (opz.2416N), larice nero retro lavagna (opz.2418N)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** effetto legno fiamma verticale, post-formata quattro lati con interno in melaminico, nei colori: olmo sabbia retro visone (opz.5077), olmo tabacco retro fango (opz.5078), olmo scuro retro fango (opz.5079), olmo petrolio retro lavagna (opz.5080)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** colore tinta unita opaco, post-formata quattro lati con interno in melaminico, nei colori: bianco ottico retro bianco (opz.7465), grigio fossena retro argilla (opz.9616), sabbia tenue retro conchiglia (opz.7718), daino retro visone (opz.9455), terra bruna retro fango (opz.8845), grigio lakis retro lavagna (opz.9618), rosso sedona retro visone (opz.8132), verde berillo retro visone (opz.8422), grigio velato retro bianco (opz.9600), blu dusty retro argilla (opz.8324)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** materica effetto malta, post-formata quattro lati con interno in melaminico, nei colori: bianco assoluto retro bianco (opz.PM01N), grigio lava retro argilla (opz.PM04), sabbia retro conchiglia (opz.PM02N), visone retro visone (opz.PM03), grigio asfalto retro lavagna (opz.PM05)

*** il polietilenteraftelato, conosciuto sotto l'abbreviazione PET, è una materia sintetica moderna, ecologica e riciclabile al 100%. Le principali caratteristiche che lo diversificano dalle tradizionali materie plastiche sono la flessibilità e l'eccellente stabilità dimensionale che lo rendono inalterabile nel tempo. L'elevata resistenza al calore, all'usura ed all'invecchiamento termico fanno del PET uno dei materiali più innovativi ed orientati al futuro.**

MANIGLIE

vedi pag.28-31

STRUTTURE

ANTE: larice grigio lava retro argilla, malta grigio lava retro argilla, grigio fossena opaco retro argilla, blu dusty opaco retro argilla di serie : nobilitato argilla (opz.9690) schiena e ripiano argilla (opz.9690)
ANTE: larice conchiglia retro conchiglia, malta sabbia retro conchiglia, sabbia tenue opaco retro conchiglia di serie : nobilitato conchiglia (opz.8910) schiena e ripiano conchiglia (opz.8910)
ANTE: larice bianco retro bianco, malta bianco assoluto retro bianco, bianco ottico opaco retro bianco, grigio velato opaco retro bianco di serie : nobilitato bianco (opz.001) schiena e ripiano bianco (opz.001)
ANTE: larice visone retro visone, malta visone retro visone, daino opaco retro visone, olmo sabbia retro visone, rosso sedona opaco retro visone, verde berillo opaco retro visone di serie : nobilitato visone (opz.948M) schiena e ripiano visone (opz.948M)
ANTE: larice nero retro lavagna, malta grigio asfalto retro lavagna, olmo petrolio retro lavagna, grigio lakis retro lavagna di serie : nobilitato lavagna (opz.9620) schiena e ripiano lavagna (opz.9620)
ANTE: olmo tabacco retro fango, olmo scuro retro fango, terra bruna retro fango di serie : nobilitato fango (opz.8860) schiena e ripiano fango (opz.8860)



MENSOLE

vedi pag.54

ZOCCOLI

vedi pag.55



TH. 22 MM

TECHNICAL FEATURES

DOORS AND DRAWER FRONTS

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** textured wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: white larch with white rear (opt.2414N), lava grey larch with clay rear (opt.2417N), shell larch with shell rear (opt.2415N), mink larch with mink rear (opt.2416N), black larch with blackboard rear (opt.2418N)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: sand elm with mink rear (opt.5077), tobacco elm with mud rear (opt.5078), dark elm with mud rear (opt.5079), oil elm with blackboard rear (opt.5080)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** matt solid colour, post-formed on four sides with melamine interior, in these colours: optical white with white rear (opt.7465), fossena grey with clay rear (opt.9616), soft sand with shell rear (opt.7718), deer with mink rear (opt.9455), brown earth with mud rear (opt.8845), lakis grey with blackboard rear (opt.9618), sedona red with mink rear (opt.8132), beryl green with mink rear (opt.8422), veiled grey with white rear (opt.9600), blu dusty with clay rear (opt.8324)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** textured mortar effect, post-formed on four sides with melamine interior, in these colours: absolute white with white rear (opt.PM01N), lava grey with clay rear (opt.PM04), sand with shell rear (opt.PM02N) mink with mink rear (opt.PM03), grey asphalt with blackboard rear (opt.PM05)

*** polyethylene terephthalate, abbreviated as PET, is a modern synthetic material, environmentally friendly and 100% recyclable. The main features that distinguish it from traditional plastics are its flexibility and excellent dimensional stability, which renders it unalterable over time. Its high resistance to heat, wear and thermal ageing makes PET one of the most innovative, future-oriented materials.**

HANDLES

see page 28-31

CARCASSES

DOORS: lava grey larch with clay rear, lava grey mortar with clay rear, matt fossena grey with clay rear, matt blu dusty with clay rear
standard: melamine-coated clay (opt.9690) clay back panel and shelf (opt.9690)
DOORS: shell larch with shell rear, sand mortar with shell rear, matt soft sand with shell rear
standard: melamine-coated shell (opt.8910) shell back panel and shelf (opt.8910)
DOORS: white larch with white rear, absolute white mortar with white rear, matt optical white with white rear, matt veiled grey with white rear
standard: melamine-coated white (opt.001), white back panel and shelf (opt.001)
DOORS: mink larch with mink rear, mink mortar with mink rear, matt deer with mink rear, sand elm with mink rear, matt sedona red with mink rear, matt beryl green with mink rear
standard: melamine-coated mink (opt.948M) mink back panel and shelf (opt.948M)
DOORS: black ash with blackboard rear, grey asphalt mortar with blackboard rear, oil elm with blackboard rear, matt lakis grey with blackboard rear
standard: melamine-coated slate grey (opt.9620) slate grey back panel and shelf (opt.9620)
DOORS: tobacco elm with mud rear, dark elm with mud rear, matt brown earth with mud rear
standard: melamine-coated mud (opt.8860) mud back panel and shelf (opt.8860)

SHELVES

see page 54

PLINTHS

see page 55



SP. 22 MM TH. 22 MM

ante effetto legno materico post-formate 4 lati
doors with textured wood effect post-formed on 4 sides



larice bianco
retro bianco (opz.2414N)
white larch with white rear

larice grigio lava
retro argilla (opz.2417N)
lava grey larch with clay rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022

larice conchiglia
retro conchiglia (opz.2415N)
shell larch with shell rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022

larice visone
retro visone (opz.2416N)
mink larch with mink rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022

larice nero
retro lavagna (opz.2418N)
black larch with blackboard rear

ante effetto legno post-formate 4 lati
doors with wood effect post-formed on 4 sides



olmo sabbia
retro visone (opz.5077)
sand elm with mink rear

olmo tabacco
retro fango (opz.5078)
tobacco elm with mud rear

olmo scuro
retro fango (opz.5079)
dark elm with mud rear

olmo petrolio
retro lavagna (opz.5080)
oil elm with blackboard rear



particolare
con maniglia
detailed
with handle

N.B.: per schemi maniglia vedi pag.37
Note: for handle diagrams see page 37

SP. 22 MM TH. 22 MM

ante tinta unita opache post-formate 4 lati
doors with solid matt colour post-formed 4 sides



bianco ottico
retro bianco (opz.7465)
optical white with white rear


grigio fossena
retro argilla (opz.9616)
fossena grey with clay rear

sabbia tenue
retro conchiglia (opz.7718)
soft sand with shell rear

daino
retro visone (opz.9455)
deer with mink rear

terra bruna
retro fango (opz.8845)
brown earth with mud rear

grigio lakis
retro lavagna (opz.9618)
lakis grey with blackboard rear



rosso sedona
retro visone (opz.8132)
sedona red with mink rear

verde berillo
retro visone (opz.8422)
beryl green with mink rear

grigio velato
retro bianco (opz.9600)
veiled grey with white rear

blu dusty
retro argilla (opz.8324)
blu dusty with clay rear

ante effetto malta materico post-formate 4 lati
doors with textured mortar effect post-formed 4 sides




malta bianco assoluto
retro bianco (opz.PM01N)
absolute white mortar with white rear

malta grigio lava
retro argilla (opz.PM04)
lava grey mortar with clay rear


malta sabbia
retro conchiglia (opz.PM02N)
sand mortar with shell rear

malta visone
retro visone (opz.PM03)
mink mortar with mink rear


malta grigio asfalto
retro lavagna (opz.PM05)
grey asphalt mortar with blackboard rear



Handle 963G cast iron finish
 door W 15 → centre-to-centre distance 96 mm
 door from W 30 to W 120 → centre-to-centre distance 192 mm





Handle 963S dark silver finish
 door W 15 → centre-to-centre distance 96 mm
 door from W 30 to W 120 → centre-to-centre distance 192 mm



Handle 963N satin nickel finish
 door W 15 → centre-to-centre distance 96 mm
 door from W 30 to W 120 → centre-to-centre distance 192 mm

Angolo pensile a libro
Corner wall unit folding





SP. 22 MM

CARATTERISTICHE TECNICHE

ANTE E FRONTALI
CASSETTI

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** effetto legno materico fiamma verticale, post-formata quattro lati con interno in melaminico, nei colori: larice bianco retro bianco (opz.2414N), larice grigio lava retro argilla (opz.2417N), larice conchiglia retro conchiglia (opz.2415N), larice visone retro visone (opz.2416N), larice nero retro lavagna (opz.2418N)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** effetto legno fiamma verticale, post-formata quattro lati con interno in melaminico, nei colori: olmo sabbia retro visone (opz.5077), olmo tabacco retro fango (opz.5078), olmo scuro retro fango (opz.5079), olmo petrolio retro lavagna (opz.5080)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** colore tinta unita opaco, post-formata quattro lati con interno in melaminico, nei colori: bianco ottico retro bianco (opz.7465), grigio fossena retro argilla (opz.9616), sabbia tenue retro conchiglia (opz.7718), daino retro visone (opz.9455), terra bruna retro fango (opz.8845), grigio lakis retro lavagna (opz.9618), rosso sedona retro visone (opz.8132), verde berillo retro visone (opz.8422), grigio velato retro bianco (opz.9600), blu dusty retro argilla (opz.8324)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** materica effetto malta, post-formata quattro lati con interno in melaminico, nei colori: bianco assoluto retro bianco (opz.PM01N), grigio lava retro argilla (opz.PM04), sabbia retro conchiglia (opz.PM02N), visone retro visone (opz.PM03), grigio asfalto retro lavagna (opz.PM05)

*** il polietilenteraftelato, conosciuto sotto l'abbreviazione PET, è una materia sintetica moderna, ecologica e riciclabile al 100%. Le principali caratteristiche che lo diversificano dalle tradizionali materie plastiche sono la flessibilità e l'eccellente stabilità dimensionale che lo rendono inalterabile nel tempo. L'elevata resistenza al calore, all'usura ed all'invecchiamento termico fanno del PET uno dei materiali più innovativi ed orientati al futuro.**

MANIGLIE

vedi pag.28-31

STRUTTURE

ANTE: larice grigio lava retro argilla, malta grigio lava retro argilla, grigio fossena opaco retro argilla, blu dusty opaco retro argilla di serie : nobilitato argilla (opz.9690) schiena e ripiano argilla (opz.9690)
ANTE: larice conchiglia retro conchiglia, malta sabbia retro conchiglia, sabbia tenue opaco retro conchiglia di serie : nobilitato conchiglia (opz.8910) schiena e ripiano conchiglia (opz.8910)
ANTE: larice bianco retro bianco, malta bianco assoluto retro bianco, bianco ottico opaco retro bianco, grigio velato opaco retro bianco di serie : nobilitato bianco (opz.001) schiena e ripiano bianco (opz.001)
ANTE: larice visone retro visone, malta visone retro visone, daino opaco retro visone, olmo sabbia retro visone, rosso sedona opaco retro visone, verde berillo opaco retro visone di serie : nobilitato visone (opz.948M) schiena e ripiano visone (opz.948M)
ANTE: larice nero retro lavagna, malta grigio asfalto retro lavagna, olmo petrolio retro lavagna, grigio lakis retro lavagna di serie : nobilitato lavagna (opz.9620) schiena e ripiano lavagna (opz.9620)
ANTE: olmo tabacco retro fango, olmo scuro retro fango, terra bruna retro fango di serie : nobilitato fango (opz.8860) schiena e ripiano fango (opz.8860)



MENSOLE

vedi pag.54

ZOCCOLI

vedi pag.55



TH. 22 MM

TECHNICAL FEATURES

DOORS AND DRAWER FRONTS

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** textured wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: white larch with white rear (opt.2414N), lava grey larch with clay rear (opt.2417N), shell larch with shell rear (opt.2415N), mink larch with mink rear (opt.2416N), black larch with blackboard rear (opt.2418N)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: sand elm with mink rear (opt.5077), tobacco elm with mud rear (opt.5078), dark elm with mud rear (opt.5079), oil elm with blackboard rear (opt.5080)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** matt solid colour, post-formed on four sides with melamine interior, in these colours: optical white with white rear (opt.7465), fossena grey with clay rear (opt.9616), soft sand with shell rear (opt.7718), deer with mink rear (opt.9455), brown earth with mud rear (opt.8845), lakis grey with blackboard rear (opt.9618), sedona red with mink rear (opt.8132), beryl green with mink rear (opt.8422), veiled grey with white rear (opt.9600), blu dusty with clay rear (opt.8324)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** textured mortar effect, post-formed on four sides with melamine interior, in these colours: absolute white with white rear (opt.PM01N), lava grey with clay rear (opt.PM04), sand with shell rear (opt.PM02N) mink with mink rear (opt.PM03), grey asphalt with blackboard rear (opt.PM05)

*** polyethylene terephthalate, abbreviated as PET, is a modern synthetic material, environmentally friendly and 100% recyclable. The main features that distinguish it from traditional plastics are its flexibility and excellent dimensional stability, which renders it unalterable over time. Its high resistance to heat, wear and thermal ageing makes PET one of the most innovative, future-oriented materials.**

HANDLES

see page 28-31

CARCASSES

DOORS: lava grey larch with clay rear, lava grey mortar with clay rear, matt fossena grey with clay rear, matt blu dusty with clay rear
standard: melamine-coated clay (opt.9690) clay back panel and shelf (opt.9690)
DOORS: shell larch with shell rear, sand mortar with shell rear, matt soft sand with shell rear
standard: melamine-coated shell (opt.8910) shell back panel and shelf (opt.8910)
DOORS: white larch with white rear, absolute white mortar with white rear, matt optical white with white rear, matt veiled grey with white rear
standard: melamine-coated white (opt.001), white back panel and shelf (opt.001)
DOORS: mink larch with mink rear, mink mortar with mink rear, matt deer with mink rear, sand elm with mink rear, matt sedona red with mink rear, matt beryl green with mink rear
standard: melamine-coated mink (opt.948M) mink back panel and shelf (opt.948M)
DOORS: black ash with blackboard rear, grey asphalt mortar with blackboard rear, oil elm with blackboard rear, matt lakis grey with blackboard rear
standard: melamine-coated slate grey (opt.9620) slate grey back panel and shelf (opt.9620)
DOORS: tobacco elm with mud rear, dark elm with mud rear, matt brown earth with mud rear
standard: melamine-coated mud (opt.8860) mud back panel and shelf (opt.8860)

SHELVES

see page 54

PLINTHS

see page 55



SP. 22 MM TH. 22 MM

ante effetto legno materico post-formate 4 lati
doors with textured wood effect post-formed on 4 sides



larice bianco
retro bianco (opz.2414N)
white larch with white rear

larice grigio lava
retro argilla (opz.2417N)
lava grey larch with clay rear
**N.B.: disponibile a partire
da Novembre 2022**
Note: available from
November 2022

larice conchiglia
retro conchiglia (opz.2415N)
shell larch with shell rear
**N.B.: disponibile a partire
da Novembre 2022**
Note: available from
November 2022

larice visone
retro visone (opz.2416N)
mink larch with mink rear
**N.B.: disponibile a partire
da Novembre 2022**
Note: available from
November 2022

larice nero
retro lavagna (opz.2418N)
black larch with blackboard rear

ante effetto legno post-formate 4 lati
doors with wood effect post-formed on 4 sides



olmo sabbia
retro visone (opz.5077)
sand elm with mink rear

olmo tabacco
retro fango (opz.5078)
tobacco elm with mud rear

olmo scuro
retro fango (opz.5079)
dark elm with mud rear

olmo petrolio
retro lavagna (opz.5080)
oil elm with blackboard rear



particolare
con maniglia
detailed
with handle

N.B.: per schemi maniglia vedi pag.44-45
Note: for handle diagrams see page 44-45



ROUND BOX MANIGLIA INCASSATA ORIZZONTALE

ROUND BOX HANDLE BUILT-IN HORIZONTAL



Maniglia 906G finitura ghisa
presa maniglia incassata
(vedi schema tecnico)

Handle 906G cast iron finish
built-in handle socket
(size see technical diagram)



Maniglia 906S finitura silver dark
presa maniglia incassata
(vedi schema tecnico)

Handle 906S dark silver finish
built-in handle socket
(size see technical diagram)





Maniglia 906F finitura grigio selce
presa maniglia incassata
(vedi schema tecnico)

Handle 906F flint grey finish
built-in handle socket
(size see technical diagram)



Maniglia 906B finitura nero
presa maniglia incassata
(vedi schema tecnico)

Handle 906B black finish
built-in handle socket
(size see technical diagram)



ROUND BOX MANIGLIA INCASSATA VERTICALE

ROUND BOX HANDLE BUILT-IN VERTICAL

N.B.: disponibile solo per alcuni elementi
Note: available on few elements only



Maniglia 906GV finitura ghisa
presa maniglia incassata
(vedi schema tecnico)

Handle 906GV cast iron finish
built-in handle socket
(size see technical diagram)



Maniglia 906SV finitura silver dark
presa maniglia incassata
(vedi schema tecnico)

Handle 906SV dark silver finish
built-in handle socket
(size see technical diagram)




Maniglia 906FV finitura grigio selce
presa maniglia incassata
(vedi schema tecnico)

Handle 906FV flint grey finish
built-in handle socket
(size see technical diagram)



Maniglia 906BV finitura nero
presa maniglia incassata
(vedi schema tecnico)

Handle 906BV black finish
built-in handle socket
(size see technical diagram)





SP. 22 MM

CARATTERISTICHE TECNICHE

ANTE E FRONTALI
CASSETTI

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** effetto legno materico fiamma verticale, post-formata quattro lati con interno in melaminico, nei colori: larice bianco retro bianco (opz.2414N), larice grigio lava retro argilla (opz.2417N), larice conchiglia retro conchiglia (opz.2415N), larice visone retro visone (opz.2416N), larice nero retro lavagna (opz.2418N)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** effetto legno fiamma verticale, post-formata quattro lati con interno in melaminico, nei colori: olmo sabbia retro visone (opz.5077), olmo tabacco retro fango (opz.5078), olmo scuro retro fango (opz.5079), olmo petrolio retro lavagna (opz.5080)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** colore tinta unita opaco, post-formata quattro lati con interno in melaminico, nei colori: bianco ottico retro bianco (opz.7465), grigio fossena retro argilla (opz.9616), sabbia tenue retro conchiglia (opz.7718), daino retro visone (opz.9455), terra bruna retro fango (opz.8845), grigio lakis retro lavagna (opz.9618), rosso sedona retro visone (opz.8132), verde berillo retro visone (opz.8422), grigio velato retro bianco (opz.9600), blu dusty retro argilla (opz.8324)

anta sp.22 mm con pannello in mdf certificato (conforme **US EPA TSCA TITLE VI**) rivestita in foglia polimerica **PET*** materica effetto malta, post-formata quattro lati con interno in melaminico, nei colori: bianco assoluto retro bianco (opz.PM01N), grigio lava retro argilla (opz.PM04), sabbia retro conchiglia (opz.PM02N), visone retro visone (opz.PM03), grigio asfalto retro lavagna (opz.PM05)

*** il polietilenteraftelato, conosciuto sotto l'abbreviazione PET, è una materia sintetica moderna, ecologica e riciclabile al 100%. Le principali caratteristiche che lo diversificano dalle tradizionali materie plastiche sono la flessibilità e l'eccellente stabilità dimensionale che lo rendono inalterabile nel tempo. L'elevata resistenza al calore, all'usura ed all'invecchiamento termico fanno del PET uno dei materiali più innovativi ed orientati al futuro.**

MANIGLIE

vedi pag.28-31

STRUTTURE

ANTE: larice grigio lava retro argilla, malta grigio lava retro argilla, grigio fossena opaco retro argilla, blu dusty opaco retro argilla di serie : nobilitato argilla (opz.9690) schiena e ripiano argilla (opz.9690),
ANTE: larice conchiglia retro conchiglia, malta sabbia retro conchiglia, sabbia tenue opaco retro conchiglia, di serie : nobilitato conchiglia (opz.8910) schiena e ripiano conchiglia (opz.8910)
ANTE: larice bianco retro bianco, malta bianco assoluto retro bianco, bianco ottico opaco retro bianco, grigio velato opaco retro bianco di serie : nobilitato bianco (opz.001) schiena e ripiano bianco (opz.001)
ANTE: larice visone retro visone, malta visone retro visone, daino opaco retro visone, olmo sabbia retro visone, rosso sedona opaco retro visone, verde berillo opaco retro visone di serie : nobilitato visone (opz.948M) schiena e ripiano visone (opz.948M)
ANTE: larice nero retro lavagna, malta grigio asfalto retro lavagna, olmo petrolio retro lavagna, grigio lakis retro lavagna di serie : nobilitato lavagna (opz.9620) schiena e ripiano lavagna (opz.9620)
ANTE: olmo tabacco retro fango, olmo scuro retro fango, terra bruna retro fango di serie : nobilitato fango (opz.8860) schiena e ripiano fango (opz.8860)



MENSOLE

vedi pag.54

ZOCCOLI

vedi pag.55



TH. 22 MM

TECHNICAL FEATURES

DOORS AND DRAWER FRONTS

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** textured wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: white larch with white rear (opt.2414N), lava grey larch with clay rear (opt.2417N), shell larch with shell rear (opt.2415N), mink larch with mink rear (opt.2416N), black larch with blackboard rear (opt.2418N)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** wood effect vertical grain, post-formed on four sides with melamine interior, in these colours: sand elm with mink rear (opt.5077), tobacco elm with mud rear (opt.5078), dark elm with mud rear (opt.5079), oil elm with blackboard rear (opt.5080)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** matt solid colour, post-formed on four sides with melamine interior, in these colours: optical white with white rear (opt.7465), fossena grey with clay rear (opt.9616), soft sand with shell rear (opt.7718), deer with mink rear (opt.9455), brown earth with mud rear (opt.8845), lakis grey with blackboard rear (opt.9618), sedona red with mink rear (opt.8132), beryl green with mink rear (opt.8422), veiled grey with white rear (opt.9600), blu dusty with clay rear (opt.8324)

22 mm-thick door with panel in certified MDF (compliant with **US EPA TSCA TITLE VI**) coated with polymeric sheet **PET*** textured mortar effect, post-formed on four sides with melamine interior, in these colours: absolute white with white rear (opt.PM01N), lava grey with clay rear (opt.PM04), sand with shell rear (opt.PM02N) mink with mink rear (opt.PM03), grey asphalt with blackboard rear (opt.PM05)

*** polyethylene terephthalate, abbreviated as PET, is a modern synthetic material, environmentally friendly and 100% recyclable. The main features that distinguish it from traditional plastics are its flexibility and excellent dimensional stability, which renders it unalterable over time. Its high resistance to heat, wear and thermal ageing makes PET one of the most innovative, future-oriented materials.**

HANDLES

see page 28-31

CARCASSES

DOORS: lava grey larch with clay rear, lava grey mortar with clay rear, matt fossena grey with clay rear, matt blu dusty with clay rear
standard: melamine-coated clay (opt.9690) clay back panel and shelf (opt.9690)
DOORS: shell larch with shell rear, sand mortar with shell rear, matt soft sand with shell rear
standard: melamine-coated shell (opt.8910) shell back panel and shelf (opt.8910)
DOORS: white larch with white rear, absolute white mortar with white rear, matt optical white with white rear, matt veiled grey with white rear
standard: melamine-coated white (opt.001), white back panel and shelf (opt.001)
DOORS: mink larch with mink rear, mink mortar with mink rear, matt deer with mink rear, sand elm with mink rear, matt sedona red with mink rear, matt beryl green with mink rear
standard: melamine-coated mink (opt.948M) mink back panel and shelf (opt.948M)
DOORS: black ash with blackboard rear, grey asphalt mortar with blackboard rear, oil elm with blackboard rear, matt lakis grey with blackboard rear
standard: melamine-coated slate grey (opt.9620) slate grey back panel and shelf (opt.9620)
DOORS: tobacco elm with mud rear, dark elm with mud rear, matt brown earth with mud rear
standard: melamine-coated mud (opt.8860) mud back panel and shelf (opt.8860)

SHELVES

see page 54

PLINTHS

see page 55



SP. 22 MM TH. 22 MM

ante effetto legno materico post-formate 4 lati
doors with textured wood effect post-formed on 4 sides



larice bianco
retro bianco (opz.2414N)
white larch with white rear



larice grigio lava
retro argilla (opz.2417N)
lava grey larch with clay rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022



larice conchiglia
retro conchiglia (opz.2415N)
shell larch with shell rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022



larice visone
retro visone (opz.2416N)
mink larch with mink rear
N.B.: disponibile a partire da Novembre 2022
Note: available from November 2022



larice nero
retro lavagna (opz.2418N)
black larch with blackboard rear

ante effetto legno post-formate 4 lati
doors with wood effect post-formed on 4 sides



olmo sabbia
retro visone (opz.5077)
sand elm with mink rear



olmo tabacco
retro fango (opz.5078)
tobacco elm with mud rear



olmo scuro
retro fango (opz.5079)
dark elm with mud rear



olmo petrolio
retro lavagna (opz.5080)
oil elm with blackboard rear



particolare presa
maniglia
detailed
handle grip


N.B.: per schemi maniglia vedi pag.51
Note: for handle diagrams see page 51

Round Frame

Bridge cod. **B16**

SP. 22 MM TH. 22 MM

ante tinta unita opache post-formate 4 lati
doors with solid matt colour post-formed 4 sides



bianco ottico
retro bianco (opz.7465)
optical white with white rear

grigio fossena
retro argilla (opz.9616)
fossena grey with clay rear

sabbia tenue
retro conchiglia (opz.7718)
soft sand with shell rear

daino
retro visone (opz.9455)
deer with mink rear

terra bruna
retro fango (opz.8845)
brown earth with mud rear

grigio lakis
retro lavagna (opz.9618)
lakis grey with blackboard rear



rosso sedona
retro visone (opz.8132)
sedona red with mink rear

verde berillo
retro visone (opz.8422)
beryl green with mink rear

grigio velato
retro bianco (opz.9600)
veiled grey with white rear

blu dusty
retro argilla (opz.8324)
blu dusty with clay rear

ante effetto malta materico post-formate 4 lati
doors with textured mortar effect post-formed 4 sides



malta bianco assoluto
retro bianco (opz.PM01N)
absolute white mortar with white rear

malta grigio lava
retro argilla (opz.PM04)
lava grey mortar with clay rear



malta sabbia
retro conchiglia (opz.PM02N)
sand mortar with shell rear

malta visone
retro visone (opz.PM03)
mink mortar with mink rear

malta grigio asfalto
retro lavagna (opz.PM05)
grey asphalt mortar with blackboard rear

SCHEMA PRESA MANIGLIA FRAME FRAME HANDLES GRIP DIAGRAM

Angolo pensile a libro
Corner wall unit folding



Vetro Glass

Telaio alluminio

Aluminium frame

 [CLICCA QUI PER LA GAMMA DEI VETRI TELAIO ALLUMINIO](#)

 [CLICK HERE FOR THE RANGE OF ALUMINIUM FRAMED GLASS](#)

strutture carcasses



bianco (opz.001)
schiena e ripiano bianco
(opz.001)
white (opt.001)
white back panel and shelf
(opt.001)



visone (opz.948M)
schiena e ripiano visone
(opz.948M)
mink (opt.948M)
mink back panel and shelf
(opt.948M)



lavagna (opz.9620)
schiena e ripiano lavagna
(opz.9620)
slate grey (opt.9620)
slate grey back panel
and shelf (opt.9620)



fango (opz.8860)
schiena e ripiano fango
(opz.8860)
mud (opt.8860)
mud back panel and shelf
(opt.8860)



conchiglia (opz.8910)
schiena e ripiano conchiglia
(opz.8910)
shell (opt.8910)
shell back panel and shelf
(opt.8910)



argilla (opz.9690)
schiena e ripiano argilla
(opz.9690)
clay (opt.9690)
clay back panel and shelf
(opt.9690)




GREENGUARD
LE STRUTTURE DELLE CUCINE
SONO CONTRADDISTINTE
DALLA CERTIFICAZIONE
GREENGUARD GOLD PER
SODDISFARE GLI STANDARD
PIU' RIGOROSI IN TERMINI
DI LIVELLI DI EMISSIONE
DI COMPOSTI ORGANICI
VOLATILI (COV).


mensole in laminato P 31-61 come strutture same colours as carcasses laminate shelves D 31-61




bianco (opz.001)
white (opt.001)



visone (opz.948M)
mink (opt.948M)




lavagna (opz.9620)
slate grey (opt.9620)



fango (opz.8860)
mud (opt.8860)



conchiglia (opz.8910)
shell (opt.8910)



argilla (opz.9690)
clay (opt.9690)

mensole in PET PET shelves



N.B.: per le finiture vedi pagine 9-10-11
Note: for finishes see pages 9-10-11

zoccoli in pvc H 13 pvc plinth H 13



acciaio (opz.407)
steel (opt.407)



bianco (opz.001)
white (opt.001)

di serie
standard

N.B.: non disponibili per elementi curvi
Note: not available for curved elements

zoccoli in alluminio H 13 aluminium plinth H 13



alluminio finitura titanio
ossidato (opz.414)
aluminium titanium
oxidized finish (opt.414)

zoccoli in alluminio H 13 verniciati a polvere finitura opaca
aluminum plinth height H 13 powder coated matt finish



alluminio finitura bianco
assoluto (opz.740S)
aluminium absolute
white finish (opt.740S)



alluminio lino
(opz.W770)
aluminium linen
(opt.W770)



alluminio finitura
grigio selce (opz.SE)
aluminium flint grey
finish (opt.SE)



alluminio finitura
ghisa (opz.9509)
aluminium cast iron
finish (opt.9509)



alluminio finitura
silver dark (opz.9507)
aluminium dark silver
finish (opt.9507)



alluminio finitura nero
(opz.7892)
aluminium
black finish (opt.7892)



MODULARITÀ E COMPONENTITÀ MODULARITÀ AND FITTING SOLUTIONS



MODULARITÀ E COMPONENTIBILITÀ MODULARITY AND FITTING SOLUTIONS



COLONNE FRIGO

FRIDGE COLUMNS






COLONNE FORNO



OVEN COLUMNS



●	ESCLUSO 65 EXCLUDING 65	★	SOLO 45/60 ONLY 45/60
●●	ESCLUSO 45 EXCLUDING 45	★★	SOLO 45/90 ONLY 45/90
●●●	ESCLUSO 120 EXCLUDING 120	★★★	SOLO 45 ONLY 45



MODULARITÀ E COMPONIBILITÀ MODULARITÀ AND FITTING SOLUTIONS



APERTURA A RIBALTA

Le ante aprendosi verso l'alto consentono di avere un' ampia visione d'insieme all'interno del mobile.

La regolazione della forza di apertura può essere impostata in modo esatto in base al peso del frontale. Grazie all'arresto progressivo le ante si fermano in qualsiasi posizione; in questo modo la maniglia è sempre facilmente raggiungibile. La chiusura è ammortizzata e un'unica manovra è sufficiente per regolare il frontale tridimensionalmente grazie all'assenza di cerniere e al sistema di aggancio clip.

WALL UNIT WITH FLAP DOOR

The doors that open upwards guarantee ample overall visibility inside the cabinet.


The opening force can be adjusted precisely according to the weight of the front. The doors stop in any position thanks to the gradual stopping movement; in this way, the handle is always easily accessible. The closing movement is cushioned and a single manoeuvre is required to three-dimensionally adjust the front, thanks to the clip-on system and the absence of hinges.



DI SERIE
STANDARD



MOTORIZZATO
SERVO-DRIVE
SERVO-DRIVE
MOTORISED
(Opz.007)
maggiorazione
surcharge




	A	B	C
H 36	11	3,5	47
H 48	15	3,5	63
H 60	18,5	3,5	78,5


Per evitare l'interferenza dell'anta in fase di apertura con cornici o mensole, si può richiedere il limitatore dell'angolo di apertura cod. 5620010

In order to avoid that the door interferes with cornices or shelves during the opening movement, it is possible to request an opening angle limiter: code 5620010

SCHEMA MONTAGGIO LIMITATORE
PER RIBALTA H 36
FLAP DOOR LIMITER INSTALLATION
DIAGRAM H 36



SCHEMA MONTAGGIO LIMITATORE
PER RIBALTA H 48
FLAP DOOR LIMITER INSTALLATION
DIAGRAM H 48



APERTURA VERTICALE OBLIQUA

I pensili con questo tipo di meccanismo necessitano per l'apertura di poco spazio libero sopra il mobile grazie al movimento basculante dell'anta che si apre senza difficoltà applicando poca forza anche in presenza di frontali pesanti. Con l'arresto progressivo le ante si fermano in qualsiasi posizione; in questo modo la maniglia è sempre facilmente raggiungibile. La chiusura è ammortizzata ed è possibile regolare la forza di tenuta in base al peso del frontale.

VERTICAL OPENING OBLIQUE


Wall units that mount this type of mechanism require little clearance above the cabinet thanks to the swivelling movement of the door that can be easily opened by applying slight pressure, even with heavy fronts. The doors stop in any position thanks to the gradual stopping movement; in this way, the handle is always easily accessible. The closing movement is cushioned and the closing force can be adjusted according to the weight of the front door.



DI SERIE
STANDARD



MOTORIZZATO
SERVO-DRIVE
SERVO-DRIVE
MOTORISED
(Opz.007)
maggiorazione
surcharge



	A	B	C	D
H 60	18	9,6	46,5	53,5
H 72	18	9,6	57	61

APERTURA VERTICALE

L'anta ad apertura verticale, potendo essere sollevata completamente verso l'alto, consente un accesso totale all'interno del pensile. Ideale per l'impiego in mobili a colonna per nascondere ad esempio apparecchi elettrici, o pensili con corpi mobili sovrastanti, ha la chiusura ammortizzata e la possibilità di regolare la forza di tenuta in base al peso del frontale.

VERTICAL OPENING

Doors with vertical opening movement can be fully raised to fully access the inside of the wall unit.

Ideal for use on column units to conceal electrical appliances for examples, or on wall units surmounted by mobile units.


The closing movement is cushioned and the closing force can be adjusted according to the weight of the front door.



DI SERIE
STANDARD



MOTORIZZATO
SERVO-DRIVE
SERVO-DRIVE
MOTORISED
(Opz.007)
maggiorazione
surcharge



	A	B	C	
H 36	35	23,5	34,5	
H 48	44	28,5	43,5	

APERTURA ANTE A PACCHETTO

Il meccanismo d'apertura ante a pacchetto è idoneo sul pensile H 72; la regolazione della forza di apertura può essere impostata in modo esatto in base ai pesi dei frontali, la chiusura è ammortizzata e la cerniera centrale clip si contraddistingue per l'innovativa tecnologia che garantisce la sicurezza per le dita.

LIFT-UP FOLDING DOORS


The lift-up folding door opening mechanism is suitable for wall units with H 72; the opening force can be adjusted precisely according to the weight of the fronts, while the closing movement is cushioned and the central clip-on hinge features innovative technology for safeguarding the fingers.



DI SERIE
STANDARD




MOTORIZZATO
SERVO-DRIVE
SERVO-DRIVE
MOTORISED
(Opz.007)
maggiorazione
surcharge



	A	B	C	
H 72	19,5	54	41	
H 96	24,7	69	53	

SCHEMA MONTAGGIO
LIMITATORE
LIMITER INSTALLATION
DIAGRAM



Per evitare l'interferenza dell'anta in fase di apertura con cornici o mensole, si può richiedere il limitatore dell'angolo di apertura cod. 5620005

In order to avoid that the door interferes with cornices or shelves during the opening movement, it is possible to request an opening angle limiter: code 5620005

COLONNE ARMADIO “NOOK” H 217 P 70,5 CON ANTE A SCOMPARSA

“NOOK” CLOSET COLUMNS H 217 D 70,5 WITH DOORS INWARDS

Le colonne armadio “Nook” con ante a scomparsa, consentono di inserire all’interno forno, frigo, tavolo e cassetti

“Nook” closet columns with pull-out doors allow to insert oven, fridge, table and drawer on the inside



COLONNE ARMADIO “NOOK” H 217 P 70,5 CON ANTE A SCOMPARSA


“NOOK” CLOSET COLUMNS H 217 D 70,5 WITH DOORS INWARDS

Il tavolo estraibile è disponibile nella versione inox o in laminato, nella finitura oak cognac

The pull-out table it's available in stainless steel version or laminate oak cognac finish



ZOCCOLO
H 6 centimetri
=
più volume di
contenimento



Con lo **zoccolo** ad altezza ridotta a 6 cm, si possono **guadagnare centimetri preziosi di contenimento**, dando alla cucina l'aspetto elegante di un living.


Valuable space has been saved by lowering the plinth to 6 cm, and so the kitchen will take on a stylish look such as a living room.



strutture carcasses



bianco (opz.001)
schiena e ripiano bianco
(opz.001)
white
white back panel and shelf



conchiglia (opz.8910)
schiena e ripiano conchiglia
(opz.8910)
shell
shell back panel and shelf



lavagna (opz.9620)
schiena e ripiano lavagna
(opz.9620)
slate grey
slate grey back panel and shelf



fango (opz.8860)
schiena e ripiano fango
(opz.8860)
mud
mud back panel and shelf



visone (opz.948M)
schiena e ripiano visone
(opz.948M)
mink
mink back panel and shelf



argilla (opz.9690)
schiena e ripiano argilla
(opz.9690)
clay
clay back panel and shelf

zoccoli in alluminio H 6 aluminium plinths H 6

di serie
standard



alluminio finitura titanio
ossidato (opz.414)
aluminium titanium
oxidized finish (opt.414)

zoccoli in alluminio H 6 verniciati a polvere finitura opaca aluminum plinths H 6 powder coated matt finish



alluminio lino
(opz.W770)
aluminium linen
(opt.W770)



alluminio finitura
bianco assoluto (opz.740S)
aluminium absolute
white finish (opt.740S)



alluminio finitura
grigio selce (opz.SE)
aluminium flint grey
finish (opt.SE)



alluminio finitura
ghisa (opz.9509)
aluminium cast iron
finish (opt.9509)






alluminio finitura
silver dark (opz.9507)
aluminium dark silver
finish (opt.9507)



alluminio finitura nero
(opz.7892)
aluminium
black finish (opt.7892)


MODULARITÀ E COMPONENTITÀ MODULARITÀ AND FITTING SOLUTIONS






● ESCLUSO 120
EXCLUDING 120

* SOLO 90
ONLY 90



MODULARITÀ E COMPONENTITÀ MODULARITÀ AND FITTING SOLUTIONS

COLONNE
COLUMNS

COLONNE FRIGO
FRIDGE COLUMNS



COLONNE FORNO
OVEN COLUMNS






Con lo **zoccolo** ad altezza ridotta a **6 cm**, si possono **guadagnare centimetri preziosi di contenimento**, dando alla cucina l'aspetto elegante di un living.

*Valuable space has been saved by lowering the **plinth** to **6 cm**, and so the kitchen will take on a stylish look such as a living room.*



strutture carcasses



bianco (opz.001)
schiena e ripiano bianco
(opz.001)
white
white back panel and shelf



conchiglia (opz.8910)
schiena e ripiano conchiglia
(opz.8910)
shell
shell back panel and shelf



lavagna (opz.9620)
schiena e ripiano lavagna
(opz.9620)
slate grey
slate grey back panel and shelf



fango (opz.8860)
schiena e ripiano fango
(opz.8860)
mud
mud back panel and shelf



visone (opz.948M)
schiena e ripiano visone
(opz.948M)
mink
mink back panel and shelf



argilla (opz.9690)
schiena e ripiano argilla
(opz.9690)
clay
clay back panel and shelf


zoccoli in alluminio H 6 aluminium plinths H 6

di serie
standard



alluminio finitura titanio
ossidato (opz.414)
aluminium titanium
oxidized finish (opt.414)

zoccoli in alluminio H 6 verniciati a polvere finitura opaca
aluminum plinths H 6 powder coated matt finish



alluminio lino
(opz.W770)
aluminium linen
(opt.W770)



alluminio finitura
bianco assoluto (opz.740S)
aluminium absolute
white finish (opt.740S)




alluminio finitura
grigio selce (opz.SE)
aluminium flint grey
finish (opt.SE)



alluminio finitura
ghisa (opz.9509)
aluminium cast iron
finish (opt.9509)




alluminio finitura
silver dark (opz.9507)
aluminium dark silver
finish (opt.9507)




alluminio finitura nero
(opz.7892)
aluminium
black finish (opt.7892)

MODULARITÀ E COMPONENTIBILITÀ MODULARITY AND FITTING SOLUTIONS



COLONNE H 114 - 150
COLUMNS H 114 - 150











ANTE VETRO
GLASS DOORS



per colori vedi pag.56
for colours see page 56

COLORI STRUTTURA INTERNA IN NOBILITATO
COLOURS FOR INTERNAL MELAMINE-COATED STRUCTURE



COLORI ANTE CHIUSE E PANNELLI FISSI FRONTALE E LATERALE
COLOURS FOR DOORS AND FIXED FRONT LATERAL PANELS



EFFETTO LEGNO MATERICO per colori vedi pag.9
TEXTURED WOOD EFFECT for colours see page 9





EFFETTO LEGNO per colori vedi pag.9
WOOD EFFECT COLOURS for colours see page 9



TINTA UNITA OPACHE per colori vedi pag.10
SOLID MATT COLOURS for colours see page 10



EFFETTO MALTA MATERICO per colori vedi pag.11
TEXTURED MORTAR EFFECT for colours see page 11


MENSOLE					
SHELVES					
	COD.			COD.	
mensola sp. 3,8 in nobilitato colori strutture L max cm 400 melamine shelf Th. 3.8, colours carcasses max. length 400 cm  Colori strutture Structure colours  bianco (opz.001) white  visone (opz.948M) mink  argilla (opz.9690) clay  lavagna (opz.9620) slate grey  fango (opz.8860) mud  conchiglia (opz.8910) shell			mensola sp. 3,8 in PET L max cm 270 PET shelf Th. 3.8, max. length 270 cm  Colori colours  larice bianco (opz.2414N) white larch  larice grigio lava (opz.2417N) lava grey larch  larice conchiglia (opz.2415N) shell larch  larice visone (opz.2416N) mink larch  larice nero (opz.2418N) black larch  olmo sabbia (opz.5077) sand elm  olmo tabacco (opz.5078) tobacco elm  olmo scuro (opz.5079) dark elm  olmo petrolio (opz.5080) oil elm  bianco ottico (opz.7465) optical white  grigio fossena (opz.9616) fossena grey  sabbia tenue (opz.7718) soft sand  daino (opz.9455) deer  terra bruna (opz.8845) brown earth  grigio lakis (opz.9618) lakis grey  rosso sedona (opz.8132) sedona red  verde berillo (opz.8422) beryl green  grigio velato (opz.9600) veiled grey  blu dusty (opz.8324) blu dusty  malta bianco assoluto (opz.PM01N) absolute white mortar  malta grigio lava (opz.PM04) lava grey mortar  malta sabbia (opz.PM02N) sand mortar  malta visone (opz.PM03) mink mortar  malta grigio asfalto (opz.PM05) grey asphalt mortar		
	P 31	091523			
	P 61	091560			
reggimensola a scomparsa fully integrated shelf bracket 			 bianco ottico (opz.7465) optical white  grigio fossena (opz.9616) fossena grey  sabbia tenue (opz.7718) soft sand  daino (opz.9455) deer  terra bruna (opz.8845) brown earth  grigio lakis (opz.9618) lakis grey  rosso sedona (opz.8132) sedona red  verde berillo (opz.8422) beryl green  grigio velato (opz.9600) veiled grey  blu dusty (opz.8324) blu dusty  malta bianco assoluto (opz.PM01N) absolute white mortar  malta grigio lava (opz.PM04) lava grey mortar  malta sabbia (opz.PM02N) sand mortar  malta visone (opz.PM03) mink mortar  malta grigio asfalto (opz.PM05) grey asphalt mortar		
	cadauno each	08610400			
			 bianco ottico (opz.7465) optical white  grigio fossena (opz.9616) fossena grey  sabbia tenue (opz.7718) soft sand  daino (opz.9455) deer  terra bruna (opz.8845) brown earth  grigio lakis (opz.9618) lakis grey  rosso sedona (opz.8132) sedona red  verde berillo (opz.8422) beryl green  grigio velato (opz.9600) veiled grey  blu dusty (opz.8324) blu dusty  malta bianco assoluto (opz.PM01N) absolute white mortar  malta grigio lava (opz.PM04) lava grey mortar  malta sabbia (opz.PM02N) sand mortar  malta visone (opz.PM03) mink mortar  malta grigio asfalto (opz.PM05) grey asphalt mortar		
	P 31	091770R			
	P 61	091775R			

ELEMENTI A GIORNO IN LAMIERA VERNICIATI A POLVERE SP.2 MM





POWDER PAINTED METAL SHEET OPEN UNITS TH.2 MM



COLORI FREDDI OPACHI SOFT SOFT MATT COLD COLOURS

						
bianco assoluto (opz.740S) absolute white	cenere (opz.9547) ash	argilla (opz.9503) clay	grigio bromo (opz.9533) bromine grey	nero seppia (opz.7897) cuttlefish ink	nebbia (opz.95F5) fog	grigio traffico (opz.9511) traffic grey
						
blu cristal (opz.8381) crystal blue	nero (opz.7892) black					

COLORI CALDI OPACHI SOFT SOFT MATT HOT COLOURS

						
bianco caldo (opz.7401) warm white	grigio kenya (opz.9501) kenya grey	bistro (opz.9535) bistro	cannella (opz.8893) cinnamon	grigio reale (opz.95F3) royal grey	grigio quarzo (opz.95F7) quartz grey	azzurro nube (opz.8379) cloud blue
						
conchiglia (opz.7403) seashell	lino (opz.9513) linen	creta (opz.9515) clay	rosso persia (opz.8165) persia red	giallo zafferano (opz.8253) saffron yellow	verde bosco (opz.8468) forest green	fumo (opz.9531) smoke
						
grigio lava (opz.95F1) lava grey	polvere (opz.9539) dust	platino (opz.7773) platinum	nocciola (opz.7775) walnut	cuoio (opz.8897) leather	tortora (opz.8993) dove grey	rosso (opz.125S) red
						
grigio piombo (opz.9537) lead grey	carruba (opz.89L1) carruba	azzurro ottanio (opz.8385) teal blue	verde borneo (opz.8483) borneo green	verde cinabro (opz.8481) cinabro green	granato (opz.8633) ruby red	giallo digione (opz.8257) digione yellow
						
cotto (opz.8887) cooked	verde celadon (opz.8485) celadon green					

ELEMENTI A GIORNO SP. 14 MM

OPEN ELEMENTS TH.14 MM



COLORI FREDDI OPACHI SOFT SOFT MATT COLD COLOURS

bianco assoluto (opz.740S) absolute white	cenere (opz.9547) ash	argilla (opz.9503) clay	grigio bromo (opz.9533) bromine grey	nero seppia (opz.7897) cuttlefish ink	nebbia (opz.95F5) fog	grigio traffico (opz.9511) traffic grey
blu cristal (opz.8381) crystal blue	nero (opz.7892) black					

COLORI CALDI OPACHI SOFT SOFT MATT HOT COLOURS

bianco caldo (opz.7401) warm white	grigio kenya (opz.9501) kenya grey	bistro (opz.9535) bistro	cannella (opz.8893) cinnamon	grigio reale (opz.95F3) royal grey	grigio quarzo (opz.95F7) quartz grey	azzurro nube (opz.8379) cloud blue
conchiglia (opz.7403) seashell	lino (opz.9513) linen	creta (opz.9515) clay	rosso persia (opz.8165) persia red	giallo zafferano (opz.8253) saffron yellow	verde bosco (opz.8468) forest green	fumo (opz.9531) smoke
grigio lava (opz.95F1) lava grey	polvere (opz.9539) dust	platino (opz.7773) platinum	nocciola (opz.7775) walnut	cuoio (opz.8897) leather	tortora (opz.8993) dove grey	rosso (opz.125S) red
grigio piombo (opz.9537) lead grey	carruba (opz.89L1) carruba	azzurro ottanio (opz.8385) teal blue	verde borneo (opz.8483) borneo green	verde cinabro (opz.8481) cinabro green	granato (opz.8633) ruby red	giallo digione (opz.8257) digione yellow
cotto (opz.8887) cooked	verde celadon (opz.8485) celadon green					

ELEMENTI TERMINALI A GIORNO con fascia in metallo

OPEN END UNITS with metal panel



colori struttura carcass colours

malta bianco assoluto (opz.PM01N) absolute white mortar	malta sabbia (opz.PM02N) sand mortar	malta visone (opz.PM03) mink mortar	malta grigio lava (opz.PM04) lava grey mortar	malta grigio asfalto (opz.PM05) grey asphalt mortar
bianco ottico (opz.7465) optical white	grigio fossena (opz.9616) fossena grey	sabbia tenue (opz.7718) soft sand	daino (opz.9455) deer	terra bruna (opz.8845) brown earth
grigio laks (opz.9618) lakis grey	rosso sedona (opz.8132) sedona red	verde berillo (opz.8422) beryl green	grigio velato (opz.9600) veiled grey	blu dusty (opz.8324) blu dusty

colori per fascia in metallo colours for metal panel







grigio selce (opz.95SE) flint grey	ghisa (opz.9509) cast iron	nero (opz.7892) black	silver dark (opz.9507) dark silver
--	----------------------------------	-----------------------------	--

ELEMENTI A GIORNO “CODE”



“CODE” OPEN UNITS



colori mensole
colours shelves

 larice bianco (opz.2414N) white larch	 larice grigio lava (opz.2417N) lava grey larch	 larice conchiglia (opz.2415N) shell larch	 larice visone (opz.2416N) mink ash	 larice nero (opz.2418N) black larch	 olmo sabbia (opz.5077) sand elm	 olmo tabacco (opz.5078) tobacco elm
 olmo scuro (opz.5079) dark elm	 olmo petrolio (opz.5080) oil elm	 bianco ottico (opz.7465) optical white	 grigio fossena (opz.9616) fossena grey	 sabbia tenue (opz.7718) soft sand	 daino (opz.9455) deer	 terra bruna (opz.8845) brown earth
 grigio laks (opz.9618) lakis grey	 rosso sedona (opz.8132) sedona red	 verde berillo (opz.8422) beryl green	 grigio velato (opz.9600) veiled grey	 blu dusty (opz.8324) blu dusty	 malta bianco assoluto (opz.PM01N) absolute white mortar	 malta grigio lava (opz.PM04) lava grey mortar
 malta sabbia (opz.PM02N) sand mortar	 malta visone (opz.PM03) mink mortar	 malta grigio asfalto (opz.PM05) grey asphalt mortar				

colori montanti in metallo
colours metal elements










 grigio selce (opz.95SE) flint grey	 ghisa (opz.9509) cast iron	 nero (opz.7892) black	 silver dark (opz.9507) dark silver
---	---	--	--

LIBRERIA “CODE”

“CODE” BOOKCASE



colori mensole colours shelves

 larice bianco (opz.2414N) white larch	 larice grigio lava (opz.2417N) lava grey larch	 larice conchiglia (opz.2415N) shell larch	 larice visone (opz.2416N) mink ash	 larice nero (opz.2418N) black larch	 olmo sabbia (opz.5077) sand elm	 olmo tabacco (opz.5078) tobacco elm
 olmo scuro (opz.5079) dark elm	 olmo petrolio (opz.5080) oil elm	 bianco ottico (opz.7465) optical white	 grigio fossena (opz.9616) fossena grey	 sabbia tenue (opz.7718) soft sand	 daino (opz.9455) deer	 terra bruna (opz.8845) brown earth
 grigio laks (opz.9618) lakis grey	 rosso sedona (opz.8132) sedona red	 verde berillo (opz.8422) beryl green	 grigio velato (opz.9600) veiled grey	 blu dusty (opz.8324) blu dusty	 malta bianco assoluto (opz.PM01N) absolute white mortar	 malta grigio lava (opz.PM04) lava grey mortar
 malta sabbia (opz.PM02N) sand mortar	 malta visone (opz.PM03) mink mortar	 malta grigio asfalto (opz.PM05) grey asphalt mortar				

colori montanti in metallo colours metal elements







 grigio selce (opz.95SE) flint grey	 ghisa (opz.9509) cast iron	 nero (opz.7892) black	 silver dark (opz.9507) dark silver
---	---	--	--

PENSILI A COLORAZIONE INTEGRALE CON STRUTTURA FOLDING

FULL COLOUR WALL UNITS WITH FOLDING CARCASS



colori per strutture e ante
colours for carcasses and doors

 larice bianco (opz.2414N) white larch	 larice grigio lava (opz.2417N) lava grey larch	 larice conchiglia (opz.2415N) shell larch	 larice visone (opz.2416N) mink ash	 larice nero (opz.2418N) black larch	 olmo sabbia (opz.5077) sand elm	 olmo tabacco (opz.5078) tobacco elm
 olmo scuro (opz.5079) dark elm	 olmo petrolio (opz.5080) oil elm	 bianco ottico (opz.7465) optical white	 grigio fossena (opz.9616) fossena grey	 sabbia tenue (opz.7718) soft sand	 daino (opz.9455) deer	 terra bruna (opz.8845) brown earth
 grigio laks (opz.9618) lakis grey	 rosso sedona (opz.8132) sedona red	 verde berillo (opz.8422) beryl green	 grigio velato (opz.9600) veiled grey	 blu dusty (opz.8324) blu dusty	 malta bianco assoluto (opz.PM01N) absolute white mortar	 malta grigio lava (opz.PM04) lava grey mortar
 malta sabbia (opz.PM02N) sand mortar	 malta visone (opz.PM03) mink mortar	 malta grigio asfalto (opz.PM05) grey asphalt mortar				

SCHIENALI “WEAVE” CON MENSOLE LACCATE OPACHE

“WEAVE” BACK PANELS WITH MATT LACQUERED SHELVES



COLORI FREDDI OPACHI SOFT SOFT MATT COLD COLOURS

bianco assoluto (opz.740S) absolute white	cenere (opz.9547) ash	argilla (opz.9503) clay	grigio bromo (opz.9533) bromine grey	nero seppia (opz.7897) cuttlefish ink	nebbia (opz.95F5) fog	grigio traffico (opz.9511) traffic grey
blu cristal (opz.8381) crystal blue	nero (opz.7892) black					

COLORI CALDI OPACHI SOFT SOFT MATT HOT COLOURS

bianco caldo (opz.7401) warm white	grigio kenya (opz.9501) kenya grey	bistro (opz.9535) bistro	cannella (opz.8893) cinnamon	grigio reale (opz.95F3) royal grey	grigio quarzo (opz.95F7) quartz grey	azzurro nube (opz.8379) cloud blue
conchiglia (opz.7403) seashell	lino (opz.9513) linen	creta (opz.9515) clay	rosso persia (opz.8165) persia red	giallo zafferano (opz.8253) saffron yellow	verde bosco (opz.8468) forest green	fumo (opz.9531) smoke
grigio lava (opz.95F1) lava grey	polvere (opz.9539) dust	platino (opz.7773) platinum	nocciola (opz.7775) walnut	cuoio (opz.8897) leather	tortora (opz.8993) dove grey	rosso (opz.125S) red
grigio piombo (opz.9537) lead grey	carruba (opz.89L1) carruba	azzurro ottanio (opz.8385) teal blue	verde borneo (opz.8483) borneo green	verde cinabro (opz.8481) cinabro green	granato (opz.8633) ruby red	giallo digione (opz.8257) digione yellow
cotto (opz.8887) cooked	verde celadon (opz.8485) celadon green					

MOBILE DI FINITURA “SIDE”


“SIDE” FINISHING FURNITURE






COLORI STRUTTURA E COLORI DIVISORI LACCATI OPACHI

CARCASS COLOURS AND MATT LACQUERED DIVIDERS COLOURS


COLORI FREDDI OPACHI SOFT SOFT MATT COLD COLOURS

						
bianco assoluto (opz.740S) absolute white	cenere (opz.9547) ash	argilla (opz.9503) clay	grigio bromo (opz.9533) bromine grey	nero seppia (opz.7897) cuttlefish ink	nebbia (opz.95F5) fog	grigio traffico (opz.9511) traffic grey
						
blu cristal (opz.8381) crystal blue	nero (opz.7892) black					

COLORI CALDI OPACHI SOFT SOFT MATT HOT COLOURS

						
bianco caldo (opz.7401) warm white	grigio kenya (opz.9501) kenya grey	bistro (opz.9535) bistro	cannella (opz.8893) cinnamon	grigio reale (opz.95F3) royal grey	grigio quarzo (opz.95F7) quartz grey	azzurro nube (opz.8379) cloud blue
						
conchiglia (opz.7403) seashell	lino (opz.9513) linen	creta (opz.9515) clay	rosso persia (opz.8165) persia red	giallo zafferano (opz.8253) saffron yellow	verde bosco (opz.8468) forest green	fumo (opz.9531) smoke
						
grigio lava (opz.95F1) lava grey	polvere (opz.9539) dust	platino (opz.7773) platinum	nocciola (opz.7775) walnut	cuoio (opz.8897) leather	tortora (opz.8993) dove grey	rosso (opz.125S) red
						
grigio piombo (opz.9537) lead grey	carruba (opz.89L1) carruba	azzurro ottanio (opz.8385) teal blue	verde borneo (opz.8483) borneo green	verde cinabro (opz.8481) cinabro green	granato (opz.8633) ruby red	giallo digione (opz.8257) digione yellow
						
cotto (opz.8887) cooked	verde celadon (opz.8485) celadon green					

COLORI DIVISORI VETRI
GLASS DIVIDERS COLOURS

		
vetro satinato satin glass	vetro bronzo bronze glass	vetro fumè fumè glass

MOBILI PER LIVING “STYLE-R”
“STYLE-R” FURNITURE FOR LIVING




COLORI SCOCCA ESTERNA
COLOUR FOR EXTERNAL CARCASS



EFFETTO LEGNO MATERICO **colori pag.9**
TEXTURED WOOD EFFECT **colours page 9**



EFFETTO LEGNO **colori pag.9**
WOOD EFFECT **colours page 9**



TINTA UNITA OPACA **colori pag.10**
SOLID MATT COLOUR **colours page 10**



EFFETTO MALTA MATERICO **colori pag.11**
TEXTURED MORTAR EFFECT **colours page 11**

ANTE
DOORS



EFFETTO LEGNO MATERICO **colori pag.9**
TEXTURED WOOD EFFECT **colours page 9**



EFFETTO LEGNO **colori pag.9**
WOOD EFFECT **colours page 9**



TINTA UNITA OPACA **colori pag.10**
SOLID MATT COLOUR **colours page 10**



EFFETTO MALTA MATERICO **colori pag.11**
TEXTURED MORTAR EFFECT **colours page 11**



VETRI **colori pagg.56**
GLASSES **colours pages 56**

COLORI BASAMENTO
COLOURS BASAMENT



grigio selce (opz.SERB)
flint grey



ghisa (opz.GHRB)
cast iron



silver dark (opz.DARF)
dark silver

VIVI IL LIVING

LIVE THE LIVING

Con i nuovi pensili più profondi
è facilissimo creare composizioni living
adatte ad ogni spazio.

With new more deep wall units,
it's easy to create lively
furnishing compositions.



LIVING LR01



ANTA
door




MALTA GRIGIO LAVA
lava grey mortar

STRUTTURA
carcass



ARGILLA
clay

LIVING LR01



NR. ELEMENTI	DESCRIZIONE	CODICE
2	Base living sospesa L 90 H 36 P 50,4 cestone tip-on, 1 fianco come anta	EBL75900
1	Base living sospesa L 120 H 36 P 50,4 per decoder apertura vasistas	EBL77200
1	Base living sospesa L 90 H 36 P 50,4 cestone tip-on	EBL75900
1	Top L 210 H 2,2 P 50,6 in PET colore come anta	al ml TLM225
1	Top L 180 H 2,2 P 50,6 in PET colore come anta	al ml TLM225

No. of ELEMENTS	DESCRIPTION	CODE
2	Hanging living base unit W 90 H 36 D 50,4 deep drawer tip-on opening, 1 side same as door	EBL75900
1	Hanging living base unit W 120 H 36 D 50,4 flap door with infrared glass	EBL77200
1	Hanging living base unit W 90 H 36 D 50,4 deep drawer tip-on opening	EBL75900
1	PET worktop W 210 D 2,2 D 50,6 same colour as door	per lm TLM225
1	PET worktop W 180 D 2,2 D 50,6 same colour as door	per lm TLM225

LIVING A SPALLA LR01





ANTA
door



SCHIENA
back panel



STRUTTURA
carcass




LIVING LR02



ANTE
doors




ELEMENTI A GIORNO
open units



STRUTTURE
carcasses



LIVING LR02



NR. ELEMENTI	DESCRIZIONE	CODICE
2	Pensile L 120 H 36 P 33,4 apertura tip-on,1 fianco come anta	E210120T
2	Elemento “CODE” L 90 H 36 P 29	ECODE03609
1	Elemento “CODE” L 120 H 36 P 29	ECODE03612
2	Base living sospesa L 120 H 37,5 P 50,4 cestone, 1 fianco come anta	GBL76200
1	Base living sospesa L 120 H 37,5 P 50,4 cestone	GBL76200
1	Top L 240 H 2,2 P 50,6 in PET colore come anta	al ml TLM225
1	Top L 120 H 2,2 P 50,6 in PET colore come anta	al ml TLM225
2	Terminale aperto per gola	G950021/2
2	Asta appendipensili ml 2	08610501
No. of ELEMENTS	DESCRIPTION	CODE
2	Wall unit W 120 H 36 D 33,4 flap door tip-on opening,1 side same as door	E210120T
2	“CODE” open unit W 90 H 36 D 29	ECODE03609
1	“CODE” open unit W 120 H 36 D 29	ECODE03612
2	Hanging living base unit W 120 H 37,5 D 50,4, deep drawer, 1 side same as door	GBL76200
1	Hanging living base unit W 120 H 37,5 D 50,4, deep drawer	GBL76200
1	PET worktop W 240 H 2,2 D 50,6 same colour as door	per lm TLM225
1	PET worktop W 120 H 2,2 D 50,6 same colour as door	per lm TLM225
2	Open end for finger rail	G950021/2
2	Wall unit fixing strip lm 2	08610501

COMPOSIZIONE L 305

COMPOSITION W 305



COMPOSIZIONE L 423

COMPOSITION W 423



COMPOSIZIONE L 305	
COMPOSITION W 305	
COMPONENTI COMPONENTS Colonna 60 H 217 frigo-freezer 230 classe A+ con gola verticale e fianco come anta 60 cm column H 217 fridge-freezer 230 class “A+” with vertical finger rail and side as doors Base 60 60 cm base unit Base 60 forno multifunzione inox 60 cm base unit for stainless steel multifunctional oven Piano cottura 60 4 gas inox con valvola 60 cm stainless steel hob with 4 burners with safety valve Base 60 2 cassetti e cestone 60 cm base unit with 2 drawers and deep drawer Sottolavello 60 60 cm sink unit Lavello ad incasso 86 x 50 1 vasca inox 86x50 cm built-in sink with 1 stainless steel bowl Top 240 P 61 in laminato H 4 240 cm laminate worktop D 61 H 4 Pensile 60 H 72 60 cm wall unit H 72 Cappa 60 “Mod. 29” H 72 60 cm hood “Mod.29” H 72 Pensile 60 H 72 60 cm wall unit H 72 Scolapiatti 60 H 72 60 cm plate rack H 72 Asta appendipensili ml 4 4 lm wall unit fixing strip (Elettrodomestici Hotpoint) (Hotpoint appliances)	VERSIONI VERSIONS ROUND NECK ROUND RAYÈ ROUND LUX
COMPOSIZIONE L 423	
COMPOSITION W 423	
COMPONENTI COMPONENTS Colonna 60 H 217 frigo-freezer 315 classe A+ 60 cm column H 217 fridge-freezer 315 class “A+” Colonna 60 H 217 forno multifunzione inox 60 cm column H 217 for stainless steel multifunctional oven Base 60 60 cm base unit Piano cottura 75 5 gas inox con valvola 75 cm stainless steel hob with 5 burners with safety valve Base 90 2 cassetti e cestone predisposta piano cottura 90 cm base unit with 2 drawers and deep drawers configured for hob Base 60 60 cm base unit Sottolavello 90 90 cm sink unit Lavello ad incasso 86 x 50 1 vasca inox 86x50 cm built-in sink with 1 stainless steel bowl Top 300 P 61 in laminato H 4 300 cm laminate worktop D 61 H 4 Pensile 60 H 72 60 cm wall unit H 72 Cappa 90 “STILO” inox 90 cm “STILO” stainless steel hood Pensile 60 H 72 60 cm wall unit H 72 Scolapiatti 90 H 72 90 cm plate rack H 72 Asta appendipensili ml 4 4 lm wall unit fixing strip (Elettrodomestici Hotpoint) (Hotpoint appliances)	VERSIONI VERSIONS ROUND NECK ROUND RAYÈ ROUND LUX

COMPOSIZIONE L 300

COMPOSITION W 300



COMPOSIZIONE L 420

COMPOSITION W 420



COMPOSIZIONE L 300	
COMPOSITION W 300	
COMPONENTI COMPONENTS Colonna 60 H 217 frigo-freezer 230 classe A+ 60 cm column H 217 fridge-freezer 230 class “A+” Base 60 60 cm base unit Base 60 forno multifunzione inox 60 cm base unit for stainless steel multifunctional oven Piano cottura 60 4 gas inox con valvola 60 cm stainless steel hob with 4 burners with safety valve Base 60 2 cassetti e cestone 60 cm base unit with 2 drawers and deep drawer Sottolavello 60 60 cm sink unit Lavello ad incasso 86 x 50 1 vasca inox 86x50 cm built-in sink with 1 stainless steel bowl Top 240 P 61 in laminato H 4 240 cm laminate worktop D 61 H 4 Pensile 60 H 72 60 cm wall unit H 72 Cappa 60 aspirante estraibile H 63 60 cm hood slide-out ducting H 63 Pensile 60 H 72 60 cm wall unit H 72 Scolapiatti 60 H 72 60 cm plate rack H 72 Asta appendipensili ml 4 4 lm wall unit fixing strip (Elettrodomestici Hotpoint) (Hotpoint appliances)	VERSIONI VERSIONS ROUND BRIDGE ROUND FRAME ROUND AREA ROUND BOX
COMPOSIZIONE L 420	
COMPOSITION W 420	
COMPONENTI COMPONENTS Colonna 60 H 217 frigo-freezer 315 classe A+ 60 cm column H 217 fridge-freezer 315 class “A+” Colonna 60 H 217 forno multifunzione inox 60 cm column H 217 for stainless steel multifunctional oven Base 60 60 cm base unit Piano cottura 75 5 gas inox con valvola 75 cm stainless steel hob with 5 burners with safety valve Base 90 2 cassetti e cestone predisposta piano cottura 90 cm base unit with 2 drawers and deep drawers configured for hob Base 60 60 cm base unit Sottolavello 90 90 cm sink unit Lavello ad incasso 86 x 50 1 vasca inox 86x50 cm built-in sink with 1 stainless steel bowl Top 300 P 61 in laminato H 4 300 cm laminate worktop D 61 H 4 Pensile 60 H 72 60 cm wall unit H 72 Cappa 90 “STILO” inox 90 cm “STILO” stainless steel hood Pensile 60 H 72 60 cm wall unit H 72 Scolapiatti 90 H 72 90 cm plate rack H 72 Asta appendipensili ml 4 4 lm wall unit fixing strip (Elettrodomestici Hotpoint) (Hotpoint appliances)	VERSIONI VERSIONS ROUND BRIDGE ROUND FRAME ROUND AREA ROUND BOX