

ARA WALL

Ilaria Marelli

Family of floor and wall lamps, with fluorescent, LED and halogen sources depending on the version.

It is composed by two elements in extruded aluminium: depending on versions, structure is painted in white, anthracite, champagne and moka, while the rotating illuminated structure can be glossy anodized or painted matt white or anthracite.

The LED or halogen uplight source is integrated in the upper part of the structure and it creates a widespread light, while a fluorescent or LED source is integrated in the main structure for a widespread and adjustable light.

The power supply is integrated for both versions while the dimmer is on the cable in the LED + LED version and integrated in the DTW version.



69 LED

LAMPING

Source	LED board
Total power	2x16W
Emission	double
Switching	dimmable, DALI/push, mono switch
Tension	230V
Color temperature	3000K
Luminous flux	3600lm (source luminous flux)
Typ cri	85
Energy class	A+
Ip class	40
Materials	aluminium + PMMA
Notes	orientable, anthracite RAL7016, champagne RAL9007
Net lamp weight	3,5 kg

Codes

ARA LWW 32
ARA LWL 32
ARA LXL 32
ARA LDL 32

Structure/Diffuser


white/white
white/polished
anthracite/polished
champagne/polished

PACKAGE

Package 01

Dimension: 80x30x19 cm / Gross weight: 4,5 kg

Certificazioni



29 LED

LAMPING

Source	LED board
Total power	2x8W
Emission	double
Switching	mono switch
Tension	110/230V
Color temperature	3000K
Luminous flux	1300lm (source luminous flux)
Typ cri	85
Energy class	A+
Ip class	40
Materials	aluminium + PMMA
Notes	orientable diffuser, anthracite RAL7016, champagne RAL9007
Net lamp weight	1 kg

Codes

ARA LWW 35
ARA LWL 35
ARA LXL 35
ARA LDL 35

Structure/Diffuser

white/white
white/polished
anthracite/polished
champagne/polished

PACKAGE

Package 01

Dimension: 18x38x12 cm / Gross weight: 1,5 kg

Certificazioni



IP40

