

tablet

Superfici lisce e levigate, colori di tendenza sono gli ingredienti di Tablet, la cucina di ultima generazione di Creo Kitchens. Caratteristiche che si aggiungono alla qualità e al design Made in Italy, così ammirato in tutto il mondo.

Tablet è studiata per essere “cucita” sulle proprie esigenze di spazio e di stile, è tanto versatile e personalizzabile da diventare unica ed offrire una soluzione compositiva perfetta, con un’attenzione particolare al prezzo, sorprendente per la sua competitività.

Infinite le combinazioni, tantissime le nuove tonalità sia per le versioni Bridge e Head con maniglia che per la versione Neck con gola. Il vetro flutes e il vetro satinato sulle ante conferiscono alla cucina leggerezza e luminosità. Lineare, moderna, raffinata, allegra, rassicurante, amabile, informale, imprevedibile: sono tanti gli aggettivi per definire l'identità di Tablet, che varia a seconda della sua configurazione e dei colori scelti.

Di base rimangono la sua funzionalità e la cura dei dettagli. Nuovi accessori la impreziosiscono e la rendono ancora più pratica.

È facile innamorarsi di una cucina Tablet: semplicemente elegante, esteticamente essenziale, il piacere di vivere nell'ambiente più confortevole che c'è: la propria casa.





CREO ECOLOGIC

IL GRUPPO LUBE HA SCELTO DI UTILIZZARE PER I COMPONENTI COSTITUENTI LE STRUTTURE DELLE CUCINE SOLO MATERIALE A BASSISSIMA EMISSIONE DI FORMALDEIDE: CONFORMI ALLO STANDARD F4STELLE SECONDO LA NORMA JIS, CERTIFICATO DAL MINISTERO GIAPPONESE, IL PIU' SEVERO IN MERITO ALLE NORMATIVE DI SALVAGUARDIA AMBIENTALE.

Regarding the production of its kitchen structure components, lube group has decided to only use materials featuring very low formaldehyde emissions complying with the 4-star standard, as defined by the jis regulation. This standard is certified by the japanese government-the most rigorous when it comes to environmental protection.

Smooth sanded surfaces and trendy colours are the ingredients of Tablet, the new generation kitchen from Creo Kitchens. These properties are combined with the quality of Italian design, admired all over the world. Tablet is designed to be “tailored” to your requirements in terms of space and style. It is versatile and customisable enough to offer unique and perfect compositional solutions. It is also very keenly priced and surprisingly competitive.

Infinite combinations, loads of new colours, both for Bridge and Head versions with handles and the Neck version with finger rail. Fluted and satin-finish glass on the doors add lightness and luminosity to the kitchen. Linear, modern, refined, jolly, reassuring, lovable, informal, unpredictable: there are many adjectives you could use to define Tablet, which varies according to the configuration and colours selected.

What remains constant is the functionality and attention to detail. New accessories make it more beautiful and even more practical.

It's easy to fall in love with a Tablet kitchen: simply elegant and minimalist, the pleasure of living in the most comfortable environment there is: your own home.



T A B L E T W O O D

La forma di Tablet, la sostanza del legno, una tecnologia innovativa.
In una cucina unica.

The form of Tablet, the substance of wood, an innovative technology.
In a unique kitchen.



tablet impiallacciato

Neck cod. **KT4**
Bridge cod. **KT0**
Head cod. **KT7**

SP. 18 MM

CARATTERISTICHE TECNICHE

ANTE E FRONTALI CASSETTI

anta sp.18 mm costituita da un pannello di particelle di legno (conforme [US EPA TSCA Title VI](#)) impiallacciato rovere tinto a poro aperto fiamma verticale *** WOOD** con bordo polipropilene* 10/10 in tinta nei colori : rovere moscato (opz.5444), rovere fumè (opz.5445), rovere grey (opz.5443), rovere naturale (opz.5442)

anta sp.18 mm costituita da un pannello di particelle di legno (conforme [US EPA TSCA Title VI](#)) impiallacciato rovere laccato a poro aperto fiamma verticale *** WOOD** con bordo polipropilene* 10/10 in tinta nei colori : rovere bianco (opz.5441), rovere nero (opz.5446)

*** WOOD** proprietà tecniche:

Le ante impiallacciate WOOD sono costituite da un pannello di particelle di legno impiallacciato rovere sottoposto a un processo di verniciatura trasparente attraverso la tecnologia "ECCIMERI". Tale trattamento conferisce alle ante una superficie ULTRA OPACA (circa 5 gloss), con effetto SOFT-TOUCH e una maggiore resistenza al graffio. La parte posteriore dell'anta non è soggetta al trattamento sopraindicato, viene rivestita con impiallaccio in tinta ma con caratteristiche differenti rispetto al frontale.



*** Tecnologia produttiva di elevata qualità trasmette al bordo un'alta resistenza ai prodotti acidi, solventi e raggi UV. Inoltre è un prodotto ecologico**

STRUTTURE

ANTA: rovere bianco
di serie : nobilitato bianco (opz.001) schiena e ripiano bianco (opz.001)

ANTE: rovere naturale, rovere grey, rovere moscato
di serie : nobilitato visone (opz.948M) schiena e ripiano visone (opz.948M)

ANTE: rovere fumè, rovere nero
di serie : nobilitato lavagna (opz.9620) schiena e ripiano lavagna (opz.9620)

PROFILO E GOLA VERSIONE **NECK**

anta squadrata senza profilo con gola "ELLE"



N.B.: per le finiture gole vedi listino pag.27

MANIGLIE

vedi pag.32-33-34

MENSOLE COME STRUTTURE

vedi pag.36

MENSOLE COME ANTE

vedi pag.36-37

ZOCCOLI

vedi pag.37

tablet veneered

Neck cod. **KT4**
Bridge cod. **KT0**
Head cod. **KT7**

TH. 18 MM

TECHNICAL FEATURES

DOORS AND DRAWER FRONTS

18 mm th. door made of a panel in open-pore of vertical flame stained oak veneered wood particles (US EPA TSCA Title VI compliant)
*** WOOD** with 10/10 polypropylene* edge available in the following colours:
muscat oak (opt. 5444), smoked oak (opt. 5445), grey oak (opt. 5443), natural oak (opt. 5442)

18 mm th. door made of a panel in open-pore of vertical flame lacquered oak veneered wood particles (US EPA TSCA Title VI compliant)
*** WOOD** with 10/10 polypropylene* edge available in the following colours:
white oak (opt. 5441), black oak (opt. 5446)

*** WOOD** technical specifications:

The **WOOD** veneered door is a panel of oak veneered wood particles subjected to a transparent painting process using the “**ECCIMERI**” technology.
This treatment gives the doors an **ULTRA MATT** surface (about 5 gloss), with a **SOFT-TOUCH** effect and a greater scratch resistance.

The rear part of the door is not subject to the above treatment, it is covered with matching veneer wood that has different characteristics than the front.

*** High quality manufacturing technology, gives the edging a high level of resistance to acids, solvents and UV rays.
It is also an ecological product.**



CARCASSES

DOOR: white oak
standard: melamine-coated white (opt.001), white back panel and shelf (opt.001)

DOORS: natural oak, gray oak, muscat oak
standard: melamine-coated mink (opt.948M), mink back panel and shelf (opt.948M)

DOORS: smoked oak, black oak
standard: melamine-coated slate grey (opt.9620) back panel and shelf slate grey (opt.9620)

PROFILE AND FINGER RAIL **NECK** VERSION

square door without profile with “L” shaped finger rail

NOTE: for finger rail finishes see price list at page 27



HANDLES

see page 32-33-34

SHELVES WITH CARCASSES

see page 36

SHELVES WITH DOORS

see page 36-37

PLINTHS

see page 37


tablet

impiallacciato veneered

Neck cod. **KT4**
Bridge cod. **KT0**
Head cod. **KT7**

SP. 18 MM TH. 18 MM

ante finitura impiallacciata rovere tinto a poro aperto
doors with open pore stained oak veneered finish



rovere naturale (opz.5442),
fiamma verticale
natural oak (opt.5442),
vertical grain



rovere grey (opz.5443),
fiamma verticale
grey oak (opt.5443),
vertical grain



rovere moscato (opz.5444),
fiamma verticale
muscat oak (opt.5444),
vertical grain



rovere fumè (opz.5445),
fiamma verticale
smoked oak (opt.5445),
vertical grain

ante finitura impiallacciata rovere laccato a poro aperto
doors with open pore lacquered veneered finish




rovere bianco (opz.5441),
fiamma verticale
white oak (opt.5441),
vertical grain



rovere nero (opz.5446),
fiamma verticale
black oak (opt.5446),
vertical grain

SP. 18 MM TH. 18 MM



tablet melaminico

Neck cod. **KT5**
Bridge cod. **KT1**
Head cod. **KT8**
SP. 18 MM

CARATTERISTICHE TECNICHE

ANTE E FRONTALI CASSETTI	anta sp.18 mm in melaminico finitura opaca effetto legno venatura verticale bordata in tinta nei colori: rovere luna (opz.5316), rovere dark (opz.5318), rovere arizona (opz.5317), rovere venere (opz.5315), frassino lava (opz.2408), frassino sabbia (opz.2406), frassino pietra (opz.2407) anta sp.18 mm in melaminico finitura semilucida effetto legno venatura verticale bordata in tinta nel colore: noce brown (opz.2371) anta sp.18 mm in melaminico finitura materica effetto legno venatura verticale bordata in tinta nei colori: rovere tabià (opz.5309), rovere ortisei (opz.5305) anta sp.18 mm in melaminico finitura opaca tinta unita con retro a colore bordata in tinta nei colori: bianco (opz.7447N), porcellana (opz.7703N), desert (opz.8914N), molarà (opz.9636N), arena (opz.9637N) anta sp.18 mm in melaminico finitura ovattata nel colore: rosse cardinale (opz.8123) anta sp.18 mm in melaminico finitura cemento bordata in tinta nei colori: bianco (opz.9639), bronzo (opz.8866), ardesia (opz.9638) anta sp.18 mm in melaminico finitura opaca marmorizzata nel colore: trani (opz.7704) anta sp.18 mm in melaminico finitura opaca tinta unita con retro a colore e bordo ABS multistrato nei colori: bianco (opz.7447P), porcellana (opz.7703P), desert (opz.8914P), molarà (opz.9636P), arena (opz.9637P)
ANTE VETRO	di serie: telaio in alluminio finitura brill sp.18 mm, vetro satinato sp.4 mm, senza maniglia telaio in alluminio finitura titanio sp.18 mm, vetro bronzo sp.4 mm, senza maniglia a richiesta: telaio in alluminio finitura grigio selce sp.18 mm, vetro bronzo sp.4 mm, senza maniglia telaio in alluminio finitura silver dark sp.18 mm, vetro fumè sp.4 mm, senza maniglia telaio sp.18 mm con montanti in melaminico finitura opaca effetto legno e traversi in alluminio verniciato a colore come le tinte unite melaminico, vetro flutes sp.4 mm, senza maniglia
PROFILO E GOLA VERSIONE NECK	anta squadrata con gola a "ELLE" N.B.: per le finiture gole vedi listino pag.27
MANIGLIE	vedi pag.32-33-34
STRUTTURE	ANTE: ROVERE VENERE, BIANCO, BIANCO EFFETTO CEMENTO nobilitato bianco (opz.001), schiena e ripiano bianco (opz.001) ANTE: ROVERE LUNA, ARENA, FRASSINO SABBIA, ROVERE ORTISEI, ROSSO CARDINALE nobilitato visone (opz.948M), schiena e ripiano visone (opz.948M) ANTE: ROVERE DARK, ROVERE ARIZONA, BRONZO EFFETTO CEMENTO, FRASSINO PIETRA, NOCE BROWN, ROVERE TABIÀ nobilitato fango (opz.8860), schiena e ripiano fango (opz.8860) ANTE: FRASSINO LAVA, ARDESIA EFFETTO CEMENTO nobilitato lavagna (opz.9620), schiena e ripiano lavagna (opz.9620) ANTE: PORCELLANA, DESERT, MOLARA, TRANI nobilitato conchiglia (opz.8910), schiena e ripiano conchiglia (opz.8910)
MENSOLE	di serie: altezza 3,8 cm in nobilitato bianco (opz.001), visone (opz.948M), fango (opz.8860), lavagna (opz.9620), conchiglia (opz.8910) a richiesta: altezza 3,8 cm in melaminico: ante effetto legno, ante tinta unita, ante tinta unita bordo ABS multistrato altezza 3,8 cm laccate UV lucide e opache bordo in tinta altezza 3,8 cm impiallacciate wood bordo in tinta
ZOCCOLI	di serie: altezza 13 cm in pvc ricoperti in melamina finitura acciaio (opz.407), alluminio satinato (opz.405), bianco (opz.001) a richiesta: altezza 13 cm in alluminio finitura brill (opz.412), titanio ossidato (opz.414), vedi maggiorazioni pag.37 altezza 13 cm in alluminio verniciato a polvere finitura opaca nei colori vedi pag.37



tablet melamine

Neck
Bridge
Head

cod.
cod.
cod.

KT5
KT1
KT8

TH. 18 MM

TECHNICAL SPECIFICATIONS

DOORS AND DRAWER FRONTS	door 18 mm thick in melamine with wood-effect matt finish with vertical grain with matching edge in the following colours: moon oak (opt.5316), dark oak (opt.5318), Arizona oak (opt.5317), Venus oak (opt.5315), lava ash (opt.2408), sand ash (opt.2406), stone ash (opt.2407) door 18 mm thick in melamine with wood-effect semi-gloss finish with vertical grain with matching edge in the following colour: brown walnut (opt.2371) door 18 mm thick in melamine with wood-effect textured finish with vertical grain with matching edge in the following colours: tabià oak (opt.5309), ortisei oak (opt.5305) door 18 mm thick in melamine with solid colour matt finish with matching rear and edge in the following colours: white (opt.7447N), porcelain (opt.7703N), desert (opt.8914N), molarà (opt.9636N), arena (opt.9637N) door 18 mm thick in melamine with wadding finish in the colour: cardinal red (opt.8123) door 18 mm thick in melamine with cement finish with matching edge in the following colours: white (opt.9639), bronze (opt.8866), slate grey (opt.9638) door 18 mm thick in melamine with matt marble effect finish in the colour: trani (opt.7704) door 18 mm thick in melamine with solid colour matt finish with matching rear and ABS ply edge in the following colours: white (opt.7447P), porcelain (opt.7703P), desert (opt.8914P), molarà (opt.9636P), arena (opt.9637P)
GLASS DOORS	standard: 18 mm thick aluminium frame with brill finish, 4 mm thick frosted glass, without handle 18 mm thick aluminium frame with titanium finish, 4 mm thick bronze glass, without handle on request: 18 mm thick aluminium frame with flint grey finish, 4 mm thick frosted glass, without handle 18 mm thick aluminium frame with dark silver finish, 4 mm thick bronze glass, without handle 18 mm thick frame with uprights in melamine with wood-effect matt finish and crossbars in aluminium painted to match as with the solid colour melamine, fluted glass 4 mm thick, without handle
NECK VERSION PROFILE AND FINGER RAIL	square door with “L” shaped finger rail NOTE: for finger rail finishes see price list at page 27 
HANDLES	see page 32-33-34
STRUCTURES	DOORS: VENUS OAK, WHITE, CEMENT EFFECT WHITE white chipboard (opt. 001), white back panel and shelf (opt. 001) DOORS: MOON OAK, ARENA, SAND ASH, ORTISEI OAK, CARDINAL RED mink chipboard (opt. 948M), mink back panel and shelf (opt. 948M) DOORS: DARK OAK, ARIZONA OAK, CEMENT EFFECT BRONZE, STONE ASH, BROWN WALNUT, TABIÀ OAK mud chipboard (opt. 8860), mud back panel and shelf (opt. 8860) DOORS: LAVA ASH, CEMENT-EFFECT SLATE GREY slateboard grey chipboard (opt. 9620), slateboard grey back panel and shelf (opt. 9620) DOORS: PORCELAIN, DESERT, MOLARA, TRANI shell chipboard (opt. 8910), shell back panel and shelf (opt. 8910)
SHELVES	standard: height 3.8 cm in white (opt.001), mink (opt.948M), mud (opt.8860), slateboard grey (opt.9620), shell (opt.8910) on request: height 3.8 cm in melamine to match: wood-effect doors, solid colour doors, solid colour doors with ABS ply edges height 3.8 cm glossy and matt UV lacquer with matching edge height 3.8 cm wood veneer with matching edge
PLINTHS	standard: height 13 cm, melamine-faced PVC with steel finish (opt. 407), satin aluminium (opt.405), white (opt.001) on request: height 13 cm, in aluminium with brill finish (opt. 412) oxidised titanium (opt. 414), see surcharges on page 37 height 13 cm, in matt powder-coated aluminium in the following colours see page 37

tablet melaminico melamine

Neck cod. **KT5**
Bridge cod. **KT1**
Head cod. **KT8**

ante effetto legno finitura opaca fiamma verticale
wood-effect doors with matt finish and vertical grain

 *colori in pronta consegna*
available colours



rovere luna (opz.5316)
moon oak (opt.5316)



rovere venere (opz.5315)
venus oak (opt.5315)



rovere arizona (opz.5317)
arizona oak (opt.5317)



rovere dark (opz.5318)
dark oak (opt.5318)



frassino lava (opz.2408)
lava ash (opt.2408)



frassino sabbia (opz.2406)
sand ash (opt.2406)




frassino pietra (opz.2407)
stone ash (opt.2407)

ante effetto legno finitura semilucida fiamma verticale
wood-effect doors with semi-gloss finish and vertical grain



noce brown (opz.2371)
brown walnut (opt.2371)

SP. 18 MM TH. 18 MM




tablet melaminico melamine


Neck cod. **KT5**
Bridge cod. **KT1**
Head cod. **KT8**

ante tinta unita finitura opaca
solid colour doors with matt finish


 *colori in pronta consegna*
available colours




bianco (opz.7447N)
white (opt.7447N)



porcellana (opz.7703N)
porcelain (opt.7703N)



desert (opz.8914N)
desert (opt.8914N)




molara (opz.9636N)
molara (opt.9636N)



arena (opz.9637N)
arena (opt.9637N)

incollaggio laser
laser gluing



Questa moderna tecnica di incollaggio consiste nella fusione del bordo sul pannello attraverso una fonte laser, grazie alla quale pannello e bordo diventano una cosa sola. La saldatura è permanente e senza fuga ed elimina così non solo i difetti estetici dovuti ai residui di colla, ma anche la formazione di sporco e di ingiallimento garantendo un'estetica impeccabile che dura nel tempo.

This modern gluing technique consists in the fusion of the edge on the panel through a laser source, thanks to which panel and edge become one thing. The welding is permanent and without leakage and thus eliminates not only the aesthetic defects due to the residual glue, but also the formation of dirt and yellowing ensuring impeccable and lasting aesthetics.

ante effetto cemento finitura opaca
cement-effect doors in matt finish

 *colori in pronta consegna*
available colours



bianco (opz.9639)
white (opt.9639)




bronzo (opz.8866)
bronze (opt.8866)



ardesia (opz.9638)
slate grey (opt.9638)

SP. 18 MM TH. 18 MM



tablet melaminico melamine

Neck cod. **KT5**
Bridge cod. **KT1**
Head cod. **KT8**

ante finitura materica fiamma verticale **NEW**
doors with textured finish vertical flame

 *colori in pronta consegna*
available colours



rovere tabià (opz.5309)
tabià oak (opt.5309)



rovere ortisei (opz.5305)
ortisei oak (opt.5305)


anta finitura opaca marmorizzata **NEW**
door with matt marble effect finish

 *colori in pronta consegna*
available colours



trani (opz.7704)
trani (opt.7704)

SP. 18 MM TH. 18 MM



tablet melaminico melamine

Neck cod. **KT5**
Bridge cod. **KT1**
Head cod. **KT8**


ante finitura ovatta **NEW**
doors with wadding finish

 *colori in pronta consegna*
available colours



rosso cardinale (opz.8123)
cardinal red (opt.8123)

SP. 18 MM TH. 18 MM



tablet

Neck cod. **KT5**
Bridge cod. **KT1**
Head cod. **KT8**

melaminico bordo ABS multistrato melamine ABS ply edge

ante tinta unita finitura opaca bordo ABS multistrato
solid colour doors with matt finish and ABS ply edge


 *colori in pronta consegna
available colours*



bianco (opz.7447P)
white (opt.7447P)


porcellana (opz.7703P)
porcelain (opt.7703P)

desert (opz.8914P)
desert (opt.8914P)



molar (opz.9636P)
molar (opt.9636P)


arena (opz.9637P)
arena (opt.9637P)



anta bordo ABS multistrato
ABS ply edge door

particolare anta
detail of door

SP. 18 MM TH. 18 MM





tablet laccato

Neck cod. **KT6**
Bridge cod. **KT2**
Head cod. **KT9**

SP. 18 MM

CARATTERISTICHE TECNICHE

ANTE E FRONTALI CASSETTI

anta sp.18 mm con pannello in MDF (conforme **US EPA TSCA Title VI**) fronte esterno laccato superopaco (2 gloss) ciclo di verniciatura a raggi UV, retro melaminico abbinato alla parte frontale bordato in 4 lati polipropilene* nei colori opachi: bianco (opz.7405), antracite (opz.9558), grigio arena (opz.9521), ardesia (opz.9525), rosso vino (opz.8163), desert (opz.8941), bianco neve (opz.7407), verde malga (opz.8477), polvere (opz.9529), nero (opz.7895), cannella (opz.8891), blu cobalto (opz.8383)

anta sp.18 mm con pannello in MDF (conforme **US EPA TSCA Title VI**) fronte esterno laccato extralucido (92 gloss) ciclo di verniciatura a raggi UV, retro melaminico abbinato alla parte frontale bordato in 4 lati polipropilene* nei colori lucido: bianco (opz.7406), antracite (opz.9559), grigio arena (opz.9522), ardesia (opz.9526), desert (opz.8942), polvere (opz.9530), nero (opz.7896), cannella (opz.8892)



* **Tecnologia produttiva di elevata qualità trasmette al bordo un'alta resistenza ai prodotti acidi, solventi e raggi UV. Inoltre è un prodotto ecologico**

MANUTENZIONE E PULIZIA

Si consiglia di utilizzare un panno in microfibra inumidito con acqua e sapone neutro.
È vietato l'utilizzo dei prodotti contenenti: ammoniaca, alcool, candeggina o abrasivi.
Devono essere evitati anche i detergenti aggressivi tipo sgrassanti o similari, perchè possono danneggiare la superficie verniciata.

ANTE VETRO

di serie: telaio in alluminio finitura brill sp.18 mm, vetro satinato sp.4 mm, senza maniglia
telaio in alluminio finitura titanio sp.18 mm, vetro bronzo sp.4 mm, senza maniglia

a richiesta: telaio in alluminio finitura grigio selce sp.18 mm, vetro bronzo sp.4 mm, senza maniglia
telaio in alluminio finitura silver dark sp.18 mm, vetro fumè sp.4 mm, senza maniglia

PROFILO E GOLA VERSIONE **NECK**

anta squadrata con gola a "ELLE"

N.B.: per le finiture gole vedi listino pag.27



MANIGLIE

vedi pag.32-33-34

STRUTTURE

ANTE: BIANCO, CANNELLA, BLU COBALTO

nobilitato bianco (opz.001), schiena e ripiano bianco (opz.001)

ANTE: ANTRACITE, ARDESIA, NERO

nobilitato lavagna (opz.9620) schiena e ripiano lavagna (opz.9620)

ANTE: POLVERE, VERDE MALGA, DESERT

nobilitato conchiglia (opz.8910), schiena e ripiano conchiglia (opz.8910)

ANTE: BIANCO NEVE, ROSSO VINO, GRIGIO ARENA

nobilitato visone (opz.948M) schiena e ripiano visone (opz.948M)



MENSOLE

di serie: altezza 3,8 cm in nobilitato bianco (opz.001), visone (opz.948M), fango (opz.8860), lavagna (opz.9620), conchiglia (opz.8910)

a richiesta: altezza 3,8 cm laccate come ante

ZOCCOLI

di serie: altezza 13 cm in pvc ricoperti in melamina finitura acciaio (opz.407), alluminio satinato (opz.405), bianco (opz.001)

a richiesta: altezza 13 cm in alluminio finitura brill (opz.412), titanio ossidato (opz.414), **vedi maggiori informazioni pag.37**

altezza 13 cm in alluminio verniciato a polvere finitura opaca nei colori **vedi pag.37**



tablet lacquered

Neck cod. KT6

Bridge cod. KT2

Head cod. KT9

TH. 18 MM

TECHNICAL SPECIFICATIONS


DOORS AND DRAWER FRONT PANELS	door 18 mm thick with MDF panel (conforming to US EPA TSCA Title VI) external front lacquered super matt (2 gloss) UV ray varnishing cycle, melamine back combined with the front part edged in 4 polypropylene* sides in matt colors: white (opt.7405), anthracite (opt.9558), arena grey (opt.9521), slate grey (opt.9525), wine red (opt.8163), desert (opt.8941), snow white (opt.7407), alpine green (opt.8477), dust (opt.9529), black (opt.7895), cinnamon (opt.8891), cobalt blue (opt.8383) door 18 mm thick with MDF panel (conforming to US EPA TSCA Title VI) external front in high-gloss lacquered (92 gloss) UV ray varnishing cycle, melamine back combined with the front part edged in 4 polypropylene* sides in glossy colors: white (opt.7406), anthracite (opt.9559), arena grey (opt.9522), slate grey (opt.9526), desert (opt.8942), dust (opt.9530), black (opt.7896), cinnamon (opt.8892) * High quality manufacturing technology, gives the edging a high level of resistance to acids, solvents and UV rays. It is also an ecological product. MAINTENANCE AND CLEANING We recommend using a microfiber cloth dampened with water and neutral soap. It is forbidden the use of products containing: ammonia, alcohol, bleach or abrasives. Aggressive detergents such as degreasers or similar must also be avoided, as they can damage the painted surface.
GLASS DOORS	standard: 18 mm thick aluminium frame with brill finish, 4 mm thick frosted glass, without handle 18 mm thick aluminium frame with titanium finish, 4 mm thick bronze glass, without handle on request: 18 mm thick aluminium frame with flint grey finish, 4 mm thick frosted glass, without handle 18 mm thick aluminium frame with dark silver finish, 4 mm thick bronze glass, without handle
PROFILE AND FINGER RAIL NECK VERSION	square door with “L” shaped finger rail NOTE: for finger rail finishes see price list at page 27
HANDLES	see page 32-33-34
STRUCTURES	DOORS: WHITE, CINNAMON, COBALT BLUE white chipboard (opt. 001), white back panel and shelf (opt. 001) DOORS: ANTHRACITE, SLATE GREY, BLACK slateboard grey chipboard (opt. 9620), slateboard grey back panel and shelf (opt. 9620) DOORS: DUST, ALPINE GREEN, DESERT shell chipboard (opt. 8910), shell back panel and shelf (opt. 8910) DOORS: SNOW WHITE, WINE RED, ARENA GREY mink chipboard (opt. 948M), mink back panel and shelf (opt. 948M)
SHELVES	standard: height 3.8 cm in white (opt.001), mink (opt.948M), mud (opt.8860), slateboard grey (opt.9620), shell (opt.8910) on request: height 3.8 cm, lacquered in same finish as doors
PLINTHS	standard: height 13 cm, melamine-faced PVC with steel finish (opt. 407), satin aluminium (opt.405), white (opt.001) on request: height 13 cm, in aluminium with brill finish (opt. 412) oxidised titanium (opt. 414), see surcharges on page 37 height 13 cm, in matt powder-coated aluminium in the following colours see page 37



tablet laccato lacquered

Neck cod. **KT6**
Bridge cod. **KT2**
Head cod. **KT9**

ante finitura opaca
doors with matt finish



bianco (opz.7405)
white (opt.7405)



antracite (opz.9558)
anthracite (opt.9558)



grigio arena (opz.9521)
arena grey (opt.9521)




rosso vino (opz.8163)
wine red (opt.8163)



ardesia (opz.9525)
slate grey (opt.9525)




nero (opz.7895)
black (opt.7895)



bianco neve (opz.7407)
snow white (opt.7407)



verde malga (opz.8477)
alpine green (opt.8477)



desert (opz.8941)
desert (opt.8941)



polvere (opz.9529)
dust (opt.9529)



cannella (opz.8891)
cinnamon (opt.8891)

*N.B.: disponibile a partire da gennaio 2022
Note: available from January 2022



*blu cobalto (opz.8383)
cobalt blue (opt.8383)

tablet laccato lacquered

Neck cod. **KT6**
Bridge cod. **KT2**
Head cod. **KT9**

ante laccate lucide
gloss lacquered doors

 *colori in pronta consegna*
available colours



bianco (opz.7406)
white (opt.7406)



desert (opz.8942)
desert (opt.8942)



nero (opz.7896)
black (opt.7896)



antracite (opz.9559)
anthracite (opt.9559)



cannella (opz.8892)
cinnamon (opt.8892)



grigio arena (opz.9522)
arena grey (opt.9522)




polvere (opz.9530)
dust (opt.9530)



ardesia (opz.9526)
slate grey (opt.9526)


incollaggio laser
laser gluing



Questa moderna tecnica di incollaggio consiste nella fusione del bordo sul pannello attraverso una fonte laser, grazie alla quale pannello e bordo diventano una cosa sola. La saldatura è permanente e senza fuga ed elimina così non solo i difetti estetici dovuti ai residui di colla, ma anche la formazione di sporco e di ingiallimento garantendo un'estetica impeccabile che dura nel tempo.

This modern gluing technique consists in the fusion of the edge on the panel through a laser source, thanks to which panel and edge become one thing. The welding is permanent and without leakage and thus eliminates not only the aesthetic defects due to the residual glue, but also the formation of dirt and yellowing ensuring impeccable and lasting aesthetics.

SP. 18 MM TH. 18 MM



tablet vetro - glass

Telaio alluminio

Aluminium frame

telaio alluminio finitura brill sp.18 mm con vetro satinato, senza maniglia

18 mm thick aluminium frame with brill finish and frosted glass, without handle



telaio brill con vetro satinato
(opz.BTSA)
brill frame with satin glass
(opt.BTSA)



pendente con telaio brill e vetro satinato
(opz.BTSA)
wall unit with brill frame and satin glass
(opt.BTSA)

telaio alluminio finitura titanio sp.18 mm con vetro bronzo, senza maniglia

18 mm thick aluminium frame with titanium finish and bronze glass, without handle




telaio titanio con vetro bronzo
(opz.TTBR)
titanium frame with bronze glass
(opt.TTBR)



pendente con telaio titanio e vetro bronzo
(opz.TTBR)
wall unit with titanium frame and bronze glass
(opt.TTBR)

SP. 18 MM TH. 18 MM



tablet vetro - glass

Telaio alluminio **NEW**

Aluminium frame

telaio alluminio finitura grigio selce sp.18 mm con vetro bronzo, senza maniglia

18 mm thick aluminium frame with flint grey finish and bronze glass, without handle



telaio grigio selce con vetro bronzo
(opz.STBR)
flint grey frame with bronze glass
(opt.STBR)



pendile con telaio grigio selce e vetro bronzo
(opz.STBR)
wall unit with flint grey frame and bronze glass
(opt.STBR)

telaio alluminio finitura silver dark sp.18 mm con vetro fumè, senza maniglia


18 mm thick aluminium frame with dark silver finish and smoked glass, without handle



telaio silver dark con vetro fumè
(opz.DTFT)
dark silver frame with smoked glass
(opt.DTFT)



pendile con telaio silver dark e vetro fumè
(opz.DTFT)
wall unit with dark silver frame and smoked glass
(opt.DTFT)



tablet vetro - glass

Telaio legno

Wood frame

N.B.: le combinazioni colori dei montanti con i traversi sono fisse, non modificabili

Note: the colours combinations of uprights with crossbars are fixed, they cannot be modified

ante vetro con montanti in melaminico effetto legno e traversi in alluminio
verniciati in tinta unita, vetro flutes, senza maniglia

glass doors with wood-effect melamine uprights and crossbars in aluminium painted in solid colour,
fluted glass, without handle



rovere luna con traversa
desert (opz.5316)
moon oak with desert
crossbar (opt.5316)



rovere venere con traversa
molara (opz.5315)
venus oak with molara
crossbar (opt.5315)



rovere arizona con traversa
arena (opz.5317)
arizona oak with arena
crossbar (opt.5317)



rovere dark con traversa
porcellana (opz.5318)
dark oak with porcelain
crossbar (opt.5318)



frassino lava con traversa
arena (opz.2408)
lava ash with arena
crossbar (opt.2408)




frassino sabbia con traversa
porcellana (opz.2406)
sand ash with porcelain
crossbar (opt.2406)



frassino pietra con traversa
desert (opz.2407)
stone ash with desert
crossbar (opt.2407)


SP. 18 MM TH. 18 MM



Neck

FINITURE GOLE


FINITURE GOLE SPAZZOLATE
FINGER RAILS BRUSHED FINISHES



ALLUMINIO LUCIDO
(OPZ.410)
POLISHED ALUMINIUM (OPT.410)




TITANIO OSSIDATO
(OPZ.414)
TITANIUM OXIDIZED (OPT.414)




GOLA TIPO "ELLE"
"ELLE" TYPE FINGER RAIL

FINITURE GOLE VERNICIATE A POLVERE OPACHE
MATT FINGER RAILS POWDER COATED FINISHES




NERO (OPZ.7892)
BLACK (OPT.7892)




BIANCO ASSOLUTO
(OPZ.740S)
ABSOLUTE WHITE (OPT.740S)

NEW




CONCHIGLIA(OPZ.7403)
SEASHELL (OPT.7403)

NEW




GRIGIO SELCE
(OPZ.SEL)
FLINT GREY (OPT.SEL)

NEW



SILVER DARK
(OPZ.9507)
DARK SILVER (OPT.9507)

NEW



GHISA (OPZ.9509)
CAST IRON (OPT.9509)

UNDERMOUNT HORIZONTAL “ELLE” FINGER RAIL

28 TABLET

INTERMEDIATE HORIZONTAL “ELLE” FINGER RAIL

VERTICAL “ELLE” FINGER RAILS FOR COLUMNS


TABLET 29

NOZIONI UTILI - gole “elle” orizzontali per basi

USEFUL INFORMATION - HORIZONTAL “ELLE” FINGER RAILS FOR BASE UNITS


VISTA FRONTALE ZOCCOLO H 13 PER BASI H 88

FRONT VIEW PLINTH H 13 FOR BASE UNITS H 88




VISTA FRONTALE ZOCCOLO H 6 PER BASI H 90

FRONT VIEW PLINTH H 6 FOR BASE UNITS H 90




VISTA LATERALE (sezione) ZOCCOLO H 13 PER BASI H 88

SIDE VIEW (CROSS SECTION) PLINTH H 13 FOR BASE UNITS H 88





VISTA LATERALE (sezione) ZOCCOLO H 6 PER BASI H 90

SIDE VIEW (CROSS SECTION) PLINTH H 6 FOR BASE UNITS H 90



VISTA DALL'ALTO

TOP VIEW



Composizione con ante di finitura laterali: alla dimensione finale della cucina, sommare sempre lo spessore delle ante di finitura (ogni anta 18 mm)


Composition with side finishing panels: to the final size of the kitchen, always add the thickness of the finishing panels (each panel 18 mm)

NOZIONI UTILI - gole “elle” verticali per colonne

USEFUL INFORMATION - VERTICAL “ELLE” FINGER RAILS FOR COLUMNS


VISTA FRONTALE ZOCCOLO H 13

FRONT VIEW PLINTH H 13




VISTA FRONTALE ZOCCOLO H 6

FRONT VIEW PLINTH H 6



VISTA DALL'ALTO

TOP VIEW



Composizione fianco strutturale
a vista come anta:
alla dimensione finale della cucina,
sommare sempre lo spessore dei
distanziali tra le colonne
(ogni distanziale 3 cm)

Composition with visible side panel to match door:
to the final size of the kitchen, always add the thickness
of the spacers between the two columns (each spacer 3 cm)

Composizione con ante di finitura
laterali, alla dimensione finale della
cucina, sommare sempre lo spessore
dei distanziali tra le colonne
(ogni distanziale 3 cm) e lo spessore
delle ante di finitura (ogni anta 1,2 cm)

Composition with side finishing panels to the final size of the
kitchen, always add the thickness of the spacer between the
two columns (each spacer 3 cm) and the thickness of the
finishing panels (each panel 12 mm)

DI SERIE STANDARD



Maniglia F547 finitura nichel satinato
 anta L 15 → passo 64 mm
 anta da L 30 a L 90 → passo 160 mm

Handle F547 with satin nickel finish
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 90 → centre-to-centre distance 160 mm




Maniglia K56 finitura satinato opaco
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta da L 75 a L 90 → passo 320 mm

Handle K56 matt satin finish
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door from W 75 to W 90 → centre-to-centre distance 320 mm




Maniglia in multistrato marino e finitura frontale in laminato nei colori:
 bianco (opz.T7447P), porcellana (opz.T7703P), desert (opz.T8914P),
 molar (opz.T9636P), arena (opz.T9637P)
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta L 90 → passo 320 mm

Handle in marine ply and front panel in laminate in the following colours:
 white (opt.T7447P), porcelain (opt.T7703P), desert (opt.T8914P),
 molar (opt.T9636P), arena (opt.T9637P)
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door W 90 → centre-to-centre distance 320 mm



bianco
 (opz.T7447P)
 white



porcellana
 (opz.T7703P)
 porcelain



desert
 (opz.T8914P)
 desert



molar
 (opz.T9636P)
 molar



arena
 (opz.T9637P)
 arena

A RICHIESTA ON REQUEST



Maniglia K50 finitura cromo
 anta da L 30 a L 45 → passo 160 mm
 anta da L 60 a L 90 → passo 320 mm

Handle K50 chrome finish
 door from W 30 to W 45 → centre-to-centre distance 160 mm
 door from W 60 to W 90 → centre-to-centre distance 320 mm



Maniglia K57 finitura verniciato brunito
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta da L 75 a L 90 → passo 320 mm

Handle K57 with burnished painted finish
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door from W 75 to W 90 → centre-to-centre distance 320 mm



Particolare maniglia in multistrato
 Detail ply handle




Pomo 244P finitura cromo
 solo per anta L 15 in abbinamento
 alla maniglia K50

Knob 244P chrome finish
 only for door W 15 in combination
 to the handle K50



Maniglia K58 finitura nero opaco
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta da L 75 a L 90 → passo 320 mm

Handle K58 matt black finish
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door from W 75 to W 90 → centre-to-centre distance 320 mm



A RICHIESTA ON REQUEST



Maniglia K92 finitura grigio selce
 anta da L 15 a L 30 → passo 64 mm
 anta da L 40 a L 75 → passo 160 mm
 anta da L 90 a L 120 → passo 320 mm

Handle K92 flint grey finish
 door from W 15 to W 30 → centre-to-centre distance 64 mm
 door from W 40 to W 75 → centre-to-centre distance 160 mm
 door from W 90 to W 120 → centre-to-centre distance 320 mm



Maniglia K93 finitura ghisa
 anta da L 15 a L 30 → passo 64 mm
 anta da L 40 a L 75 → passo 160 mm
 anta da L 90 a L 120 → passo 320 mm

Handle K93 caston iron finish
 door from W 15 to W 30 → centre-to-centre distance 64 mm
 door from W 40 to W 75 → centre-to-centre distance 160 mm
 door from W 90 to W 120 → centre-to-centre distance 320 mm



Maniglia K94 finitura silver dark
 anta da L 15 a L 30 → pomo
 anta da L 40 a L 75 → passo 160 mm
 anta da L 90 a L 120 → passo 320 mm

Handle K94 dark silver finish
 door from W 15 to W 30 → knob
 door from W 40 to W 75 → centre-to-centre distance 160 mm
 door from W 90 to W 120 → centre-to-centre distance 320 mm



Maniglia K85 finitura cromo satinato
 anta da L 15 a L 30 → passo 96 mm
 anta da L 40 a L 75 → passo 160 mm
 anta da L 90 a L 120 → passo 320 mm

Handle K85 satin chrome finish
 door from W 15 to W 30 → centre-to-centre distance 96 mm
 door from W 40 to W 75 → centre-to-centre distance 160 mm
 door from W 90 to W 120 → centre-to-centre distance 320 mm



Maniglia K87 finitura nichel lux
 anta da L 15 a L 30 → passo 96 mm
 anta da L 40 a L 75 → passo 160 mm
 anta da L 90 a L 120 → passo 320 mm

Handle K87 lux nikel finish
 door from W 15 to W 30 → centre-to-centre distance 96 mm
 door from W 40 to W 75 → centre-to-centre distance 160 mm
 door from W 90 to W 120 → centre-to-centre distance 320 mm



Maniglia K90 finitura bronzo
 anta da L 15 a L 30 → passo 64 mm
 anta da L 40 a L 120 → passo 160 mm

Handle K90 bronze finish
 door from W 15 to W 30 → centre-to-centre distance 64 mm
 door from W 40 to W 120 → centre-to-centre distance 160 mm

DI SERIE STANDARD



Maniglia 910T finitura titanio
Handle 910T titanium finish



Maniglia 910B finitura brill
Handle 910B brill finish

A RICHIESTA ON REQUEST



Maniglia 913T finitura titanio
Handle 913T titanium finish



Maniglia 913B finitura brill
Handle 913B brill finish



Maniglia 920T finitura titanio
Handle 920T titanium finish





strutture carcasses



bianco (opz.001)
schiena e ripiano bianco
(opz.001)
white (opt.001)
white back panel and shelf
(opt.001)



conchiglia (opz.8910)
schiena e ripiano conchiglia
(opz.8910)
shell (opt.8910)
shell back panel and shelf
(opt.8910)



visone (opz.948M)
schiena e ripiano visone
(opz.948M)
mink (opt.948M)
mink back panel and shelf
(opt.948M)



lavagna (opz.9620)
schiena e ripiano lavagna
(opz.9620)
slate grey (opt.9620)
slate grey back panel
and shelf (opt.9620)



fango (opz.8860)
schiena e ripiano fango
(opz.8860)
mud (opt.8860)
mud back panel and shelf
(opt.8860)



Il Gruppo LUBE è stata la prima azienda in Italia ad ottenere per le strutture delle sue cucine la Certificazione GREENGUARD Gold, che è garanzia della bassissima emissione di sostanze chimiche inquinanti COV.
Gruppo Lube was the first company in Italy achieving the GREENGUARD Gold Certification for its kitchen structures, which is a guarantee of the very low VOC polluting chemicals emission.



CREO ECOLOGIC
IL GRUPPO LUBE HA SCELTO DI UTILIZZARE PER I COMPONENTI COSTITUENTI LE STRUTTURE DELLE CUCINE SOLO MATERIALE A BASSISSIMA EMISSIONE DI FORMALDEIDE: CONFORMI ALLO STANDARD FASTELLE SECONDO LA NORMA JIS, CERTIFICATO DAL MINISTERO GIAPPONESE, IL PIÙ SEVERO IN MERITO ALLE NORMATIVE DI SALVAGUARDIA AMBIENTALE.
LUBE GROUP HAS CHOSEN TO EXCLUSIVELY USE MATERIALS WITH VERY LOW FORMALDEHYDE EMISSIONS FOR THE COMPONENTS MAKING UP THE KITCHEN CARCASSES: THESE ELEMENTS COMPLY WITH THE F4 STAR STANDARD ACCORDING TO JIS, CERTIFIED BY THE JAPANESE GOVERNMENT - THE MOST STRINGENT WHEN IT COMES TO ENVIRONMENTAL PROTECTION.

mensole in nobilitato P 31-61 SP.3,8 come strutture same colours as carcasses melamine coated shelves D 31-61 Th.3,8




bianco (opz.001)
white (opt.001)




conchiglia (opz.8910)
shell (opt.8910)



visone (opz.948M)
mink (opt.948M)



lavagna (opz.9620)
slate grey (opt.9620)



fango (opz.8860)
mud (opt.8860)

mensole in melaminico P 31-33,1-61 SP.3,8 melamine shelves D 31-33,1-61 Th.3,8

melaminico bordo in tinta melamine with matching edge



rovere arizona (opz.5317)
arizona oak (opt.5317)

N.B.: disponibili in tutti i colori come ante in melaminico, vedi pag.14-17
Note: available in all melamine-coated door colours, see page 14-17

melaminico tinta unita bordo multistrato solid colour melamine with ply edge



desert soft matt (opz.8914M)
soft matt desert (opt.8914M)

N.B.: disponibili in tutti i colori come ante in melaminico tinta unita bordo multistrato, vedi pag.18
Note: available in all melamine-coated door solid colours with ply edge, see page 18

mensole laccate opache e lucide P 31-33,2-61 SP.3,8 matt and glossy lacquered shelves D 31-33,2-61 Th.3,8



antracite (opz.9559)
anthracite (opt.9559)

N.B.: disponibili in tutti i colori come ante laccate opache e lucide vedi pag.22-23
Note: available in all matt and glossy lacquer door colours, see page 22-23

mensole impiallacciate wood P 31-61 SP.3,8

wood veneered shelves D 31-61 Th.3,8



rovere grey (opz.5443)
grey oak (opt.5443)

N.B.: disponibili in tutti i colori come ante
impiallacciate wood, vedi pag.11

Note: available in all wood veneered door
colours, see page 11

zoccoli in pvc H 13 pvc plinths H 13



acciaio (opz.407)
steel (opt.407)



alluminio satinato
(opz.405)
satin aluminium
(opt.405)



bianco (opz.001)
white (opt.001)

zoccoli in alluminio H 13 aluminium plinths H 13



alluminio
finitura brill
(opz.412)
aluminium
brill finish (opt.412)



alluminio finitura titanio
ossidato (opz.414)
aluminium titanium
oxidized finish (opt.414)

al ml
per lm
cod.092125
code

angolare
angular code
cod.0923933

zoccoli in alluminio H 13 verniciati a polvere finitura opaca

aluminum plinth height H 13 powder coated matt finish



alluminio finitura bianco
assoluto (opz.740S)
aluminium absolute
white finish (opt.740S)



alluminio finitura
grigio selce (opz.SE)
aluminium flint grey
finish (opt.SE)



alluminio finitura
silver dark (opz.9507)
aluminium dark silver
finish (opt.9507)






alluminio finitura
ghisa (opz.9509)
aluminium cast iron
finish (opt.9509)






al ml
per lm
cod.092125
code

angolare
angular code
cod.0923933



MODULARITÀ E COMPONENTI MODULARITÀ MODULARITÀ AND FITTING SOLUTIONS







MODULARITÀ E COMPONENTITÀ MODULARITÀ AND FITTING SOLUTIONS




COLONNE FRIGO
FRIDGE COLUMNS




COLONNE FORNO




COLONNE
COLUMNS

MODULARITÀ E COMPONENTIBILITÀ MODULARITY AND FITTING SOLUTIONS



PENSILE CON APERTURA A RIBALTA
Le ante aprendosi verso l'alto consentono di avere un' ampia visione d'insieme all'interno del mobile. In questo modo è possibile un comodo accesso agli oggetti contenuti al suo interno e, dal punto di vista ergonomico, molto vantaggioso. La regolazione della forza di apertura può essere impostata in modo esatto in base al peso del frontale. Grazie all'arresto progressivo le ante si fermano in qualsiasi posizione; in questo modo la maniglia è sempre facilmente raggiungibile. La chiusura è ammortizzata di serie.

WALL UNIT WITH FLAP DOOR
The doors that open upwards guarantee ample overall visibility inside the cabinet. In this way, all objects housed inside the cabinet can be comfortably accessed, making the system highly advantageous from an ergonomic perspective. The opening force can be adjusted precisely according to the weight of the front. The doors stop in any position thanks to the gradual stopping movement; in this way, the handle is always easily accessible. The closing movement is cushioned standard




	A	B	C
H 36	7	4	37
H 48	11	4	49

APERTURA VERTICALE OBLIQUA

I pensili con questo tipo di meccanismo necessitano per l'apertura di poco spazio libero sopra il mobile grazie al movimento basculante dell'anta che si apre senza difficoltà applicando poca forza anche in presenza di frontali pesanti. Con l'arresto progressivo le ante si fermano in qualsiasi posizione; in questo modo la maniglia è sempre facilmente raggiungibile. La chiusura è ammortizzata ed è possibile regolare la forza di tenuta in base al peso del frontale.

VERTICAL OPENING OBLIQUE

Wall units that mount this type of mechanism require little clearance above the cabinet thanks to the swivelling movement of the door that can be easily opened by applying slight pressure, even with heavy fronts. The doors stop in any position thanks to the gradual stopping movement; in this way, the handle is always easily accessible. The closing movement is cushioned and the closing force can be adjusted according to the weight of the front door.




	A	B	C	D
H 60	18	9,6	46,5	53,5
H 72	18	9,6	57	61

PENSILE CON APERTURA ANTE A PACCHETTO

Il meccanismo d'apertura ante a pacchetto è idoneo sia sul pensile H 72 che H 96; la regolazione della forza di apertura può essere impostata in modo esatto in base ai pesi dei frontali, la chiusura è ammortizzata e la cerniera centrale clip si contraddistingue per l'innovativa tecnologia che garantisce la sicurezza per le dita.



WALL UNIT WITH LIFT-UP FOLDING DOORS

The lift-up folding door opening mechanism is suitable for wall units with H 72 or H 96; the opening force can be adjusted precisely according to the weight of the fronts, while the closing movement is cushioned and the central clip-on hinge features innovative technology for safeguarding the fingers.



	A	B	C
H 72	16,5	54	41
H 96	20	69	53



SCHEMA MONTAGGIO
LIMITATORE
LIMITER INSTALLATION
DIAGRAM



Per evitare l'interferenza dell'anta in fase di apertura con cornici o mensole, si può richiedere il limitatore dell'angolo di apertura cod. 5620005


In order to avoid that the door interferes with cornices or shelves during the opening movement, it is possible to request an opening angle limiter: code 5620005

COMPOSIZIONE CON ELEMENTI INCLINATI
 COMPOSITION WITH INCLINED ELEMENTS





ZOCCOLO
H 6 centimetri
=
più volume di
contenimento



Con lo **zoccolo** ad altezza ridotta a 6 cm, si possono **guadagnare centimetri preziosi di contenimento**, dando alla cucina l'aspetto elegante di un living.


Valuable space has been saved by lowering the plinth to 6 cm, and so the kitchen will take on a stylish look such as a living room.



strutture carcasses



bianco (opz.001)
schiena e ripiano bianco
(opz.001)
white
white back panel and shelf



conchiglia (opz.8910)
schiena e ripiano conchiglia
(opz.8910)
shell
shell back panel and shelf



lavagna (opz.9620)
schiena e ripiano lavagna
(opz.9620)
slate grey
slate grey back panel and shelf



fango (opz.8860)
schiena e ripiano fango
(opz.8860)
mud
mud back panel and shelf



visone (opz.948M)
schiena e ripiano visone
(opz.948M)
mink
mink back panel and shelf

zoccoli in alluminio H 6 aluminium plinths H 6

di serie
standard



alluminio finitura
brill (opz.412)
aluminium brill finish
(opt.412)



alluminio finitura titanio
ossidato (opz.414)
aluminium titanium
oxidized finish (opt.414)

zoccoli in alluminio H 6 verniciati a polvere finitura opaca
aluminum plinths H 6 powder coated matt finish



alluminio finitura
bianco assoluto
(opz.740S)
aluminium absolute
white finish (opt.740S)



alluminio finitura
grigio selce (opz.SE)
aluminium flint grey
finish (opt.SE)



alluminio finitura
silver dark (opz.9507)
aluminium dark silver
finish (opt.9507)



alluminio finitura
ghisa (opz.9509)
aluminium cast iron
finish (opt.9509)

al ml
per lm




cod.092085
code

angolare
angular

cod.0923903

code

MODULARITÀ E COMPONENTITÀ MODULARITÀ AND FITTING SOLUTIONS




●	ESCLUSO 120 EXCLUDING 120	*	SOLO 90 ONLY 90
---	------------------------------	---	--------------------

●	ESCLUSO 120 EXCLUDING 120	*	SOLO 90 ONLY 90
---	------------------------------	---	--------------------




MODULARITÀ E COMPONENTITÀ MODULARITÀ AND FITTING SOLUTIONS

COLONNE
COLUMNS



● **ESCLUSO 30**
EXCLUDING 30





COLONNE FRIGO
FRIDGE COLUMNS



COLONNE FORNO
OVEN COLUMNS





COMPOSIZIONE CON ELEMENTI INCLINATI
 COMPOSITION WITH INCLINED ELEMENTS



tablet **B**ridge **H**ead

ZOCCOLO
H 6 centimetri
=
più volume di
contenimento




Con lo **zoccolo** ad altezza ridotta a **6 cm**, si possono **guadagnare centimetri preziosi di contenimento**, dando alla cucina l'aspetto elegante di un living.

*Valuable space has been saved by lowering the **plinth** to **6 cm**, and so the kitchen will take on a stylish look such as a living room.*



strutture carcasses

				
bianco (opz.001) schiena e ripiano bianco (opz.001) white white back panel and shelf	conchiglia (opz.8910) schiena e ripiano conchiglia (opz.8910) shell shell back panel and shelf	lavagna (opz.9620) schiena e ripiano lavagna (opz.9620) slate grey slate grey back panel and shelf	fango (opz.8860) schiena e ripiano fango (opz.8860) mud mud back panel and shelf	visone (opz.948M) schiena e ripiano visone (opz.948M) mink mink back panel and shelf

zoccoli in alluminio H 6 aluminium plinths H 6

di serie

standard

	
alluminio finitura brill (opz.412) aluminium brill finish (opt.412)	alluminio finitura titanio ossidato (opz.414) aluminium titanium oxidized finish (opt.414)

zoccoli in alluminio H 6 verniciati a polvere finitura opaca
aluminum plinths H 6 powder coated matt finish

			
alluminio finitura bianco assoluto (opz.740S) aluminium absolute white finish (opt.740S)	alluminio finitura grigio selce (opz.SE) aluminium flint grey finish (opt.SE)	alluminio finitura silver dark (opz.9507) aluminium dark silver finish (opt.9507)	alluminio finitura ghisa (opz.9509) aluminium cast iron finish (opt.9509)

al ml
per lm



angolare
angular

cod.092085
code





cod.0923903
code

MODULARITÀ E COMPONENTIBILITÀ MODULARITY AND FITTING SOLUTIONS



BASI H 90
BASE UNITS H 90



BASI H 78
BASE UNITS H 78






COLONNE H 114 - 150
COLUMNS H 114 - 150



● ESCLUSO 90
EXCLUDING 90

MODULARITÀ E COMPONENTIBILITÀ MODULARITÀ AND FITTING SOLUTIONS



SHELVES

TABLET 247


MOBILE DI FINITURA “SIDE”

“SIDE” FINISHING FURNITURE



COLORI STRUTTURA IMPIALLACCIATI WOOD

CARCASS COLOURS WOOD VENEERED



COLORI STRUTTURA E COLORI DIVISORI LACCATI OPACHI

CARCASS COLOURS AND MATT LACQUERED DIVIDERS COLOURS



N.B.: PER I COLORI VEDI CATALOGO FINITURE LACCATE (GRUPPO LUBE)
NOTE: FOR COLOURS SEE LACQUERED FINISHES CATALOGUE (GRUPPO LUBE)

COLORI DIVISORI VETRI

GLASS DIVIDERS COLOURS



LIVING

Spazi coordinati per avere un solo ambiente per cucinare, ricevere gli amici, pranzare e rilassarsi è una soluzione al desiderio di vivere la casa più liberamente, secondo stili di vita contemporanei, integrando cucina e living all'insegna di un nuovo linguaggio progettuale.

Coordinated spaces that create a single environment in which to cook, receive friends and relax is a solution that allows you to experience the home more freely.

In line with contemporary lifestyles, this solution integrates the kitchen and living area to create a new design language



LIVING KTA-1




ANTE
doors



STRUTTURA
carcass





NR. ELEMENTI	DESCRIZIONE	CODICE
1	Pensile L 90 H 36 P 33 ribalta tip-on, fianco come anta	E210091T
1	Pensile L 60 H 36 P 33 ribalta tip-on, fianco come anta	E210061T
2	Pensile L 60 H 36 P 33 vasistas winch, fianco come anta	G2106600
1	Pensile L 60 H 36 P 33 vasistas winch	G2106600
2	Base sospesa L 90 H 48 P 59,5 cestone apertura tip-on, fianco come anta	E4310900
1	Pannello L 240 H 116 SP. 1,8 melaminico come anta	al mq 094506
1	Pannello L 120 H 116 SP. 1,8 melaminico come anta	al mq 094506
1	Mensola L 150 P 31 SP. 3,8 melaminico come anta	al ml 091523
1	Mensola L 60 P 31 SP. 3,8 melaminico come anta	al ml 091523
1	Mensola L 120 P 31 SP. 3,8 melaminico come anta	al ml 091523
1	Mensola L 180 P 61 SP. 3,8 melaminico come anta	al ml 091560
1	Top living L 60 P 33,1 SP. 1,8 melaminico come anta	al ml TLE183
1	Top living L 120 P 33,1 SP. 1,8 melaminico come anta	al ml TLE183
1	Asta appendipensili ml 2	08610501

No. of ELEMENTS	DESCRIPTION	CODE
1	Wall unit W 90 H 36 D 33 flap door, tip-on opening, side same as door	E210091T
1	Wall unit W 60 H 36 D 33 flap door, tip-on opening, side same as door	E210061T
2	Wall unit W 60 H 36 D 33 flap door winch opening, side same as door	G2106600
1	Wall unit W 60 H 36 D 33 flap door winch opening	G2106600
2	Hanging base unit W 90 H 48 D 59,5 1 deep drawer, tip-on opening side same as door	E4310900
1	Back panel W 240 H 116 D 1,8 melamine same as door	per m² 094506
1	Back panel W 120 H 116 D 1,8 melamine same as door	per m² 094506
1	Shelf W 150 D 31 TH. 3,8 melamine same as door	per lm 091523
1	Shelf W 60 D 31 TH. 3,8 melamine same as door	per lm 091523
1	Shelf W 120 D 31 TH. 3,8 melamine same as door	per lm 091523
1	Shelf W 180 D 61 TH. 3,8 melamine same as door	per lm 091560
1	Melamine worktop W 60 D 33,1 TH. 1,8 same as door	per lm TLE183
1	Melamine worktop W 120 D 33,1 TH. 1,8 same as door	per lm TLE183
1	Wall unit fixing strip lm 2	08610501

LIVING KTA-2



ANTA
door




ELEMENTI A GIORNO
open units



STRUTTURA
carcass





NR. ELEMENTI	DESCRIZIONE		CODICE
2	Base living L 90 H 38 P 50 cestone apertura tip-on, fianco come anta		EBL25900
2	Base living L 60 H 38 P 50, cestone apertura tip-on		EBL25600
2	Pensile vetro L 60 H 60 P 33 telaio alluminio apertura push-pull		G1062601/2
2	Elemento a giorno L 60 H 60 P 31 3 vani laccati opaco		E7701720
2	Top melaminico L 150 P 50,1 SP. 1,8 colore come anta	al ml	TLE185
2	Asta appendipensili ml 2		08610501
No. of ELEMENTS	DESCRIPTION		CODE
2	Living base unit W 90 H 38 D 50 deep drawer tip-on opening, side same as door		EBL25900
2	Living base unit W 60 H 38 D 50 deep drawer tip-on opening		EBL25600
2	Glass wall unit W 60 H 60 D 33 aluminium frame, push-pull opening		G1062601/2
2	Matt lacquered open unit W 60 H 60 D 31 3 compartments		E7701720
2	Melamine worktop W 150 D 50,1 TH. 1,8 same colour as door	per lm	TLE185
2	Wall unit fixing strip mt. 2		08610501

LIVING KTA-3



ANTE
doors




ELEMENTI A GIORNO
open units



STRUTTURE
carcasses





NR. ELEMENTI	DESCRIZIONE	CODICE
2	Pensile L 90 H 36 P 33 ribalta tip-on, fianco come anta	E210091T
1	Pensile L 90 H 36 P 33 ribalta tip-on	E210091T
2	Elemento a giorno L 60 H 60 P 31 3 vani, laccato opaco	E7701720
4	Elemento a giorno L 30 H 60 P 31 2 vani, laccato opaco	E7701733
1	Elemento a giorno in melaminico L 90 H 36 P 31 ripiano in vetro	E7861190
2	Base living L 90 H 38 P 50 cestone apertura tip-on, fianco come anta	EBL25900
2	Base living L 90 H 38 P 50 cestone apertura tip-on	EBL25900
2	Top melaminico L 180 P 50,1 SP. 1,8 colore come anta	al ml TLE185
3	Asta appendipensili ml 2	08610501
No. of ELEMENTS	DESCRIPTION	CODE
2	Wall unit W 90 H 36 D 33 tip-on opening, side same as door	E210091T
1	Wall unit W 90 H 36 D 33 tip-on opening	E210091T
2	Matt lacquered open unit W 60 H 60 D 31 3 compartments	E7701720
4	Matt lacquered open unit W 30 H 60 D 31 2 compartments	E7701733
1	Metal open unit W 90 H 36 D 31 with glass shelf	E7861190
2	Living base unit W 90 H 38 D 50 deep drawer tip-on opening, side same as door	EBL25900
2	Living base unit W 90 H 38 D 50 deep drawer tip-on opening	EBL25900
2	Melamine worktop W 180 D 50,1 TH. 1,8 same colour as door	per lm TLE185
3	Wall unit fixing strip lm 2	08610501

LIVING KTA-4



ANTA
door




ELEMENTI A GIORNO
open units



STRUTTURA
carcass





NR. ELEMENTI	DESCRIZIONE	CODICE
1	Base living sospesa L 90 H 48 P 50, 1 cestone apertura tip-on	EBL85900
1	Base living sospesa L 90 H 48 P 50, 1 cestone apertura tip-on, fianco come anta	EBL85900
1	Base living sospesa L 60 H 48 P 50, 1 cestone apertura tip-on, fianco come anta	EBL85600
1	Libreria "TOTEM" L 12 H 130, nero	0890800N
2	Libreria "TOTEM" L 12 H 180, nero	0890801N
4	Modulo 1 per "TOTEM" L 37,4 H 30,6 P 25	0890810D/S
1	Modulo 2 per "TOTEM" L 44 H 38,6 P 25	0890811D/S
5	Vaschette TRAYS per "TOTEM" L 52 H 8,4 P 25 in melaminico	0890816
1	Top living L 240 P 50,2 SP. 1,9 laccato come anta	al ml TLC195
No. of ELEMENTS	DESCRIPTION	CODE
1	Hanging living base unit W 90 H 48 D 50, 1 deep drawer tip-on opening	EBL85900
1	Hanging living base unit W 90 H 48 D 50, 1 deep drawer tip-on opening, side same as door	EBL85900
1	Hanging living base unit W 60 H 48 D 50, 1 deep drawer tip-on opening, side same as door	EBL85600
1	"TOTEM" bookcase W 12 H 130, black colours	0890800N
2	"TOTEM" bookcase W 12 H 180, black colours	0890801N
4	Module 1 for "TOTEM" bookcase W 37,4 H 30,6 D 25	0890810D/S
1	Module 2 for "TOTEM" bookcase W 44 H 38,6 D 25	0890811D/S
5	Melamine TRAYS for "TOTEM" bookcase W 52 H 8,4 D 25	0890816
1	Living worktop W 240 D 50,2 TH. 1,9 lacquered same as door	per lm TLC195

LIVING KTA-5



ANTA
door


BIANCO ASSOLUTO
OPACO
matt absolute white

ELEMENTI A GIORNO
open units

AZZURRO NUBE
cloud blue

STRUTTURA
carcass

BIANCO
white



NR. ELEMENTI	DESCRIZIONE	CODICE
2	Pensile L 45 H 132 P 33 anta vetro alluminio, apertura push-pull, ripiani vetro, fianco come anta	G1027451/2
1	Pensile L 45 H 132 P 33 anta vetro alluminio apertura push-pull, ripiani vetro	G1027451/2
6	Profilo led glass-8 ITALPEK per ripiano vetro L 45	08616263
1	Alimentatore 50W per luce glass-8 ITALPEK	08616192A
1	Schienale "WEAVE" L 120 H 36 laccato come anta con mensole laccate opache	E83536120
1	Schienale "WEAVE" L 120 H 72 laccato come anta con mensole laccate opache	E83572120
1	Base living sospesa L 120 H 48 P 50, 1 cestone, fianchi come anta	EBL86200
1	Pannello L 120 H 85,8 SP. 1,8 impiallacciato come anta	al mq 094530
2	Mensole L 120 P 31 SP. 3,8 impiallacciato come anta	al ml 091733
1	Asta appendipensili ml 2	08610501
No. of ELEMENTS	DESCRIPTION	CODE
2	Wall unit W 45 H 132 D 33 aluminium framed glass door, push-pull opening, glass shelves, side same as door	G1027451/2
1	Wall unit W 45 H 132 D 33 aluminium framed glass door, push-pull opening, glass shelves	G1027451/2
6	ITALPEK glass-8 led profile for shelf W 45	08616263
1	ITALPEK power supply 50w for glass-8 light	08616192A
1	"WEAVE" back panel W 120 H 36 lacquered as door, matt lacquered shelves	E83536120
1	"WEAVE" back panel W 120 H 72 lacquered as door, matt lacquered shelves	E83572120
1	Hanging living base unit W 120 H 48 D 50, 1 deep drawer sides same as door	EBL86200
1	Veneered back panel W 120 H 85,8 TH.1,8 same colour as door	per m² 094530
2	Veneered shelves W 120 D 31 TH.3,8 same colour as door	per lm 091733
1	Wall unit fixing strip lm 2	08610501

COMPOSIZIONE BASSA L 255 (con gola L 260)

LOW COMPOSITION W 255 (with finger rail W 260)



COMPOSIZIONE BASSA L 300 (con gola L 305)

LOW COMPOSITION W 300 (with finger rail W 305)



COMPOSIZIONE BASSA L 255 (con gola L 260)	
LOW COMPOSITION W 255 (with finger rail W 260)	
COMPONENTI COMPONENTS Colonna 60 frigo-freezer 230 classe A+ 60 cm column fridge-freezer 230 class “A+” Base 45 2 cassetti e cestone 45 cm base unit with 2 drawers and deep drawer Base 60 forno statico nero con ventilazione tangenziale di raffreddamento static oven with orbital cooling ventilation 60 base unit Piano cottura 60 4 gas inox con valvola di sicurezza 60 cm stainless steel hob with 4 gas burners with safety valve Sottolavello 90 90 cm sink unit Lavello ad incasso 86 x 50 1 vasca inox prelucidato 86x50 cm built-in sink with 1 stainless steel bowl Pensile 45 H 72 45 cm wall unit H 72 Cappa 60 aspirante estraibile H 63 2 motori 60 cm hood slide-out ducting H 63 2 motors Scolapiatti 90 H 72 90 cm plate rack H 72 Top 195 P 61 in laminato H 4 195 cm laminate worktop D 61 H 4 Asta appendipensili ml 2 2 lm wall unit fixing strip (Elettrodomestici Beko) (Beko appliances)	VERSIONI VERSIONS MELAMINICO BRIDGE HEAD NECK LACCATO BRIDGE HEAD NECK IMPIALLACCIATO BRIDGE HEAD NECK
COMPOSIZIONE BASSA L 300 (con gola L 305)	
LOW COMPOSITION W 300 (with finger rail W 305)	
COMPONENTI COMPONENTS Colonna 60 frigo-freezer 230 classe A+ 60 cm column fridge-freezer 230 class “A+” Base 60 2 cassetti e cestone 60 cm base unit with 2 drawers and deep drawer Base 60 forno statico nero con ventilazione tangenziale di raffreddamento static oven with orbital cooling ventilation 60 base unit Piano cottura 60 4 gas inox con valvola di sicurezza 60 cm stainless steel hob with 4 gas burners with safety valve Base 60 60 cm base unit Sottolavello 60 60 cm sink unit Lavello ad incasso 86 x 50 1 vasca inox prelucidato 86x50 cm built-in sink with 1 stainless steel bowl Pensile 60 H 72 60 cm wall unit H 72 Cappa 60 aspirante estraibile H 63 2 motori 60 cm hood slide-out ducting H 63 2 motors Pensile 60 H 72 60 cm wall unit H 72 Scolapiatti 60 H 72 60 cm plate rack H 72 Top 240 P 61 in laminato H 4 240 cm laminate worktop D 61 H 4 Asta appendipensili ml 4 4 lm wall unit fixing strip (Elettrodomestici Beko) (Beko appliances)	VERSIONI VERSIONS MELAMINICO BRIDGE HEAD NECK LACCATO BRIDGE HEAD NECK IMPIALLACCIATO BRIDGE HEAD NECK

COMPOSIZIONE ALTA L 300 (con gola L 305)

HIGH COMPOSITION W 300 (with finger rail W 305)



COMPOSIZIONE BASSA L 360 (con gola L 365)

LOW COMPOSITION W 360 (with finger rail W 365)



COMPOSIZIONE ALTA L 300 (con gola L 305)	
HIGH COMPOSITION W 300 (with finger rail W 305)	
COMPONENTI COMPONENTS	VERSIONI VERSIONS
Colonna 60 frigo-freezer 230 classe A+ 60 cm column fridge-freezer 230 class “A+” Base 60 2 cassetti e cestone 60 cm base unit with 2 drawers and deep drawer Base 60 forno statico nero con ventilazione tangenziale di raffreddamento static oven with orbital cooling ventilation 60 base unit Piano cottura 60 4 gas inox con valvola di sicurezza 60 cm stainless steel hob with 4 gas burners with safety valve Base 60 60 cm base unit Sottolavello 60 60 cm sink unit Lavello ad incasso 86 x 50 1 vasca inox prelucidato 86x50 cm built-in sink with 1 stainless steel bowl Pensile 60 H 72 60 cm wall unit H 72 Cappa 60 aspirante estraibile H 63 2 motori 60 cm hood slide-out ducting H 63 2 motors Pensile 60 H 96 60 cm wall unit H 96 Scolapiatti 60 H 96 60 cm plate rack H 96 Top 240 P 61 in laminato H 4 240 cm laminate worktop D 61 H 4 Mensola 120 P 31 sp. 3,8 120 cm shelf D 31 sp. 3,8 Asta appendipensili ml 4 4 lm wall unit fixing strip (Elettrodomestici Beko) (Beko appliances)	MELAMINICO BRIDGE HEAD NECK LACCATO BRIDGE HEAD NECK IMPIALLACCIATO BRIDGE HEAD NECK
COMPOSIZIONE BASSA L 360 (con gola L 365)	
LOW COMPOSITION W 360 (with finger rail W 365)	
COMPONENTI COMPONENTS	VERSIONI VERSIONS
Colonna 60 frigo-freezer 230 classe A+ 60 cm column fridge-freezer 230 class “A+” Colonna 60 con cestone, forno statico nero con ventilazione tangenziale di raffreddamento 60 column with deep drawer configured for static oven with orbital cooling ventilation Base 90 2 cassetti + cestone predisposto P.C. 90 cm base unit with 2 drawers + deep drawer configured for hob Piano cottura 60 4 gas inox con valvola di sicurezza 60 cm stainless steel hob with 4 gas burners with safety valve Base 60 60 cm base unit Sottolavello 90 90 cm sink unit Lavello ad incasso 86 x 50 1 vasca inox prelucidato 86x50 cm built-in sink with 1 stainless steel bowl Pensile 60 H 72 60 cm wall unit H 72 Cappa 90 sempione acciaio inox satinato + vetro 90 cm sempione hood brushed stainless steel + glass Pensile 60 H 72 60 cm wall unit H 72 Scolapiatti 90 H 72 90 cm plate rack H 72 Top 240 P 61 in laminato H 4 240 cm laminate worktop D 61 H 4 Top 60 P 61 in laminato H 4 60 cm laminate worktop D 61 H 4 Asta appendipensili ml 4 4 lm wall unit fixing strip (Elettrodomestici Beko) (Beko appliances)	MELAMINICO BRIDGE HEAD NECK LACCATO BRIDGE HEAD NECK IMPIALLACCIATO BRIDGE HEAD NECK