

DESIGN
CMP Design



EN: Folk barstool in ash-wood with a die-cast aluminium seat support and footrest, seat in natural cane

IT: Sgabello Folk in frassino con supporto e appoggipiedi in pressofusione di alluminio, sedile in paglia di Vienna

DE: Barhocker Folk aus Eschenholz mit Sitzschalen-Ring und Fußring aus druckgußgegossenem Aluminium, Sitz aus Wiener Geflecht

FR: Tabouret Folk en frêne avec support et repose-pied en presso-fusion d'aluminium, assise en paille de vienne

ES: Taburete Folk de madera de fresno con soporte y reposapiés de aluminio fundido a presión y asiento de paja de Viena

mm - in

• 2926




mc 0,29
ft³ 10.2



kg 5,4
lb 11.9

• 2927



mc 0,29
ft³ 10.2



kg 5,6
lb 12.4

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• **FRAME - TELAIO - STRUKTUR - STRUCTURE - ARMAZÓN**

EN: Ash-wood legs and ash plywood backrest

IT: Gambe in frassino e schienale in multistrato di frassino

DE: Beine aus Eschenholz und Rückenlehne aus Eschen-Multiplex

FR: Pieds en frêne et arrière en multiplis de frêne

ES: Patas de fresno y respaldo en contrachapada de fresno

WOOD FINISH - FINITURA LEGNO - HOLZ AUSFÜHRUNG - FINITION BOIS - ACABADO MADERA

EN: Water-based paint, matt finish (5 gloss), anti-scratch

IT: Verniciatura a base acqua, finitura opaca (5 gloss), antigraffio

DE: Lack auf Wasserbasis, Ausführung matt (5 gloss), kratzfest

FR: Peinture à base d'eau, finition mate (5 gloss), anti-rayures

ES: Pintura a base de agua, acabado mate (brillo 5), anti-arañazos




EN: Lacquered visible grains

IT: Laccato poro aperto

DE: Laqué pore ouvert

FR: Offenporig lackiert

ES: Lacado poro abierto



• **SEAT - SEDUTA - SITZ - ASSISE - ASIENTO**

EN: Cane seat, in a natural color, reinforced with a nylon black yarn

IT: Sedile in paglia di Vienna, color naturale, rinforzata con fili di nylon nero

DE: Sitz aus Wiener Geflecht, naturfarben, verstärkt mit Nylonfäden

FR: Assise en paille de Vienne, couleur naturelle, renforcée avec des fils de nylon noirs

ES: Asiento en paja de Viena, color natural, reforzado con hilos de nylon negro

- **FRAME AND FOOREST** - SUPPORTO E POGGIAPIEDI - SITZSCHALEN-RING UND FUSSRING - SUPPORT ET REPOSE-PIEDS - SOPORTE Y REPOSA PIES

EN: Die-cast aluminium

IT: Pressofusione d'alluminio

DE: Aluminium-Druckguss

FR: Aluminium moulé sous-préssion

ES: Fusión de aluminio

FINISH - FINITURA - AUSFÜHRUNG - FINITIONS - ACABADO**EN: Powder coating**

IT: Verniciato con polvere

DE: Pulverbeschichtet

FR: Époxy à poudre

ES: Barnizado con polvo



BI200



_NERO



AR400



RA100



BL300

EN: For more information see finishing legend on the website

IT: Per maggiori informazioni vedere legenda finiture sul sito web

EN: Polished aluminium

IT: Alluminio lucidato

DE: Aluminium poliert

FR: Aluminium Poli

ES: Aluminio Pulido



LU

FEET - PIEDINI - GLEITER - PATINS - TACOS**EN: Feet with interchangeable insert in felt type "15", suitable for delicate and sensitive floors (wood, ceramics, marble)**

IT: Piedini con inserto intercambiabile in feltro tipo "15", adatti per pavimenti delicati e sensibili (legno, ceramica, marmo)

DE: Gleiter mit austauschbarem Einsatz aus Filz Typ „15“, geeignet für empfindliche und weiche Böden (Holz, Keramik und Marmor)

FR: Patins avec insert interchangeable en feutre type "15", pour sols délicats et sensibles (bois, marbre, céramique)

IT: Tacos con inserto intercambiabile de feltro tipo "15", aptos para pisos delicados y sensibles (madera, cerámica, mármol)

ACCESSORIESAccessori
Zubehör
Accessoires
Accesorios**Code: KIT/PIEDINO.00.003_100****EN: Polypropylene foot insert Ø17, black, suitable for moquette, carpets, concrete and metal**

IT: Inserto piedino in polipropilene Ø17, nero, adatto per moquette, tappeti, cemento e metallo

DE: Einsatz für Gleiter aus Polypropylen Ø 17, schwarz, geeignet für Teppichboden, Teppich, Zement oder Metall

FR: Embout de pied en polypropylène Ø17, noir, convient aux moquettes, tapis, béton et métal

ES: Inserto taco de polipropileno Ø17, negro, aptos para moqueta, alfombras, hormigón y metal

**REGULATIONS
AND CERTIFICATES**

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

- **RESISTANCE TEST** - TEST DI RESISTENZA - TEST ZUR BELASTBARKEIT - TEST DE RÉSISTANCE - PRUEBA DE RESISTENCIA

EN 1728:2012, 6.4 - EN 16139:2013, L2
EN 1728:2012, 6.5 - EN 16139:2013, L2
EN 1728:2012, 6.17 - EN 16139:2013, L2
EN 1728:2012, 6.21 - EN 16139:2013, L2

- **PRODUCT CERTIFICATIONS** - CERTIFICAZIONI DI PRODOTTO - PRODUKTZERTIFIZIERUNGEN - CERTIFICATIONS DE PRODUITS - CERTIFICACIONES DE PRODUCTO

EN: FSC™ certified product

IT: Prodotto certificato FSC™
DE: Zertifiziertes Produkt FSC™
FR: Produit certifié FSC™
ES: Producto certificado FSC™



- **ENVIRONMENTAL IMPACT** - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT DUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

EN: 96% Demountable product - 93% Recyclable material
IT: Prodotto 96% disassemblabile - 93% Materiali riciclabili
DE: Produkt 96% demontierbar - 93% Material recyclingfähig
FR: Produit 96% démontable - 93% Matériau recyclable
ES: Producto 96% desmontable - 93% Materiales reciclables

- **COMPANY CERTIFICATIONS** - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

ISO 14001
Environmental management system
Sistema di gestione ambientale



ISO 9001
Quality management system
Sistema di gestione della qualità



FSC CERTIFICATE
Certificate Registration SA - COC - 003864
License Code FSC - C114358



**100%
MADE IN
ITALY**