

PANZERI

ZERO ROUND

24V DC

M03301.100.0510

Single or multiple suspension lighting fixture for interiors, with direct and indirect light emission.

Bended extruded aluminium structure in white, black, bronze, matt brass or titanium polyacrylic paint.

Extruded polycarbonate diffuser with opaline finish.

Suspension kit with griplocks and 5m (196,9") long steel cables.

5m (196,9") long power cable in transparent PVC.

Provided without power canopy.



Data sheet


CODE	M03301.100.0510
SYSTEM POWER CONSUMPTION	47W
EFFICACY	86.79lm/W
LIGHT SOURCE	LED
LIGHT SOURCE LIFETIME	L70 (B50) 60.000h
COLOUR TEMPERATURE	2700K Ra>90
LIGHT DISTRIBUTION	Diffused
POWER SUPPLY	24V DC
FREQUENCY	
ELECTRICAL CONFIGURATION	
DRIVER	Remote Not Included
NOMINAL LUMINOUS FLUX	5670lm
LUMEN OUTPUT	4079lm
EFFICIENCY	71.94%
WEIGHT	1,4300Kg
PROTECTION DEGREE	IP20
COLOUR TOLLERANCES	SDCM 3
PACKING DIMENSIONS (CM)	11 x 107 x 107

Finish

White




Technical drawing



Accessories / canopy

XM03301.511.0002


Canopy for power supply of 1 Zero Shapes Horizontal model, with DALI/Push DIM drivers.



20,6
8 1/8"

XM03301.522.0002


Canopy for power supply of 2 Zero Shapes Horizontal models, with DALI/Push DIM drivers.



32,5 mm
12 7/8"


XM03301.523.0002

Canopy for power supply of 3 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03301.524.0002

Canopy for power supply of 4 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03301.531.0002

Canopy for power supply and suspension of 1 Zero Shapes Horizontal model, with DALI/Push DIM drivers.




XM03301.532.0002

Canopy for power supply and suspension of 2 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03301.533.0002

Canopy for power supply and suspension of 3 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03301.534.0002

Canopy for power supply and suspension of 4 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03401.552.0002

Canopy for power supply and suspension of 1 Zero Shapes Horizontal and 1 Zero Round Vertical models, with DALI/Push DIM drivers.




XM03401.553.0002

Canopy for power supply and suspension of 2 Zero Shapes Horizontal and 1 Zero Round Vertical models, with DALI/Push DIM drivers.



XM03401.554.0002

Canopy for power supply and suspension of 2 Zero Shapes Horizontal and 2 Zero Round Vertical models, with DALI/Push DIM drivers.



PANZERI

ZERO ROUND

24V DC

M03301.050.0510

Single or multiple suspension lighting fixture for interiors, with direct and indirect light emission.

Bended extruded aluminium structure in white, black, bronze, matt brass or titanium polyacrylic paint.

Extruded polycarbonate diffuser with opaline finish.

Suspension kit with griplocks and 5m (196,9") long steel cables.

5m (196,9") long power cable in transparent PVC.

Provided without power canopy.



Data sheet


CODE	M03301.050.0510
SYSTEM POWER CONSUMPTION	25W
EFFICACY	81.56lm/W
LIGHT SOURCE	LED
LIGHT SOURCE LIFETIME	L70 (B50) 60.000h
COLOUR TEMPERATURE	2700K Ra>90
LIGHT DISTRIBUTION	Diffused
POWER SUPPLY	24V DC
FREQUENCY	
ELECTRICAL CONFIGURATION	
DRIVER	Remote Not Included
NOMINAL LUMINOUS FLUX	2835lm
LUMEN OUTPUT	2039lm
EFFICIENCY	71.922%
WEIGHT	0,8300Kg
PROTECTION DEGREE	IP20
COLOUR TOLLERANCES	SDCM 3
PACKING DIMENSIONS (CM)	14 x 58 x 58

Finish

White




Technical drawing



Accessories / canopy

XM03301.511.0002


Canopy for power supply of 1 Zero Shapes Horizontal model, with DALI/Push DIM drivers.



20,6
8 1/8"

XM03301.522.0002


Canopy for power supply of 2 Zero Shapes Horizontal models, with DALI/Push DIM drivers.



32,5 mm
12 7/8"


XM03301.523.0002

Canopy for power supply of 3 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03301.524.0002

Canopy for power supply of 4 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03301.531.0002

Canopy for power supply and suspension of 1 Zero Shapes Horizontal model, with DALI/Push DIM drivers.




XM03301.532.0002

Canopy for power supply and suspension of 2 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03301.533.0002

Canopy for power supply and suspension of 3 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03301.534.0002

Canopy for power supply and suspension of 4 Zero Shapes Horizontal models, with DALI/Push DIM drivers.




XM03401.552.0002

Canopy for power supply and suspension of 1 Zero Shapes Horizontal and 1 Zero Round Vertical models, with DALI/Push DIM drivers.



XM03401.553.0002

Canopy for power supply and suspension of 2 Zero Shapes Horizontal and 1 Zero Round Vertical models, with DALI/Push DIM drivers.



XM03401.554.0002

Canopy for power supply and suspension of 2 Zero Shapes Horizontal and 2 Zero Round Vertical models, with DALI/Push DIM drivers.

