

MASTER DRESSING — VINCENT VAN DUYSSEN 2017

1—
14



Following the success of Gliss Master, Vincent Van Duysen has designed Master Dressing, a walk-in wardrobe system that completes the wide range of nighttime systems offered by Molteni&C. Master Dressing perfectly complements the Gliss Master wardrobes thanks to the use of coordinated internal fittings and aesthetic finishes, thereby providing functional and impactful walk-in closets.

FEATURES

Walk-in closet system that makes it possible to design customized compositions with linear and corner solutions. A system of wall-mounted racks provides support for suspended fittings (shelves, clothes rails, drawer units and other accessories) that can be positioned at regular intervals of 32 mm. Master Dressing always uses wall-mounted panels available in different finishes.

DATASHEET

REGISTERED
DESIGN

VII.2017

FINISHES


Finishes	pewter colour	melamine	matt lacquer colours	woods	fine grain	coloured glass/ etched coloured glass	mirror	Eco Skin pewter colour edge	transparent glass	fine grain pewter colour edge	grey saffiano melamine
components											
back panel											
lateral finishing profile											
base with pewter colour edge											
filler strip											
shelf bracket											
wood shelf th 40											
shelf th 30											
clothes rails											
drawer front											
glass drawer front profile											
glass											
drawer unit structure											
drawer interior											
floor-standing drawer unit top											

colours	Melamine	Matt lacquer	Woods	Coloured glass	Etched coloured glass	Eco Skin
	YM larix dark	BC chalk white	EU eucalyptus	BC chalk white	BC chalk white	grey
	YA silver cembran	AV ivory	RG grey oak	PE pearl	PE pearl	mink
	WR raffia	PE pearl	RF graphite oak	DN dune	DN dune	hemp
		DN dune	OC light elm	PL platinum	PL platinum	ivory
		AT anthracite	OS dark elm	AT anthracite	AT anthracite	dark brown
		NE black		NE black	NE black	
		PB lead		PB lead	PB lead	
		SE mustard		SE mustard	SE mustard	
		SI silica		SI silica	SI silica	
		DO dolomite grey		DO dolomite grey	DO dolomite grey	
		AL clay		AL clay	AL clay	
		MK moka		MK moka	MK moka	
		CM caramel		CM caramel	CM caramel	
		CZ light blue grey		CZ light blue grey	CZ light blue grey	
		SA sand		SA sand	SA sand	
		RU ruby		RU ruby	RU ruby	
		CI cadmium		CI cadmium	CI cadmium	
		RE rust		RE rust	RE rust	


MODULARITY

Molteni & C


3—
14



No reductions in depth are possible



det. 1



det. 2

DATASHEET

REGISTERED
DESIGN

VII.2017

MODULARITY


Linear modules

Standard compositions are built in the same heights as Gliss Master (H 2919, 2631, 2439, 2343), and widths are decided based on the 798/962 mm module plus 42 mm at the beginning and end of the composition (if the composition is set between two walls).

Modules can be reduced in both height and width.



It is possible to reduce the depth of the following components up to a maximum of -160 mm (from 538 mm to 378 mm):

- bases
- wood shelves th 40
- glass and Eco Skin shelves th 30
- shelf fixing bracket



Molteni & C

4—
14




det. 3

Single module

- Melamine shelf th 40
- Lacquered shelf th 40
- Wood shelf th 40
- Glass shelf th 30
- Eco Skin shelf with pewter colour profile th 30

Compensation strip

max width 270 mm



Shelves (th 40) in the finishes melamine, lacquer and wood are also available in full lengths for 2 or 3 modules.

All shelves can be reduced in width for custom compartments.

DATASHEET

REGISTERED
DESIGN


VII.2017

MODULARITY


Corner modules

With Master Dressing, it is possible to create L-shaped or C-shaped corner compositions. To design these compositions, in addition to the centre distance of the standard module (798/962 mm) and the starting distance (42 mm), it is necessary to consider the measurements of the corner (65 and 604 mm) as shown in the examples below.

L-shaped corner composition



C-shaped corner composition



Molteni & C

5—
14

DATASHEET

REGISTERED
DESIGN

VII.2017


MODULARITY

Example 1
This example shows the different ways of using the fittings and the possibility of mounting structures on the wall.


Example 2
A simple illustration of how to determine the number of brackets required for the composition.

Example 1 - fittings

Shelves th 30 (glass and Eco Skin) are max. 1 module wide (954 mm).
Shelves th 40 (wood) are available in a width of max 3 modules (2878 mm).



Example 2 - brackets



COMPONENTS

Reducible
in height

Wall-mounted
profile



H 2343 H 2439 H 2631 H 2919
PMU23 PMU24 PMU26 PMU29

Wall-mounted
corner profile



H 2343 H 2439 H 2631 H 2919
PMA23 PMA24 PMA26 PMA29


Lateral closing
profile



H 2343 H 2439 H 2631 H 2919
PLA23 PLA24 PLA26 PLA29

Reducible in
height
and width

Linear module back
W 790/954 th 20
W 31 1/8" / 37 1/2" th 3/4"



W 790 W 790 W 790 W 790
H 2343 H 2439 H 2631 H 2919
SHL8/23 SHL8/24 SHL8/26 SHL8/29

Reducible in
height
and width

Corner module back
W 560 th 20
W 22" th 3/4"




H 2343 H 2439 H 2631 H 2919
SHA5/23 SHA5/24 SHA5/26 SHA5/29

Lateral
filler strip
W 270 max.
W 10 5/8"



H 2919
FL29

Bracket for fixing shelves
H 55 th 8
H 2 1/8" th 3/8"



ST5

Supplement for electrical contact on bracket
(always on the left of the shelf with LED)
see example on p. 6

ESU1

COMPONENTS

Bases
th 60 D 538
th 2 3/8" D 21 1/8"
pewter colour profile
on perimeter edge

reducible in width


W 798 - 31 3/8"
W 962 - 37 7/8"

W 1596 - 62 7/8"
W 1760 - 69 1/4"
W 1924 - 75 3/4"

W 2394 - 94 1/4"
W 2558 - 100 3/4"
W 2722 - 107 1/8"
W 2886 - 113 5/8"

Molteni & C


8—
14



W 798 W 962
BA5/08 BA5/09



W 1596 W 1760 W 1924
BA5/16 BA5/17 BA5/19



W 2394 W 2558 W 2722 W 2886
BA5/23 BA5/25 BA5/27 BA5/28

Wood shelves
th 40 D 538
th 1 5/8" D 21 1/8"
lateral brackets not
included in the price

reducible in width


W 790 - 31 1/8"
W 954 - 37 1/2"
(1 module)

W 1588 - 62 1/2" (798+798)
W 1752 - 69" (962+798)
W 1916 - 75 3/8" (962+962)
(2 modules)
includes a
central bracket

W 2386 - 93 7/8" (790+790+790)
W 2550 - 100 3/8" (790+790+962)
W 2714 - 106 7/8" (790+962+962)
W 2878 - 113 1/4" (962+962+962)
(3 modules)
includes 2
central brackets



W 798 W 954
RI5/08 RI5/09



W 1588 W 1752 W 1916
RI5/16 RI5/17 RI5/19



W 2386 W 2550 W 2714 W 2878
RI5/23 RI5/25 RI5/27 RI5/28

**Eco Skin and
transparent glass
shelves**
th 30 D 538
th 1 1/8" D 21 1/8"
lateral brackets not
included in the price

reducible in width

Eco Skin
W 790 - 31 1/8"
W 954 - 37 1/2"

transparent glass
W 790 - 31 1/8"
W 954 - 37 1/2"



RE5/08 RE5/09



RV5/08 RV5/09


DATASHEET

REGISTERED
DESIGN


VII.2017

COMPONENTS


Clothes rail
W 790 - 31 1/8"
W 954 - 37 1/2"



Hanger




Tie or scarf rail
only for W 971 - 38 1/4"




Pull-out coat hanger rail
only for wood shelves



Vanity mirror
only for compartment W 954 - 37 1/2"
Backlit with dedicated switch.
The electrical system for the mirror is
independent of the rest of the closet.
Not more than two mirrors can be
installed side by side.



Eco Skin Cover
for wood shelves
W 790 - 31 1/8"
W 954 - 37 1/2"



COMPONENTS

Drawer units

Wood shelves th 40 and Eco Skin shelves th 30 can receive the wall-mounted drawer unit structures. In this case, it is advisable to not place them side by side because the drawer units would not be aligned.

Floor-standing drawer units or on bases, cannot be aligned with closet shelves.

Structures can receive several drawers or trays in compliance with the modularity indicated with the dots •. Drawers and trays always have HOLD handle.

Wooden drawer finishes

melamine front in structure finish
fine grain finish front with pewter colour profile

drawer inside in grey saffiano melamine

Glass drawer finishes

transparent glass front with pewter colour frame
inside in grey saffiano melamine

Trouser holder finishes

melamine front in the same finish as the structure or fine grain with pewter colour profile
inner frame in grey saffiano melamine with trouser holder
in grey saffiano embossed


Trinket tray finishes

melamine front in the same finish as the structure or fine grain with pewter colour profile
inner frame, bottom and grid in grey saffiano melamine

Molteni & C

10—

14



HOLD handle



DATASHEET


REGISTERED
DESIGN

VII.2017

COMPONENTS


floor-standing structure/ on base

W 790/954 - 31 1/8" / 37 1/2"
H 390 - 15 3/8"




CST8/04 CST9/04

W 790/954 - 31 1/8" / 37 1/2"
H 582 - 22 7/8"



CST8/06 CST9/06

W 790/954 - 31 1/8" / 37 1/2"
H 774 - 30 1/2"



CST8/08 CST9/08

finishing top W 790/954 th 40

W 31 1/8" / 37 1/2" th 1 5/8"
Mandatory for each
floor-standing or base
supported drawer unit




TOQ8 TOQ9

suspended structures

W 790/954 - 31 1/8" / 37 1/2"

H 85 - 3 3/8"

for use only with
1 trinket tray
or 1 trouser holder




CSA8/01 CSA9/01

W 790/954 - 31 1/8" / 37 1/2"

H 166 - 6 1/2"


for use only with
2 trinket trays
or 1 trinket tray
and 1 trouser holder



CSA8/02 CSA9/02

W 790/954 - 31 1/8" / 37 1/2"


H 262 - 10 3/8"



CSA8/03 CSA9/03

W 790/954 - 31 1/8" / 37 1/2"

H 390 - 15 3/8"




CSA8/04 CSA9/04

W 422 - 16 5/8"

H 390 - 15 3/8"


For custom compartments.
Can be positioned on
right or left always with
2 drawers CLN4/19



CSA4/04

trinket trays (tie and belt)


W 716/880 D 478 H 61



VPC8/05 VPC9/05

trouser holders trays

W 716/880 D 478 H 61
n. 8/11 bars



VPP8/05 VPP9/05

additional bar



VPPBA

wooden drawer

W 416 D 478 H 190

usable space
W 370 D 435 H 106



CLN4/19

wooden drawers

W 716/880 D 478 H 126

usable space
W 670/834 D 435 H 77



CLN8/12 CLN9/12

W 716/880 D 478 H 190


usable space
W 670/834 D 435 H 106



CLN8/19 CLN9/19

W 716/880 D 478 H 382

usable space
W 670/834 D 435 H 298




CLN8/38 CLN9/38

glass drawer

W 716/880 D 478 H 190

usable space
W 670/834 D 435 H 106



CVN8/19 CVN9/19

DATASHEET

REGISTERED
DESIGN

VII.2017

LIGHTING

= electrical bracket

Always on the left of the shelf with LED bar.

Consider supplemental charge.


= electrified wire strip

= LED bar


Example of lighting system

Molteni & C

12—
14



- System comprises:
- n. 1 connector **ECO1**
 - n. 2 power supply units **EAL1**
 - n. 4 wire strips **ECA3**
 - n. 9 bracket supplements **ESU1**
 - n. 2 bars **EBI28C**
 - n. 1 bar **EBI19C**
 - n. 6 bars **EBI9C**



DATASHEET

REGISTERED
DESIGN

VII.2017

LIGHTING

LED Lighting

Shelves in wood, Eco Skin and glass can be outfitted with LED lighting. The wiring system is compliant with European safety standards. To allow the closet to be lit simply and quickly, the fixing profiles are wired with an electrified wire strip (see example on p.12) and the brackets are fitted with contacts.

Notes

When placing the order, the client must indicate on the drawing which shelf or shelves are to be fitted with the lighting bars. Bars are always aligned with shelf width.

Molteni & C

13 —
14

electrified wire strip



up to H 2631 from 2632 to 2919
ECA2 ECA3

Supplement for electrical contact on bracket (always on left of shelf)

ESU1

lighting bars for shelves 3000 K




W 11
EBI9C




EAL1



ECO1



EKRA1



EAL1



ECO1



EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

EAL1

ECO1

EKRA1

INTERNAL FITTINGS - ACCESSORIES FOR DRAWERS

Leather trays
Handmade leather trays with Alcantara bottom.
The version for men is brown (cat. P col. D533),
The version for women is powder pink (cat. P col. D524).


Eco Skin bottoms
Made with grey coloured Eco Skin.

leather trays
men's drawers
W 206 D 430 H 58 (A)
W 206 D 215 H 58 (B)

Molteni & C


14 —
14

watch holder
(A)



CEV/MA1

watch/
bracelet holder
(A)




CEV/MA2

jewellery holder
with movable dividers
(B)



CEV/MB1


complete men's
drawer offer



CVM1


leather trays
women's drawers
W 206 D 430 H 58 (A)
W 206 D 215 H 58 (B)

watch holder
(A)



CEV/WA1

watch/
bracelet holder
(A)



CEV/WA2

jewellery holder
with movable
dividers
(B)



CEV/WB1

ring holder
(B)




CEV/WB2

earring holder
(B)






CEV/WB3

complete women's
drawer offer



CVW1

**Modularity drawings
for inserting trays into
drawers**



**Eco Skin bottoms
for drawers**
D 432



W 366 W 666 W 830
CEQ/F4 CEQ/F8 CEQ/F9

FINISHES MOLTENI&C RANGE

IX.2017

	MATT LACQUER	GLOSSY LACQUER	COLOURED GLASS	ETCHED COLOURED GLASS	PLASTER LACQUERED CARTAPAGLIA LACQUERED only Gliss Master	STOPSOL GLASS TRANSPARENT STOPSOL GLASS
CHALK WHITE	•	•	•	•	•	
IVORY	•				•	
PEARL	•	•	•	•	•	
SILICA	•	•	•	•	•	
SAND	•	•	•	•	•	
PLATINUM	•	•	•	•	•	
DUNE	•	•	•	•	•	
CLAY	•	•	•	•	•	
DOLOMITE GREY	•	•	•	•	•	
RUST	•	•	•	•	•	
RUBY	•	•	•	•	•	
CARAMEL	•	•	•	•	•	
MOKA	•	•	•	•	•	
MUSTARD	•	•	•	•	•	
CADMIUM	•	•	•	•	•	
LIGHT BLUE GREY	•	•	•	•	•	
LEAD	•	•	•	•	•	
ANTHRACITE	•	•	•	•	•	
BLACK	•	•	•	•	•	
STOPSOL						•
LESSLESS RED	•					
only matt lacquer						

Molteni & C

FINISHES MOLTENI&C RANGE

IX.2017

WOODS

EUCALYPTUS

AMERICAN WALNUT

GRAPHITE OAK

GREY OAK

BLACK OAK

DARK ELM

LIGHT ELM

CEDAR

MARBLES

WHITE CARRARA

RED LAGUNA

EMPERADOR DARK

BLACK MARQUINA

ORIENT GREY

SAHARA NOIR

METAL PARTS

BLACK CHROME

SHINY ALUMINIUM

PEWTER COLOUR

COPPER

DWELL
DOOR FRAME, TRACK COVERING PROFILES

ANODISED ALUMINIUM

BROWN ALUMINIUM

The finishes shown are indicative and refer to the entire production range. We recommend that you consult the "Colour Range" samples which shown the complete range of finishes, including those not shown here. Molteni&C reserves the right to modify the range without warning.

Molteni & C

FINISHES MOLTENI&C RANGE

IX.2017

MELAMINE FRONT GLISS MASTER

CARTAPAGLIA WHITE

CARTAPAGLIA ANTHRACITE

CARTAPAGLIA SILICA

GRAFFIATO SILICA

GRAFFIATO BRONZE

MELAMINE STRUCTURE GLISS MASTER

WHITE SHANTUNG

GREY SHANTUNG

MELAMINE STRUCTURE GLISS MASTER, MASTER DRESSING, GLISS WALK-IN

SILVER CEMBRAN

LARIX DARK

ECO SKIN GLISS MASTER, MASTER DRESSING

IVORY

HEMP

MINK

DARK BROWN

GREY

PLASTER GLISS MASTER FRONT

SILICA

MELAMINE STRUCTURE GLISS MASTER, MASTER DRESSING

RAFFIA

FINE GRAIN GLISS MASTER, MASTER DRESSING

FINE GRAIN