

Struttura in metallo,
diffusore in vetro
decorato.

Metal frame, decorated
glass diffuser.

Metallstruktur, Diffusor
aus dekoriertem Glas.

Structure en métal,
diffuseur en verre coloré.

**МЕТАЛЛИЧЕСКИЙ
КАРКАС, РАССЕИВАТЕЛЬ
ИЗ ДЕКОРИРОВАННОГО
СТЕКЛА.**

Finishings




G12 Oro spazzolato
Brushed gold




G18+V90
Ottone spazzolato + Nero opaco
Brushed brass + Matt black

Family


Chandelier



Suspension




Applique




Floor lamp




Table lamp



Standard cables for all suspensions



SOUND S1




Ø 30 cm / 11.81"
H 60 cm / 23.62"
(with ROD B)*

1×G9×40 W max (not included)

UP LED x 3 W CRI>90
3000 K - 425 Nominal lm
DOWN LED x 3 W CRI>90
3000 K - 425 Nominal lm
Dimmable: PUSH + 1-10V

SOUND OR6




L 120 cm / 47.24"
SP 80 cm / 31.49"
H 11 cm / 4.33"

6×G9×40 W max (not included)

UP LED x 16,8 W CRI>90
3000 K - 2370 Nominal lm
DOWN LED x 16,8 W CRI>90
3000 K - 2370 Nominal lm
Dimmable: DALI + 1-10V + PUSH

SOUND OR3




L 60 cm / 23.62"
SP 56 cm / 22.04"
H 11 cm / 4.33"

3×G9×40 W max (not included)

UP LED x 8,4 W CRI>90
3000 K - 1185 Nominal lm
DOWN LED x 8,4 W CRI>90
3000 K - 1185 Nominal lm
Dimmable: PUSH + 1-10V

SOUND S6




Ø 110 cm / 43.30"
H 102 cm / 40.16"
(with ROD B)*

6×G9×40 W max (not included)

UP LED x 16,8 W CRI>90
3000 K - 2370 Nominal lm
DOWN LED x 16,8 W CRI>90
3000 K - 2370 Nominal lm
Dimmable: DALI + 1-10V + PUSH

SOUND BIL3




L 134 cm / 52.75"
SP 64 cm / 25.19"
H 58 cm / 22.83" (with ROD B)*

3×G9×40 W max (not included)

UP LED x 8,4 W CRI>90
3000 K - 1185 Nominal lm
DOWN LED x 8,4 W CRI>90
3000 K - 1185 Nominal lm
Dimmable: PUSH + 1-10V

SOUND BIL5




L 191 cm / 75.19"
SP 64 cm / 25.19"
H 58 cm / 22.83" (with ROD B)*

5×G9×40 W max (not included)

UP LED x 14,4 W CRI>90
3000 K - 2050 Nominal lm
DOWN LED x 14,4 W CRI>90
3000 K - 2050 Nominal lm
Dimmable: DALI + 1-10V + PUSH


ACCESSORIES

ROD-SOUND S1*




A 11 cm / 4.33"
B 31 cm / 12.20"
C 51 cm / 20.08"

ROD-SOUND S6*



A 30 cm / 11.81"
B 50 cm / 19.68"
C 70 cm / 27.55"

ROD-SOUND BIL5*- BIL3*




A 30 cm / 11.81"
B 50 cm / 19.68"
C 70 cm / 27.55"

*: It is possible to choose a specific height for fixed rod of items Sound S1, Sound S6, Sound BIL5, Sound BIL3. When not specified in the order confirmation, the standard height for the rod is "B".

È possibile scegliere un'altezza specifica per le aste rigide degli articoli Sound S1, Sound S6, Sound BIL5, Sound BIL3. Se non specificato in fase d'ordine, l'altezza dell'asta rigida standard è "B".

Ⓢ : for the US market, refer to the relevant price list.

SOUND PL3




L 60 cm / 23.62"
SP 56 cm / 22.04"
H 14 cm / 5.51"

3×G9×40 W max (not included)

DOWN LED x 9 W CRI>90
3000 K - 1275 Nominal lm
Dimmable: PUSH + 1-10V

SOUND PL1




Ø 30 cm / 11.81"
H 13 cm / 5.11"

1×G9×40 W max (not included)


UP LED x 3 W CRI>90
3000 K - 425 Nominal lm
DOWN LED x 3 W CRI>90
3000 K - 425 Nominal lm
Dimmable: PUSH + 1-10V

SOUND A1




L	30 cm / 11.81"
SP	45 cm / 17.72"
H	30 cm / 11.81"
 1×G9×40 W max (not included)	
UP	LED x 3 W CRI>90 3000 K - 425 Nominal lm
DOWN	LED x 3 W CRI>90 3000 K - 425 Nominal lm
Dimmable: PUSH + 1-10V	

SOUND TL1



L	30 cm / 11.81"
SP	11 cm / 4.33"
H	30 cm / 11.81"
 1×G9×40 W max (not included)	
LED x 6 W CRI>90 3000 K - 850 Nominal lm	
Dimmable: OWN BUTTON	


SOUND STL5



L	46 cm / 18.11"
SP	10 cm / 3.93"
H	225 cm / 88.58"
 5×G9×40 W max (not included)	
LED x 28,8 W CRI>90 3000 K - 4100 Nominal lm	
Dimmable: OWN BUTTON	

ACCESSORIES

FLOOR LAMP BASE



Ø	40cm / 15.74"
H	1 cm / 0.39"

Struttura in metallo,
diffusore in vetro
decorato.

Metal frame, decorated
glass diffuser.

Metallstruktur, Diffusor
aus dekoriertem Glas.

Structure en métal,
diffuseur en verre coloré.

МЕТАЛЛИЧЕСКИЙ
КАРКАС, РАССЕИВАТЕЛЬ
ИЗ ДЕКОРИРОВАННОГО
СТЕКЛА.

Finishings



G12 Oro spazzolato
Brushed gold



G18+V90
Ottone spazzolato + Nero opaco
Brushed brass + Matt black

Family

Chandelier



Suspension




Applique




Floor lamp




Table lamp



Standard cables for all suspensions



SOUND S1




Ø 30 cm / 11.81"
H 60 cm / 23.62"
(with ROD B)*

1×G9×40 W max (not included)

UP LED x 3 W CRI>90
3000 K - 425 Nominal lm
DOWN LED x 3 W CRI>90
3000 K - 425 Nominal lm
Dimmable: PUSH + 1-10V

SOUND OR6




L 120 cm / 47.24"
SP 80 cm / 31.49"
H 11 cm / 4.33"

6×G9×40 W max (not included)

UP LED x 16,8 W CRI>90
3000 K - 2370 Nominal lm
DOWN LED x 16,8 W CRI>90
3000 K - 2370 Nominal lm
Dimmable: DALI + 1-10V + PUSH

SOUND OR3




L 60 cm / 23.62"
SP 56 cm / 22.04"
H 11 cm / 4.33"

3×G9×40 W max (not included)

UP LED x 8,4 W CRI>90
3000 K - 1185 Nominal lm
DOWN LED x 8,4 W CRI>90
3000 K - 1185 Nominal lm
Dimmable: PUSH + 1-10V

SOUND S6




Ø 110 cm / 43.30"
H 102 cm / 40.16"
(with ROD B)*

6×G9×40 W max (not included)

UP LED x 16,8 W CRI>90
3000 K - 2370 Nominal lm
DOWN LED x 16,8 W CRI>90
3000 K - 2370 Nominal lm
Dimmable: DALI + 1-10V + PUSH

SOUND BIL3




L 134 cm / 52.75"
SP 64 cm / 25.19"
H 58 cm / 22.83" (with ROD B)*

3×G9×40 W max (not included)

UP LED x 8,4 W CRI>90
3000 K - 1185 Nominal lm
DOWN LED x 8,4 W CRI>90
3000 K - 1185 Nominal lm
Dimmable: PUSH + 1-10V

SOUND BIL5




L 191 cm / 75.19"
SP 64 cm / 25.19"
H 58 cm / 22.83" (with ROD B)*

5×G9×40 W max (not included)

UP LED x 14,4 W CRI>90
3000 K - 2050 Nominal lm
DOWN LED x 14,4 W CRI>90
3000 K - 2050 Nominal lm
Dimmable: DALI + 1-10V + PUSH


ACCESSORIES

ROD-SOUND S1*




A 11 cm / 4.33"
B 31 cm / 12.20"
C 51 cm / 20.08"

ROD-SOUND S6*



A 30 cm / 11.81"
B 50 cm / 19.68"
C 70 cm / 27.55"

ROD-SOUND BIL5*- BIL3*




A 30 cm / 11.81"
B 50 cm / 19.68"
C 70 cm / 27.55"

*: It is possible to choose a specific height for fixed rod of items Sound S1, Sound S6, Sound BIL5, Sound BIL3. When not specified in the order confirmation, the standard height for the rod is "B".

È possibile scegliere un'altezza specifica per le aste rigide degli articoli Sound S1, Sound S6, Sound BIL5, Sound BIL3. Se non specificato in fase d'ordine, l'altezza dell'asta rigida standard è "B".

Ⓢ : for the US market, refer to the relevant price list.

SOUND PL3




L 60 cm / 23.62"
SP 56 cm / 22.04"
H 14 cm / 5.51"

3×G9×40 W max (not included)

DOWN LED x 9 W CRI>90
3000 K - 1275 Nominal lm
Dimmable: PUSH + 1-10V

SOUND PL1




Ø 30 cm / 11.81"
H 13 cm / 5.11"

1×G9×40 W max (not included)


UP LED x 3 W CRI>90
3000 K - 425 Nominal lm
DOWN LED x 3 W CRI>90
3000 K - 425 Nominal lm
Dimmable: PUSH + 1-10V

SOUND A1




L	30 cm / 11.81"
SP	45 cm / 17.72"
H	30 cm / 11.81"
1×G9×40 W max (not included)	
UP	LED x 3 W CRI>90 3000 K - 425 Nominal lm
DOWN	LED x 3 W CRI>90 3000 K - 425 Nominal lm
Dimmable: PUSH + 1-10V	

SOUND TL1



L	30 cm / 11.81"
SP	11 cm / 4.33"
H	30 cm / 11.81"
1×G9×40 W max (not included)	
LED x 6 W CRI>90 3000 K - 850 Nominal lm	
Dimmable: OWN BUTTON	


SOUND STL5



L	46 cm / 18.11"
SP	10 cm / 3.93"
H	225 cm / 88.58"
5×G9×40 W max (not included)	
LED x 28,8 W CRI>90 3000 K - 4100 Nominal lm	
Dimmable: OWN BUTTON	

ACCESSORIES

FLOOR LAMP BASE



Ø	40cm / 15.74"
H	1 cm / 0.39"

Struttura in metallo,
diffusore in vetro
decorato.

Metal frame, decorated
glass diffuser.

Metallstruktur, Diffusor
aus dekoriertem Glas.

Structure en métal,
diffuseur en verre coloré.

МЕТАЛЛИЧЕСКИЙ
КАРКАС, РАССЕИВАТЕЛЬ
ИЗ ДЕКОРИРОВАННОГО
СТЕКЛА.

Finishings



G12 Oro spazzolato
Brushed gold



G18+V90
Ottone spazzolato + Nero opaco
Brushed brass + Matt black

Family

Chandelier



Suspension



Applique




Floor lamp



Table lamp



Standard cables for all suspensions



H 150 cm / 59.05"

SOUND S1

Suspension

CEC*



TECHNICAL INFORMATION


Ø 30 cm / 11.81"
 H 60 cm / 23.62"
 (with ROD B)**

STD LIGHT: 1×G9×40 W (not included)
 LED LIGHT: UP LED x 3 W CRI>90
 3000 K - 425 Nominal lm
 DOWN LED x 3 W CRI>90
 3000 K - 425 Nominal lm
 Dimmable: 0-10V

SOUND S6

Chandelier

CEC*



TECHNICAL INFORMATION


Ø 110 cm / 43.30"
 H 102 cm / 40.16"
 (with ROD B)**

STD LIGHT: 6×G9×40 W (not included)
 LED LIGHT: UP LED x 16,8 W CRI>90
 3000 K - 2370 Nominal lm
 DOWN LED x 16,8 W CRI>90
 3000 K - 2370 Nominal lm
 Dimmable: 0-10V

SOUND BIL5

Suspension

CEC*



TECHNICAL INFORMATION


L 191 cm / 75.19"
 SP 64 cm / 25.19"
 H 58 cm / 22.83"
 (with ROD B)**

STD LIGHT: 5×G9×40 W (not included)
 LED LIGHT: UP LED x 14,4 W CRI>90
 3000 K - 2050 Nominal lm
 DOWN LED x 14,4 W CRI>90
 3000 K - 2050 Nominal lm
 Dimmable: 0-10V

SOUND BIL 3

Suspension

CEC*



TECHNICAL INFORMATION


L 134 cm / 52.75"
 SP 64 cm / 25.19"
 H 58 cm / 22.83"
 (with ROD B)**

STD LIGHT: 3×G9×40 W (not included)
 LED LIGHT: UP LED x 8,4 W CRI>90
 3000 K - 1185 Nominal lm
 DOWN LED x 8,4 W CRI>90
 3000 K - 1185 Nominal lm
 Dimmable: 0-10V

SOUND OR6

Suspension

CEC*



TECHNICAL INFORMATION


L 120 cm / 47.24"
 SP 80 cm / 31.49"
 H 11 cm / 4.33"

STD LIGHT: 6×G9×40 W (not included)
 LED LIGHT: UP LED x 16,8 W CRI>90
 3000 K - 2370 Nominal lm
 DOWN LED x 16,8 W CRI>90
 3000 K - 2370 Nominal lm
 Dimmable: 0-10V

SOUND OR3

Suspension

CEC*




TECHNICAL INFORMATION

L 60 cm / 23.62"
 SP 56 cm / 22.04"
 H 11 cm / 4.33"


STD LIGHT: 3×G9×40 W (not included)
 LED LIGHT: UP LED x 8,4 W CRI>90
 3000 K - 1185 Nominal lm
 DOWN LED x 8,4 W CRI>90
 3000 K - 1185 Nominal lm
 Dimmable: 0-10V

ACCESSORIES


ROD-SOUND S1**



ROD-SOUND S6**



ROD-SOUND BIL5**- BIL3**



A 11 cm / 4.33"
 B 31 cm / 12.20"
 C 51 cm / 20.08"

A 30 cm / 11.81"
 B 50 cm / 19.68"
 C 70 cm / 27.55"

A 30 cm / 11.81"
 B 50 cm / 19.68"
 C 70 cm / 27.55"

** : It is possible to choose a specific height for fixed rod of items Sound S1, Sound S6, Sound BIL5, Sound BIL3. When not specified in the order confirmation, the standard height for the rod is "B".


É possibile scegliere un'altezza specifica per le aste rigide degli articoli Sound S1, Sound S6, Sound BIL5, Sound BIL3. Se non specificato in fase d'ordine, l'altezza dell'asta rigida standard è "B".

CEC* Only for Led lighting.

SOUND PL3

Ceiling

CEC*




TECHNICAL INFORMATION

L 60 cm / 23.62"**SP** 56 cm / 22.04"**H** 14 cm / 5.51"**STD LIGHT:** 3×G9×40 W *(not included)***LED LIGHT: DOWN** LED x 9 W CRI>90
3000 K- 1275 Nominal lm**Dimmable:** 0-10V

SOUND PL1

Ceiling

CEC*



TECHNICAL INFORMATION


Ø 30 cm / 11.81"**H** 13 cm / 5.11"**STD LIGHT:** 1×G9×40 W *(not included)***LED LIGHT: UP** LED x 3 W CRI>90
3000 K - 425 Nominal lm**DOWN** LED x 3 W CRI>90

3000 K- 425 Nominal lm

Dimmable: 0-10V

SOUND A1

Applique

CE^{*}


TECHNICAL INFORMATION

L 30 cm / 11.81"**SP** 45 cm / 17.72"**H** 30 cm / 11.81"**STD LIGHT:** 1×G9×40 W (not included)**LED LIGHT: UP** LED x 3 W CRI>90
3000 K - 425 Nominal lm**DOWN** LED x 3 W CRI>90
3000 K - 425 Nominal lm**Dimmable:** 0-10V

SOUND TL1

Table lamp

CE



TECHNICAL INFORMATION

L 30 cm / 11.81"**SP** 11 cm / 4.33"**H** 30 cm / 11.81"**STD LIGHT:** 1×G9×40 W (not included)**LED LIGHT:** LED x 6 W CRI>90
3000 K - 850 Nominal lm**Dimmable:** Own Button

SOUND STL5

Floor lamp

CE




TECHNICAL INFORMATION

L 46 cm / 18.11"**SP** 10 cm / 3.93"**H** 225 cm / 88.58"**STD LIGHT:** 5×G9×40 W (not included)**LED LIGHT:** LED x 28,8 W CRI>90
3000 K - 4100 Nominal lm**Dimmable:** Own Button

ACCESSORIES

FLOOR LAMP BASE

**Ø** 40cm / 15.74"**H** 1 cm / 0.39"CE^{*} Only for Led lighting.