

Date

Name

Client

Project name

Quote #


Type / Quantity

29/05/2020 09:58:42

Specification Sheet

INFORM R3+ DOWN 93048 DIM5
26821 9325

[Weblink](#)



Available colors:

BLACK-BLACK (26821 9325 B-B)
 BLACK-GOLD MATT (26821 9325 B-MMAT)
 WHITE-BLACK (26821 9325 W-B)
 WHITE-WHITE (26821 9325 W-W)
 FLEMISH GOLD-BLACK (26821 9325 FG-B)

INCL. LED CLUSTER 35,7W / CRI>90 / 3000K / 5391lm
 INCL.196 x REFLECTOR FL-48°
 INCL.DIMMABLE LED POWER SUPPLY 1050mA-DC
 DIMMING BY DALI

LED Technics: Light source: 5391 lm // 35 W // 151 lm/W
 Luminaire: 41 W

220-240V / 0|50-60Hz

Class: I

Weight: 4.2 KG
 Protection level: IP20
 Minimum distance: n.a.

Options: SUSPENSION SET 32 5x0,75 1,6m

For detailed installation instructions, please consult the manual.

INFORM R3+ DOWN 93048 DIM5
26821 9325

Related references

SUSPENSION PARTS

[Weblink / Specs sheet](#)



SUSPENSION SET 32 5x0,75 1,6m
15225 0320

Date

Name

Client

Project name

Quote #


Type / Quantity

29/05/2020 09:58:36

Specification Sheet

INFORM R3+ DOWN 92748 DIM5
26821 9225

[Weblink](#)



Available colors:

BLACK-BLACK (26821 9225 B-B)
 BLACK-GOLD MATT (26821 9225 B-MMAT)
 WHITE-BLACK (26821 9225 W-B)
 WHITE-WHITE (26821 9225 W-W)
 FLEMISH GOLD-BLACK (26821 9225 FG-B)

INCL. LED CLUSTER 35,7W / CRI>90 / 2700K / 5319lm
 INCL.196 x REFLECTOR FL-48°
 INCL.DIMMABLE LED POWER SUPPLY 1050mA-DC
 DIMMING BY DALI

LED Technics: Light source: 5319 lm // 35 W // 149 lm/W
 Luminaire: 41 W

220-240V / 0|50-60Hz

Class: I

Weight: 4.2 KG
 Protection level: IP20
 Minimum distance: n.a.

Options: SUSPENSION SET 32 5x0,75 1,6m

For detailed installation instructions, please consult the manual.

INFORM R3+ DOWN 92748 DIM5
26821 9225

Related references

SUSPENSION PARTS

[Weblink / Specs sheet](#)



SUSPENSION SET 32 5x0,75 1,6m
15225 0320