

Date

Name

Client

Project name

Quote#


Type/Quantity

29/05/2020 14:39:31

Specification Sheet

ODRON CLIP 92728/41 26213 9200

[Weblink](#)



Cutout shape/size:  50 mm

Recessed depth: 40 mm

Available colors: BLACK-BLACK (26213 9200 B-B)
WHITE-WHITE (26213 9200 W-W)

ADJUSTABLE 0-90°/355°

INCL. 1 x LED 5,9-8,7W / CRI>90 / 2700K / 606-837lm

INCL. 2 x INTERCHANGABLE REFLECTOR: FL-28° + WFL-41°

EXCL. LED POWER SUPPLY 350-500mA-DC

Other CRI or KELVIN on request

LED Technics: Light source: 837 lm // 8 W // 99 lm/W
Luminaire: 10 W

Class: III

Weight: 0.2 KG

Protection level: IP20

Minimum distance: n.a.

Options: MOUNTING KIT FLUSH SPY


Accessories: ODRON COVER

Requirements: LED POWER SUPPLY 350 / 500mA-DC DIM

For detailed installation instructions, please consult the manual.

ODRON CLIP 92728/41
26213 9200


Ceiling compatibility



System ceiling

Optional


MOUNTING KIT FLUSH SPY



Plasterboard

Optional


MOUNTING KIT FLUSH SPY




Stucanet

Only with


MOUNTING KIT FLUSH SPY



Wood




Concrete



Concrete + plaster

Only with


MOUNTING KIT FLUSH SPY




Lintel + plaster

Only with

MOUNTING KIT FLUSH SPY



Hollow-core slab



























Hollow-core slab + plaster









Only with

MOUNTING KIT FLUSH SPY

Related references


LED POWER SUPPLIES

Weblink / Specsheet  LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9 300 90 67 Number of luminaires: 2 / - / -	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 350 mA-DC / 15W DIM1 300 48 350 ED1 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 350 mA-DC / 15W DIM5 300 48 350 ED5 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 350 mA-DC / 15W MDL 300 48 350 MDL Number of luminaires: 2
Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 350 mA-DC / 15W WDL 300 48 350 WDL Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W DIM1 300 48 500 ED1 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W DIM5 300 48 500 ED5 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W MDL 300 48 500 MDL Number of luminaires: 2
Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W PRO DIM1 300 48 500 PRO ED1 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W PRO DIM5 300 48 500 PRO ED5 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W PRO WDL 300 48 500 PRO WDL Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W WDL 300 48 500 WDL Number of luminaires: 2
Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 10W DIM8 300 90 110 220-240V / 50-60Hz Number of luminaires: 1	Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 15W 300 90 91 110-240V / 0/50-60Hz Number of luminaires: 2(1)	Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 16W DIM8 300 90 3112 110-240V / 50-60Hz Number of luminaires: 2->2	Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 18W DIM8 300 90 116 220-240V / 50-60Hz Number of luminaires: 2->2
Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 8W 300 90 108 110-240V / 0/50-60Hz Number of luminaires: 1	Weblink / Specsheet  LED POWER SUPPLY 500mA-DC / 11W DIM8 300 90 119 220-240V / 50-60Hz Number of luminaires: 1	Weblink / Specsheet  LED POWER SUPPLY 500mA-DC / 20W DIM8 300 90 121 220-240V / 50-60Hz Number of luminaires: 2	Weblink / Specsheet  LED POWER SUPPLY 500mA-DC / 21W 300 90 92 110-240V / 0/50-60Hz Number of luminaires: 2(1)
Weblink / Specsheet  LED POWER SUPPLY 500mA-DC / 22W DIM8 300 90 5120 110-240V / 50-60Hz Number of luminaires: 2->2	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER COMPACT WDL 21012 005W 220-240V / 0/50-60Hz Number of luminaires: 2 / 2	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM5 300 90 68 110-240V / 0/50-60Hz Number of luminaires: 2 / 2(1)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM6 300 90 61 220-240V / 50-60Hz Number of luminaires: 2 / 2

Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 124 110-240V / 0 50-60Hz Number of luminaires: 2(2) / 2(1)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 64 110-240V / 0 50-60Hz Number of luminaires: 2 / 2(1)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM9 300 90 63 110-240V / 0 50-60Hz Number of luminaires: 3 / 3	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER HV 300 90 135 220-240V / 0 50-60Hz Number of luminaires: 3->4 / 2->4
Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER HV DIM7 300 90 134 110-240V / 0 50-60Hz Number of luminaires: 2->6(6) / 5(4)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER HV DIM9 300 90 69 110-240V / 0 50-60Hz Number of luminaires: 2->6(6) / 5(4)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER MINI DIM5 300 90 125 110-240V / 0 50-60Hz Number of luminaires: 2(2) / 2(1)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER WDL 21012 004W 110-240V / 0 50-60Hz Number of luminaires: 3 / 3

Related references

MOUNTING KITS

Weblink / Specsheet  MOUNTING KIT FLUSH SPY 414 90 01
--

Related references

LIGHT ALTERING DEVICES

Weblink / Specsheet  ODRON COVER 26210 0020
--

Date

Name

Client

Project name

Quote#

Type/Quantity


29/05/2020 14:39:34

Specification Sheet

ODRON CLIP 93028/41

26213 9300

[Weblink](#)



Cutout shape/size:  50 mm

Recessed depth: 40 mm

Available colors: BLACK-BLACK (26213 9300 B-B)
WHITE-WHITE (26213 9300 W-W)

ADJUSTABLE 0-90°/355°

INCL. 1 x LED 5,9-8,7W / CRI>90 / 3000K / 649-896lm

INCL. 2 x INTERCHANGABLE REFLECTOR: FL-28° + WFL-41°

EXCL. LED POWER SUPPLY 350-500mA-DC

Other CRI or KELVIN on request

LED Technics: Light source: 896 lm // 8 W // 106 lm/W
Luminaire: 10 W

Class: III

Weight: 0.2 KG

Protection level: IP20

Minimum distance: n.a.

Options: MOUNTING KIT FLUSH SPY


Accessories: ODRON COVER

Requirements: LED POWER SUPPLY 350 / 500mA-DC DIM

For detailed installation instructions, please consult the manual.

ODRON CLIP 93028/41
26213 9300


Ceiling compatibility



System ceiling

Optional


MOUNTING KIT FLUSH SPY



Plasterboard

Optional


MOUNTING KIT FLUSH SPY




Stucanet

Only with


MOUNTING KIT FLUSH SPY



Wood




Concrete



Concrete + plaster

Only with


MOUNTING KIT FLUSH SPY




Lintel + plaster

Only with

MOUNTING KIT FLUSH SPY



Hollow-core slab



































Hollow-core slab + plaster

Only with

MOUNTING KIT FLUSH SPY


Related references
LED POWER SUPPLIES

Weblink / Specsheet  LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9 300 90 67 Number of luminaires: 2 / - / -	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 350 mA-DC / 15W DIM1 300 48 350 ED1 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 350 mA-DC / 15W DIM5 300 48 350 ED5 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 350 mA-DC / 15W MDL 300 48 350 MDL Number of luminaires: 2
Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 350 mA-DC / 15W WDL 300 48 350 WDL Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W DIM1 300 48 500 ED1 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W DIM5 300 48 500 ED5 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W MDL 300 48 500 MDL Number of luminaires: 2
Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W PRO DIM1 300 48 500 PRO ED1 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W PRO DIM5 300 48 500 PRO ED5 Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W PRO WDL 300 48 500 PRO WDL Number of luminaires: 2	Weblink / Specsheet  LED POWER CONVERTER 48V-DC TO 500 mA-DC / 22W WDL 300 48 500 WDL Number of luminaires: 2
Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 10W DIM8 300 90 110 220-240V / 50-60Hz Number of luminaires: 1	Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 15W 300 90 91 110-240V / 0/50-60Hz Number of luminaires: 2(1)	Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 16W DIM8 300 90 3112 110-240V / 50-60Hz Number of luminaires: 2->2	Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 18W DIM8 300 90 116 220-240V / 50-60Hz Number of luminaires: 2->2
Weblink / Specsheet  LED POWER SUPPLY 350mA-DC / 8W 300 90 108 110-240V / 0/50-60Hz Number of luminaires: 1	Weblink / Specsheet  LED POWER SUPPLY 500mA-DC / 11W DIM8 300 90 119 220-240V / 50-60Hz Number of luminaires: 1	Weblink / Specsheet  LED POWER SUPPLY 500mA-DC / 20W DIM8 300 90 121 220-240V / 50-60Hz Number of luminaires: 2	Weblink / Specsheet  LED POWER SUPPLY 500mA-DC / 21W 300 90 92 110-240V / 0/50-60Hz Number of luminaires: 2(1)
Weblink / Specsheet  LED POWER SUPPLY 500mA-DC / 22W DIM8 300 90 5120 110-240V / 50-60Hz Number of luminaires: 2->2	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER COMPACT WDL 21012 005W 220-240V / 0/50-60Hz Number of luminaires: 2 / 2	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM5 300 90 68 110-240V / 0/50-60Hz Number of luminaires: 2 / 2(1)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM6 300 90 61 220-240V / 50-60Hz Number of luminaires: 2 / 2

Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 124 110-240V / 0 50-60Hz Number of luminaires: 2(2) / 2(1)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 64 110-240V / 0 50-60Hz Number of luminaires: 2 / 2(1)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER DIM9 300 90 63 110-240V / 0 50-60Hz Number of luminaires: 3 / 3	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER HV 300 90 135 220-240V / 0 50-60Hz Number of luminaires: 3->4 / 2->4
Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER HV DIM7 300 90 134 110-240V / 0 50-60Hz Number of luminaires: 2->6(6) / 5(4)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER HV DIM9 300 90 69 110-240V / 0 50-60Hz Number of luminaires: 2->6(6) / 5(4)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER MINI DIM5 300 90 125 110-240V / 0 50-60Hz Number of luminaires: 2(2) / 2(1)	Weblink / Specsheet  LED POWER SUPPLY MULTI-POWER WDL 21012 004W 110-240V / 0 50-60Hz Number of luminaires: 3 / 3

Related references

MOUNTING KITS

Weblink / Specsheet  MOUNTING KIT FLUSH SPY 414 90 01
--

Related references

LIGHT ALTERING DEVICES

Weblink / Specsheet  ODRON COVER 26210 0020
--