





The sizes are expressed in millimeters / inches.

DESIGN DAVIDE GROPPI - GIORGIO RAVA - 2020
FLOOR LAMP - FIBERGLASS - METAL

ORIGINE

DRIVER



1A1030403	MATT BLACK - 3000K	ORIGINE 290 24 V DC - 20 W LED - 1000 lm - CRI>90 BLACK CABLE COMPULSORY POWER SUPPLY KIT INCLUDED INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - DIMMABLE
1A1030403-27	MATT BLACK - 2700K	
1A1040403	MATT BLACK - 3000K	ORIGINE 390 24 V DC - 30 W LED - 1680 lm - CRI>90 BLACK CABLE COMPULSORY POWER SUPPLY KIT INCLUDED INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - DIMMABLE
1A1040403-27	MATT BLACK - 2700K	
1A1050403	MATT BLACK - 3000K	ORIGINE 490 24 V DC - 40 W LED - 2380 lm - CRI>90 BLACK CABLE COMPULSORY POWER SUPPLY KIT INCLUDED INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - DIMMABLE
1A1050403-27	MATT BLACK - 2700K	








The sizes are expressed in millimeters.

DESIGN DAVIDE GROPPI - GIORGIO RAVA - 2020
LAMPADA DA TERRA - FIBRA DI VETRO - METALLO
FLOOR LAMP - FIBERGLASS - METAL

ORIGINE

CE IP 20

DRIVER



1A10304	NERO OPACO / MATT BLACK - 3000K	ORIGINE 290 24 V DC - 20 W LED - 1000 lm - CRI > 90 CAVO NERO - KIT DI ALIMENTAZIONE OBBLIGATORIO INCLUSO DRIVER LED INCLUSO INPUT 100-240 V - 50/60 Hz - DIMMERABILE BLACK CABLE - COMPULSORY POWER SUPPLY KIT INCLUDED INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - DIMMABLE
1A10304-27	NERO OPACO / MATT BLACK - 2700K	
1A10404	NERO OPACO / MATT BLACK - 3000K	ORIGINE 390 24 V DC - 30 W LED - 1680 lm - CRI > 90 CAVO NERO - KIT DI ALIMENTAZIONE OBBLIGATORIO INCLUSO DRIVER LED INCLUSO INPUT 100-240 V - 50/60 Hz - DIMMERABILE BLACK CABLE - COMPULSORY POWER SUPPLY KIT INCLUDED INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - DIMMABLE
1A10404-27	NERO OPACO / MATT BLACK - 2700K	
1A10504	NERO OPACO / MATT BLACK - 3000K	ORIGINE 490 24 V DC - 40 W LED - 2380 lm - CRI > 90 CAVO NERO - KIT DI ALIMENTAZIONE OBBLIGATORIO INCLUSO DRIVER LED INCLUSO INPUT 100-240 V - 50/60 Hz - DIMMERABILE BLACK CABLE - COMPULSORY POWER SUPPLY KIT INCLUDED INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz - DIMMABLE
1A10504-27	NERO OPACO / MATT BLACK - 2700K	



