





The sizes are expressed in millimeters.

DESIGN DAVIDE GROPPI - 2020
LAMPADA DA PARETE E DA SOFFITTO - METALLO
WALL AND CEILING LAMP - METAL

CE IP 20

DOT ENDLESS



1A03303	BIANCO OPACO / MATT WHITE - 3000K	48 V DC - MAX 12,6 W LED 3000K - 930 lm - CRI 97 / 2700K - 880 lm - CRI 97 MAX 7 DOT SU ENDLESS KIT DI ALIMENTAZIONE OBBLIGATORIO NON INCLUSO ACCESSORI OBBLIGATORI NON INCLUSI MAX 7 DOT ON ENDLESS COMPULSORY POWER SUPPLY KIT NOT INCLUDED COMPULSORY ACCESSORIES NOT INCLUDED
1A03303-27	BIANCO OPACO / MATT WHITE - 2700K	
1A03304	NERO OPACO / MATT BLACK - 3000K	
1A03304-27	NERO OPACO / MATT BLACK - 2700K	

ACCESSORI OBBLIGATORI / COMPULSORY ACCESSORIES



1A16400	LENS NARROW BEAM	DOT ENDLESS LENS
1A16500	LENS MEDIUM BEAM	



DESIGN DAVIDE GROPPI - 2020
LAMPADA DA PARETE E DA SOFFITTO - METALLO
WALL AND CEILING LAMP - METAL

CE IP 20


DOT ENDLESS IOT




1A14603	BIANCO OPACO / MATT WHITE - 3000K	48 V DC - MAX 12,6 W LED
1A14603-27	BIANCO OPACO / MATT WHITE - 2700K	3000K - 930 lm - CRI 97 / 2700K - 880 lm - CRI 97
1A14604	NERO OPACO / MATT BLACK - 3000K	MAX 7 DOT SU ENDLESS
1A14604-27	NERO OPACO / MATT BLACK - 2700K	DIMMERABILE CON CONTROLLO WIRELESS SOLO TRAMITE APP DEDICATA by DAVIDE GROPPI
		KIT DI ALIMENTAZIONE OBBLIGATORIO NON INCLUSO
		ACCESSORI OBBLIGATORI NON INCLUSI
		MAX 7 DOT ON ENDLESS
		DIMMABLE WIRELESS CONTROL ONLY WITH DEDICATED APP by DAVIDE GROPPI
		COMPULSORY POWER SUPPLY KIT NOT INCLUDED
		COMPULSORY ACCESSORIES NOT INCLUDED

ACCESSORI OBBLIGATORI / COMPULSORY ACCESSORIES

1A16400	LENS NARROW BEAM	DOT ENDLESS LENS
1A16500	LENS MEDIUM BEAM	






The sizes are expressed in millimeters.

DESIGN DAVIDE GROPPÌ - 2018
SISTEMA DA PARETE E DA SOFFITTO - METALLO - PVC
WALL AND CEILING SYSTEM - METAL - PVC


ENDLESS

C € IP 20


199903	BIANCO OPACO / MATT WHITE - 5 m	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	
199904	NERO OPACO / MATT BLACK - 5 m		
1A00503	BIANCO OPACO / MATT WHITE - 10 m		
1A00504	NERO OPACO / MATT BLACK - 10 m		
1A03700	STANDARD	KIT FISSAGGIO PARETI RUVIDE / FIXING ROUGH WALLS - 2,5 m	
196103	BIANCO OPACO / MATT WHITE	BOX MORSETTI CON 2 MORSETTI INCLUSI TERMINALS BOX WITH 2 TERMINALS INCLUDED	
196104	NERO OPACO / MATT BLACK		
1A00303	BIANCO OPACO / MATT WHITE	BASE ALIMENTAZIONE / POWER BASE	
1A00304	NERO OPACO / MATT BLACK		
196900	STANDARD	MORSETTI - 2 PEZZI / TERMINALS - 2 PIECES	



KIT ROSONE DA PARETE E SOFFITTO / WALL AND CEILING ROSE KIT



KIT DI ALIMENTAZIONE REMOTO / REMOTE POWER SUPPLY KIT



KIT ALIMENTAZIONE OBBLIGATORIO PER SISTEMA ENDLESS ON/OFF - SPOT ENDLESS IOT - DOT ENDLESS IOT / COMPULSORY POWER SUPPLY FOR ENDLESS ON/OFF SYSTEM - SPOT ENDLESS IOT - DOT ENDLESS IOT


1A02604	NERO OPACO / MATT BLACK	KIT DI ALIMENTAZIONE CON SPINA / POWER SUPPLY KIT WITH PLUG INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W NON DIMMERABILE - NOT DIMMABLE	

1A10203	BIANCO OPACO / MATT WHITE	KIT ROSONE PARETE - SOFFITTO - REMOTO / WALL - CEILING ROSE - REMOTE KIT INPUT 220-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20 NON DIMMERABILE - NOT DIMMABLE	

KIT ALIMENTAZIONE OBBLIGATORIO PER DIMMERAZIONE SPOT ENDLESS E DOT ENDLESS / COMPULSORY POWER SUPPLY FOR DIMMING SPOT ENDLESS AND DOT ENDLESS

1A18004	NERO OPACO / MATT BLACK	KIT DI ALIMENTAZIONE CON SPINA / POWER SUPPLY KIT WITH PLUG INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W DIMMERABILE - DIMMABLE	


1A18103	BIANCO OPACO / MATT WHITE	KIT ROSONE PARETE - SOFFITTO - REMOTO / WALL - CEILING ROSE - REMOTE KIT INPUT 220-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	




NETWORK



GROUPS



DYNAMIC SCENES




davide groppi IOT

C O N T R O L A P P



DISCOVER





	CODE	SOCKET	TENSION	WATTAGE	BEAM ANGLE (°)	TEMPERATURE (K)	SOURCE LUMENS	BULB EFFICIENCY	CRI (Ra)	DIMMABLE	PRODUCT REFERENCE
🔔	LAMPADINE LED SORAA MR16 - DIMMERABILE IGBT / SORAA LED BULBS MR16 - IGBT DIMMABLE										
	51580010	GU10	230 V	7,5 W	10°	3000K	410 lm	A	95	X	DOT P DOT PL DOT R DOT SISTEMA MINI 51 MINI BIT 51 MINI PL TRICK TRACK

ACCESSORI "POINT SOURCE OPTICS" PER GENERARE FASCI UNIFORMI E DI ALTA INTENSITA' / "POINT SOURCE OPTICS" ACCESSORIES FOR UNIFORM AND HIGH INTENSITY BEAMS

51580020	FILTER - MR16	25°	DOT FRAMELESS DOT P DOT PL DOT R DOT SISTEMA MINI MINI 51 MINI BIT MINI BIT 51 MINI PL TRICK TRACK
51580030	FILTER - MR16	36°	
51580040	DARKLIGHT - MR16	-	

MODULI LED / LED MODULES

50041500	500 mA DC	18 W	15°	3000K	1829 lm	A+	90	X	PUNTO PUNTO PL PUNTO 2 PL SPOT SPOT SISTEMA
50041510	500 mA DC	18 W	15°	2700K	1719 lm	A+	90	X	
50041350	500 mA DC	18 W	24°	3000K	1869 lm	A+	90	X	
50041450	500 mA DC	18 W	24°	2700K	1759 lm	A+	90	X	
50041500	350 mA DC	12,6 W	15°	3000K	1350 lm	A+	90	X	SPOT ENDLESS SPOT ENDLESS IOT
50041510	350 mA DC	12,6 W	15°	2700K	1269 lm	A+	90	X	
50041350	350 mA DC	12,6 W	24°	3000K	1361 lm	A+	90	X	
50041450	350 mA DC	12,6 W	24°	2700K	1281 lm	A+	90	X	

ACCESSORI OPZIONALI MODULO LED / OPTIONAL LED MODULE ACCESSORIES



1A12100	STANDARD	DARKLIGHT	PUNTO PUNTO PL PUNTO 2 PL SPOT SPOT ENDLESS SPOT ENDLESS IOT SPOT SISTEMA
---------	----------	-----------	---



The sizes are expressed in millimeters / inches.

DESIGN DAVIDE GROPPI - 2020
WALL AND CEILING LAMP - METAL

DOT ENDLESS



1A0330303	MATT WHITE - 3000K	48 V DC - MAX 12,6 W LED 3000K - 930 lm - CRI 97 / 2700K - 880 lm - CRI 97 MAX 5 DOT ON ENDLESS COMPULSORY POWER SUPPLY KIT NOT INCLUDED COMPULSORY ACCESSORIES NOT INCLUDED
1A0330303-27	MATT WHITE - 2700K	
1A0330403	MATT BLACK - 3000K	
1A0330403-27	MATT BLACK - 2700K	



COMPULSORY ACCESSORIES

1A1640003	LENS NARROW BEAM	DOT ENDLESS LENS
1A1650003	LENS MEDIUM BEAM	



DESIGN DAVIDE GROPPI - 2020
WALL AND CEILING LAMP - METAL


DOT ENDLESS IOT



1A1460303	MATT WHITE - 3000K	48 V DC - MAX 12,6 W LED 3000K - 930 lm - CRI 97 / 2700K - 880 lm - CRI 97 MAX 5 DOT ON ENDLESS DIMMABLE WIRELESS CONTROL ONLY WITH DEDICATED APP by DAVIDE GROPPI COMPULSORY POWER SUPPLY KIT NOT INCLUDED COMPULSORY ACCESSORIES NOT INCLUDED
1A1460303-27	MATT WHITE - 2700K	
1A1460403	MATT BLACK - 3000K	
1A1460403-27	MATT BLACK - 2700K	

COMPULSORY ACCESSORIES

1A1640003	LENS NARROW BEAM	DOT ENDLESS LENS
1A1650003	LENS MEDIUM BEAM	




The sizes are expressed in millimeters / inches.


DESIGN DAVIDE GROPPÌ - 2018
WALL AND CEILING SYSTEM - METAL - PVC

ENDLESS


19990303	MATT WHITE - 5 m	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	8 / 0.31" 5000 / 10000 196.85 / 393.70
19990403	MATT BLACK - 5 m		
1A0050303	MATT WHITE - 10 m		
1A0050403	MATT BLACK - 10 m		
1A0370003	STANDARD	FIXING ROUGH WALLS - 2,5 m	
19610303	MATT WHITE	TERMINALS BOX WITH 2 TERMINALS INCLUDED	20 / 0.79" 55 / 2.16"
19610403	MATT BLACK		
1A0030303	MATT WHITE	POWER BASE	90 / 3.54" 30 / 1.18" 20 / 0.79"
1A0030403	MATT BLACK		
19690003	STANDARD	TERMINALS - 2 PIECES	
1A0810303	MATT WHITE	POWER BASE - REMOTE VERSION	11 / 0.43" 120 / 4.73"
1A0810403	MATT BLACK		



WALL AND CEILING ROSE KIT



REMOTE POWER SUPPLY KIT



COMPULSORY POWER SUPPLY FOR ENDLESS ON/OFF SYSTEM - SPOT ENDLESS IOT - DOT ENDLESS IOT

1A0260403	MATT BLACK	POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W NOT DIMMABLE	

1A1020303	MATT WHITE	WALL-CEILING ROSE-REMOTE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 NOT DIMMABLE	

COMPULSORY POWER SUPPLY FOR DIMMING SPOT ENDLESS AND DOT ENDLESS

1A1800403	MATT BLACK	POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W DIMMABLE	

1A1810303	MATT WHITE	WALL-CEILING ROSE-REMOTE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	