

Date

Name

Client

Project name

Quote#

Type/Quantity


29/05/2020 14:34:12

Specification Sheet

ODRON ON 1 93028/41 DIM8

26214 9308

[Weblink](#)



Available colors:

BLACK (26214 9308 B)

WHITE (26214 9308 W)

ADJUSTABLE 0-90°/355°

INCL.1 x LED 5,9W / CRI>90 / 3000K / 649lm

INCL.2 x INTERCHANGABLE REFLECTOR: FL-28° + WFL-41°

INCL.DIMMABLE LED POWER SUPPLY 350mA-DC

MAINS DIMMING - TRAILING EDGE

Other CRI or KELVIN on request

LED Technics:

Light source: 649 lm // 5 W // 113 lm/W

Luminaire: 7 W

220-240V / 50-60Hz

Class:

I

Weight:

0.4 KG

Protection level:

IP20

Minimum distance:

n.a.

Accessories:


ODRON COVER

For detailed installation instructions, please consult the manual.

ODRON ON 1 93028/41 DIM8
26214 9308

Related references

LIGHT ALTERING DEVICES



Date

Name

Client

Project name

Quote#


Type/Quantity

29/05/2020 14:34:15

Specification Sheet

ODRON ON 2 92728/41 DIM8 26215 9208

[Weblink](#)



Available colors: BLACK (26215 9208 B)
WHITE (26215 9208 W)

ADJUSTABLE 0-90°/355°
INCL.2 x LED 5,9W / CRI>90 / 2700K / 606lm
INCL.4 x INTERCHANGABLE REFLECTOR: FL-28° + WFL-41°
INCL.DIMMABLE LED POWER SUPPLY 350mA-DC
MAINS DIMMING - TRAILING EDGE
Other CRI or KELVIN on request

LED Technics: Light source: 1212 lm // 11 W // 106 lm/W
Luminaire: 14 W

220-240V / 50-60Hz

Class: I

Weight: 0.7 KG

Protection level: IP20

Minimum distance: n.a.

Accessories: ODRON COVER

For detailed installation instructions, please consult the manual.

ODRON ON 2 92728/41 DIM8
26215 9208

Related references

LIGHT ALTERING DEVICES

