


Date
Name
Client
Project name
Quote#
Type/Quantity

27/05/2020 17:24:36

Specification Sheet

MANTELLO GLASS L1523 LED SMOKE 92750 25820 9230

[Weblink](#)



INCL. 1 x LED 7,1W / CRI>90 / 2700K / 743lm
INCL. 1 x CABLE 2 x 0.75mm² 1,6m
INCL. 1 x CABLE CLAMP BLACK
EXCL. LED POWER SUPPLY 350mA-DC

LED Technics: Light source: 743 lm // 7 W // 111 lm/W
Luminaire: 8 W

Class: I

Weight: 1.2 KG
Protection level: IP20
Minimum distance: n.a.

Options: CONNECTION TRIMLESS
MILES CEILING BASE


Accessories: MILES TUBE

Requirements: LED POWER SUPPLY 350mA-DC DIM
MILES POWERBOX 350mA DIM8

For detailed installation instructions, please consult the manual.












MANTELLO GLASS L1523 LED SMOKE 92750 25820 9230










Related references




Related references

LED POWER SUPPLIES



Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM6 300 90 61 220-240V / 50-60Hz Number of luminaires: 2 / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 124 110-240V / 0/ 50-60Hz Number of luminaires: 2(1) / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 64 110-240V / 0/ 50-60Hz Number of luminaires: 2(1) / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM9 300 90 63 110-240V / 0/ 50-60Hz Number of luminaires: 3 / - / -
Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER HV 300 90 135 220-240V / 0/ 50-60Hz Number of luminaires: 3->3 / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER HV DIM7 300 90 134 110-240V / 0/ 50-60Hz Number of luminaires: 2->5(5) / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER HV DIM9 300 90 69 110-240V / 0/ 50-60Hz Number of luminaires: 2->5 / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER MINI DIM5 300 90 125 110-240V / 0/ 50-60Hz Number of luminaires: 2(1) / - / -
Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER WDL 21012 004W 110-240V / 0/ 50-60Hz Number of luminaires: 3 / - / -	Weblink / Specs sheet  MILES POWERBOX 350 mA DIM8 23942 0018 220-240V / 50-60Hz Number of luminaires: 1		

Related references
ELECTRIC CONNECTION PARTS

Weblink / Specs sheet  CONNECTION TRIMLESS O.F.A. 328 10 03
--

Date

Name

Client

Project name

Quote#

Type/Quantity


28/05/2020 17:37:52

Specification Sheet

MANTELLO GLASS L2231 LED SMOKE 92750

25824 9230

[Weblink](#)



INCL.1 x LED 7,1W / CRI>90 / 2700K / 743lm

INCL.1 x CABLE 2 x 0.75mm² 1,6m

INCL.1 x CABLE CLAMP BLACK

EXCL.LED POWER SUPPLY 350mA-DC

LED Technics:

Light source: 743 lm // 7 W // 111 lm/W

Luminaire: 8 W

Class:

I

Weight:

2.2 KG

Protection level:

IP20

Minimum distance:

n.a.

Options:

CONNECTION TRIMLESS
MILES CEILING BASE

Accessories:

MILES TUBE


Requirements:

LED POWER SUPPLY 350mA-DC DIM
MILES POWERBOX 350mA DIM8

For detailed installation instructions, please consult the manual.

MANTELLO GLASS L2231 LED SMOKE 92750
25824 9230










Related references




Related references

LED POWER SUPPLIES

Weblink / Specs sheet LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9 300 90 67 Number of luminaires: 2 / -	Weblink / Specs sheet LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM1 300 48 350 ED1 Number of luminaires: 1	Weblink / Specs sheet LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 300 48 350 ED5 Number of luminaires: 1	Weblink / Specs sheet LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W MDL 300 48 350 MDL Number of luminaires: 1
Weblink / Specs sheet LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W WDL 300 48 350 WDL Number of luminaires: 1	Weblink / Specs sheet LED POWER SUPPLY 350mA-DC / 10W DIM8 300 90 110 220-240V / 50-60Hz Number of luminaires: 1	Weblink / Specs sheet LED POWER SUPPLY 350mA-DC / 15W 300 90 91 110-240V / 0/50-60Hz Number of luminaires: 1	Weblink / Specs sheet LED POWER SUPPLY 350mA-DC / 16W DIM8 300 90 3112 110-240V / 50-60Hz Number of luminaires: 2
Weblink / Specs sheet LED POWER SUPPLY 350mA-DC / 18W DIM8 300 90 116 220-240V / 50-60Hz Number of luminaires: 2->2	Weblink / Specs sheet LED POWER SUPPLY 350mA-DC / 8W 300 90 108 110-240V / 0/50-60Hz Number of luminaires: 1	Weblink / Specs sheet LED POWER SUPPLY MULTI-POWER COMPACT WDL 21012 005W 220-240V / 0/50-60Hz Number of luminaires: 2 / - / -	Weblink / Specs sheet LED POWER SUPPLY MULTI-POWER DIM5 300 90 68 110-240V / 0/50-60Hz Number of luminaires: 2(1) / - / -

Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM6 300 90 61 220-240V / 50-60Hz Number of luminaires: 2 / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 124 110-240V / 0/ 50-60Hz Number of luminaires: 2(1) / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 64 110-240V / 0/ 50-60Hz Number of luminaires: 2(1) / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM9 300 90 63 110-240V / 0/ 50-60Hz Number of luminaires: 3 / - / -
Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER HV 300 90 135 220-240V / 0/ 50-60Hz Number of luminaires: 3->3 / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER HV DIM7 300 90 134 110-240V / 0/ 50-60Hz Number of luminaires: 2->5(5) / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER HV DIM9 300 90 69 110-240V / 0/ 50-60Hz Number of luminaires: 2->5 / - / -	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER MINI DIM5 300 90 125 110-240V / 0/ 50-60Hz Number of luminaires: 2(1) / - / -
Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER WDL 21012 004W 110-240V / 0/ 50-60Hz Number of luminaires: 3 / - / -	Weblink / Specs sheet  MILES POWERBOX 350 mA DIM8 23942 0018 220-240V / 50-60Hz Number of luminaires: 1		

Related references
ELECTRIC CONNECTION PARTS

Weblink / Specs sheet  CONNECTION TRIMLESS O.F.A. 328 10 03
--