






The sizes are expressed in millimeters / inches.

DESIGN DAVIDE GROPPI - 2010
RECESSED CEILING LAMP - METAL



NULLA



19160003	STANDARD - 3000K	MAX 1050 mA DC - 12 W LED - 530 lm - CRI > 90 VISIBLE HOLE Ø 18 mm - COMPULSORY INSTALLATION KIT NOT INCLUDED INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz DALI - PUSH - 1-10 V DIMMABLE
19160003-27	STANDARD - 2700K	

COMPULSORY INSTALLATION KITS



16530403	MATT BLACK	PLASTERBOARD FLANGE 12,5 mm PLASTERBOARD CUT-OUT Ø 21 mm - MINIMUM SPACE FOR MOUNTING 75 mm
17430403	MATT BLACK - IP65	PLASTERBOARD FLANGE 12,5/15 mm PLASTERBOARD CUT-OUT Ø 21 mm - MINIMUM SPACE FOR MOUNTING 75 mm

OPTIONAL INSTALLATION KITS

16420003	STANDARD 200 x 200 mm	PLASTERBOARD PANEL 12,5 mm - PLASTERBOARD CUT-OUT 200 x 200 mm / 400 x 400 mm
16690003	STANDARD 400 x 400 mm	



DRIVER DIMENSION









DESIGN DAVIDE GROPPI - 2010
LAMPADA DA INCASSO DA SOFFITTO - METALLO
RECESSED CEILING LAMP - METAL

NULLA

The sizes are expressed in millimeters.

CE  IP 20



191600	STANDARD - 3000K	MAX 1050 mA DC - 12 W LED - 530 lm - CRI > 90 FORO VISIBILE Ø 18 mm - KIT INSTALLAZIONE OBBLIGATORIO NON INCLUSO DRIVER LED INCLUSO INPUT 100-240 V - 50/60 Hz DIMMERABILE DALI - PUSH - 1-10 V VISIBLE HOLE Ø 18 mm - COMPULSORY INSTALLATION KIT NOT INCLUDED INCLUDES LED DRIVER INPUT 100-240 V - 50/60 Hz DALI - PUSH - 1-10 V DIMMABLE
191600-27	STANDARD - 2700K	

KIT INSTALLAZIONE OBBLIGATORI / COMPULSORY INSTALLATION KITS

165304	NERO OPACO / MATT BLACK	FLANGIA PER CARTONGESSO 12,5 mm DIMENSIONI TAGLIO CARTONGESSO Ø 21 mm - SPAZIO MINIMO PER INCASSO 75 mm PLASTERBOARD FLANGE 12,5 mm PLASTERBOARD CUT-OUT Ø 21 mm - MINIMUM SPACE FOR MOUNTING 75 mm
174304	NERO OPACO / MATT BLACK - IP65	FLANGIA PER CARTONGESSO 12,5/15 mm DIMENSIONI TAGLIO CARTONGESSO Ø 21 mm - SPAZIO MINIMO PER INCASSO 75 mm PLASTERBOARD FLANGE 12,5/15 mm PLASTERBOARD CUT-OUT Ø 21 mm - MINIMUM SPACE FOR MOUNTING 75 mm

KIT INSTALLAZIONE OPZIONALI / OPTIONAL INSTALLATION KITS

164200	STANDARD 200 x 200 mm	PANNELLO PER CARTONGESSO 12,5 mm DIMENSIONI TAGLIO CARTONGESSO 200 x 200 mm / 400 x 400 mm PLASTERBOARD PANEL 12,5 mm - PLASTERBOARD CUT-OUT 200 x 200 mm / 400 x 400 mm
166900	STANDARD 400 x 400 mm	



DRIVER DIMENSION

