




DIMENSIONS



ACCESSORIES



TRIMLESS ACCESSORY
(MANDATORY)

AWARDS



reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG TRIMLESS 2700K N
Reference	A4260010N
Color	Matt black
RAL	Anodised, bath colour, looks alike RAL 9005
Category	CEILING RECESSED

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	⊥
Voltage	220 V/240 V
Frequency	50/60 Hz
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Weight	1565 g.
Packaged weight	1933 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass





Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM



CONICAL DIAGRAM






PRODUCT	
Model	Alaska Big Trimless accessory
Reference	A4261000
Category	Accessories





DIMENSIONS



ACCESSORIES



TRIMLESS ACCESSORY
(MANDATORY)

AWARDS



reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG TRIMLESS 3000K N
Reference	A4260011N
Color	Matt black
RAL	Anodised, bath colour, looks alike RAL 9005
Category	CEILING RECESSED

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	⊥
Voltage	220 V/240 V
Frequency	50/60 Hz
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Weight	1565 g.
Packaged weight	1933 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass





Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM



CONICAL DIAGRAM






PRODUCT	
Model	Alaska Big Trimless accessory
Reference	A4261000
Category	Accessories





DIMENSIONS



ACCESSORIES

TRIMLESS ACCESSORY
(MANDATORY)

AWARDS

reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG TRIMLESS DIM DALI 2700K N
Reference	A4260020N
Color	Matt black
RAL	Anodised, bath colour, looks alike RAL 9005
Category	CEILING RECESSED

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	⊥
Voltage	220 V/240 V
Frequency	50/60 Hz
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Weight	1565 g.
Packaged weight	1933 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass





Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM



CONICAL DIAGRAM






PRODUCT	
Model	Alaska Big Trimless accessory
Reference	A4261000
Category	Accessories





DIMENSIONS



ACCESSORIES



TRIMLESS ACCESSORY
(MANDATORY)

AWARDS



reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG TRIMLESS DIM DALI 3000K N
Reference	A4260021N
Color	Matt black
RAL	Anodised, bath colour, looks alike RAL 9005
Category	CEILING RECESSED

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	⊥
Voltage	220 V/240 V
Frequency	50/60 Hz
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Weight	1565 g.
Packaged weight	1933 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass





Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM



CONICAL DIAGRAM






PRODUCT	
Model	Alaska Big Trimless accessory
Reference	A4261000
Category	Accessories





DIMENSIONS



ACCESSORIES



TRIMLESS ACCESSORY
(MANDATORY)

AWARDS



Name	ALASKA BIG TRIMLESS DIM PUSH 2700K N
Reference	A4260030N
Color	Matt black
RAL	Anodised, bath colour, looks alike RAL 9005
Category	CEILING RECESSED

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	Push - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	⊥
Voltage	220 V/240 V
Frequency	50/60 Hz
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Weight	1565 g.
Packaged weight	1933 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass





Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM



CONICAL DIAGRAM






PRODUCT	
Model	Alaska Big Trimless accessory
Reference	A4261000
Category	Accessories





DIMENSIONS



ACCESSORIES



TRIMLESS ACCESSORY
(MANDATORY)

AWARDS



PRODUCT

Name	ALASKA BIG TRIMLESS DIM PUSH 3000K N
Reference	A4260031N
Color	Matt black
RAL	Anodised, bath colour, looks alike RAL 9005
Category	CEILING RECESSED

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	Push - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	⊥
Voltage	220 V/240 V
Frequency	50/60 Hz
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Weight	1565 g.
Packaged weight	1933 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass





Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM



CONICAL DIAGRAM





PRODUCT	
Model	Alaska Big Trimless accessory
Reference	A4261000
Category	Accessories

