




DIMENSIONS



ACCESSORIES

FANCY SHAPE BASE
(MANDATORY)

CORD ACCESSORY

AWARDS



Name	ALASKA BIG FANCY SHAPE 3M 3000K N
Reference	A4191001N
Color	Black
RAL	Colour in the mass looks alike RAL 9005
Category	CUSTOM SYSTEMS

PRODUCT

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Excluded
Electrical insulation class	III
Energy efficiency	A
LED lifespan	L80B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Cord length	Max. 3 m
Fast adjustment tensioner	Yes
Weight	1450 g.
Packaged weight	1818 g.
Packaging dimensions	413 x 172 x 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska Big Fancy Shape is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Fancy Shape is a system that enables architects to configure and distribute the space's lighting with complete freedom, creating patterns and designs using a single light source with a surface-mounted base.

POLAR DIAGRAM



CONICAL DIAGRAM



FANCY SHAPE BASE

ARKOSLIGHT®

MANDATORY FOR INSTALLATION



FANCY SHAPE BASES

n° Lamps


FANCY SHAPE BASE 2	550 mA	1 to 2	ON/OFF	A417-02-11	WT	NT
			DALI	A417-02-12	WT	NT

2 Equidistant Fixing Points




FANCY SHAPE BASE 3	550 mA	3	ON/OFF	A417-02-21	WT	NT
			DALI	A417-02-22	WT	NT

6 Equidistant Fixing Points



FANCY SHAPE BASE 6	550 mA	4 to 6	ON/OFF	A417-02-31	WT	NT
			DALI	A417-02-32	WT	NT

12 Equidistant Fixing Points




220
240 V~


50/60 Hz




IP20



Fancy Shape BASE
2 LAMPS



Fancy Shape BASE
3 LAMPS



Fancy Shape BASE
6 LAMPS



NT



WT

ATTENTION

Fancy Shape Base NT: Base and Cap in Black.

Fancy Shape Base WT: Black Base and White Cap.

Luminaire Cable: Black in all finishes.


Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com



**PRODUCT**

Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


Included 1 unit x lamp

DIMENSIONAL DRAWING




PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES

FANCY SHAPE BASE
(MANDATORY)

CORD ACCESSORY

AWARDS

reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG FANCY SHAPE 5M 2700K BG
Reference	A4192000BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	CUSTOM SYSTEMS

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Excluded
Electrical insulation class	III
Energy efficiency	A
LED lifespan	L80B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Cord length	Max. 5 m
Fast adjustment tensioner	Yes
Weight	1450 g.
Packaged weight	1818 g.
Packaging dimensions	413 x 172 x 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska Big Fancy Shape is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Fancy Shape is a system that enables architects to configure and distribute the space's lighting with complete freedom, creating patterns and designs using a single light source with a surface-mounted base.

POLAR DIAGRAM



CONICAL DIAGRAM



FANCY SHAPE BASE

ARKOSLIGHT®

MANDATORY FOR INSTALLATION



FANCY SHAPE BASES

n° Lamps


FANCY SHAPE BASE 2	550 mA	1 to 2	ON/OFF	A417-02-11	WT	NT
			DALI	A417-02-12	WT	NT

2 Equidistant Fixing Points




FANCY SHAPE BASE 3	550 mA	3	ON/OFF	A417-02-21	WT	NT
			DALI	A417-02-22	WT	NT

6 Equidistant Fixing Points



FANCY SHAPE BASE 6	550 mA	4 to 6	ON/OFF	A417-02-31	WT	NT
			DALI	A417-02-32	WT	NT

12 Equidistant Fixing Points




220
240 V~


50/60 Hz




IP20



Fancy Shape BASE
2 LAMPS



Fancy Shape BASE
3 LAMPS



Fancy Shape BASE
6 LAMPS



NT



WT

ATTENTION

Fancy Shape Base NT: Base and Cap in Black.

Fancy Shape Base WT: Black Base and White Cap.

Luminaire Cable: Black in all finishes.


Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com



**PRODUCT**

Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


Included 1 unit x lamp

DIMENSIONAL DRAWING




PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES

FANCY SHAPE BASE
(MANDATORY)

CORD ACCESSORY

AWARDS



Name	ALASKA BIG FANCY SHAPE 5M 2700K N
Reference	A4192000N
Color	Black
RAL	Colour in the mass looks alike RAL 9005
Category	CUSTOM SYSTEMS

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Excluded
Electrical insulation class	III
Energy efficiency	A
LED lifespan	L80B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Cord length	Max. 5 m
Fast adjustment tensioner	Yes
Weight	1450 g.
Packaged weight	1818 g.
Packaging dimensions	413 x 172 x 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska Big Fancy Shape is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Fancy Shape is a system that enables architects to configure and distribute the space's lighting with complete freedom, creating patterns and designs using a single light source with a surface-mounted base.

POLAR DIAGRAM



CONICAL DIAGRAM




FANCY SHAPE BASE

ARKOSLIGHT®


MANDATORY FOR INSTALLATION




FANCY SHAPE BASES	n° Lamps					
FANCY SHAPE BASE 2 550 mA	1 to 2	ON/OFF	A417-02-11	WT	NT	
		DALI	A417-02-12	WT	NT	
2 Equidistant Fixing Points						
FANCY SHAPE BASE 3 550 mA	3	ON/OFF	A417-02-21	WT	NT	
		DALI	A417-02-22	WT	NT	
6 Equidistant Fixing Points						
FANCY SHAPE BASE 6 550 mA	4 to 6	ON/OFF	A417-02-31	WT	NT	
		DALI	A417-02-32	WT	NT	
12 Equidistant Fixing Points						
220 240 V~	50/60 Hz	CE	IP20	INCL		



Fancy Shape BASE
2 LAMPS



Fancy Shape BASE
3 LAMPS



Fancy Shape BASE
6 LAMPS



NT



WT

ATTENTION

Fancy Shape Base NT: Base and Cap in Black.


Fancy Shape Base WT: Black Base and White Cap.

Luminaire Cable: Black in all finishes.

**PRODUCT**

Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


Included 1 unit x lamp

DIMENSIONAL DRAWING




PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES

FANCY SHAPE BASE
(MANDATORY)

CORD ACCESSORY

AWARDS

reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG FANCY SHAPE 5M 3000K BG
Reference	A4192001BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	CUSTOM SYSTEMS

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Excluded
Electrical insulation class	III
Energy efficiency	A
LED lifespan	L80B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Cord length	Max. 5 m
Fast adjustment tensioner	Yes
Weight	1450 g.
Packaged weight	1818 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska Big Fancy Shape is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Fancy Shape is a system that enables architects to configure and distribute the space's lighting with complete freedom, creating patterns and designs using a single light source with a surface-mounted base.

POLAR DIAGRAM



CONICAL DIAGRAM




FANCY SHAPE BASE

ARKOSLIGHT®


MANDATORY FOR INSTALLATION




FANCY SHAPE BASES	n° Lamps					
FANCY SHAPE BASE 2 550 mA	1 to 2	ON/OFF	A417-02-11	WT	NT	
		DALI	A417-02-12	WT	NT	
2 Equidistant Fixing Points						
FANCY SHAPE BASE 3 550 mA	3	ON/OFF	A417-02-21	WT	NT	
		DALI	A417-02-22	WT	NT	
6 Equidistant Fixing Points						
FANCY SHAPE BASE 6 550 mA	4 to 6	ON/OFF	A417-02-31	WT	NT	
		DALI	A417-02-32	WT	NT	
12 Equidistant Fixing Points						
220 240 V~	50/60 Hz	CE		IP20		



Fancy Shape BASE
2 LAMPS



Fancy Shape BASE
3 LAMPS



Fancy Shape BASE
6 LAMPS



NT



WT

ATTENTION

Fancy Shape Base NT: Base and Cap in Black.

Fancy Shape Base WT: Black Base and White Cap.

Luminaire Cable: Black in all finishes.


Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com

5Year
GUARANTEE*

**PRODUCT**

Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


Included 1 unit x lamp

DIMENSIONAL DRAWING




PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES

FANCY SHAPE BASE
(MANDATORY)

CORD ACCESSORY

AWARDS

reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG FANCY SHAPE 5M 3000K N
Reference	A4192001N
Color	Black
RAL	Colour in the mass looks alike RAL 9005
Category	CUSTOM SYSTEMS

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Excluded
Electrical insulation class	III
Energy efficiency	A
LED lifespan	L80B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Cord length	Max. 5 m
Fast adjustment tensioner	Yes
Weight	1450 g.
Packaged weight	1818 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska Big Fancy Shape is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Fancy Shape is a system that enables architects to configure and distribute the space's lighting with complete freedom, creating patterns and designs using a single light source with a surface-mounted base.

POLAR DIAGRAM



CONICAL DIAGRAM



FANCY SHAPE BASE

ARKOSLIGHT®

MANDATORY FOR INSTALLATION



FANCY SHAPE BASES


n° Lamps

FANCY SHAPE BASE 2	550 mA	1 to 2	ON/OFF	A417-02-11	WT	NT
			DALI	A417-02-12	WT	NT




2 Equidistant Fixing Points

FANCY SHAPE BASE 3	550 mA	3	ON/OFF	A417-02-21	WT	NT
			DALI	A417-02-22	WT	NT




6 Equidistant Fixing Points

FANCY SHAPE BASE 6	550 mA	4 to 6	ON/OFF	A417-02-31	WT	NT
			DALI	A417-02-32	WT	NT




12 Equidistant Fixing Points


220
240 V~ 50/60 Hz CE IP20 INCL



Fancy Shape BASE
2 LAMPS



Fancy Shape BASE
3 LAMPS



Fancy Shape BASE
6 LAMPS



NT



WT

ATTENTION

Fancy Shape Base NT: Base and Cap in Black.

Fancy Shape Base WT: Black Base and White Cap.

Luminaire Cable: Black in all finishes.


Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com

5Year
GUARANTEE*

**PRODUCT**

Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


Included 1 unit x lamp

DIMENSIONAL DRAWING




PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES

FANCY SHAPE BASE
(MANDATORY)

CORD ACCESSORY

AWARDS

reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG FANCY SHAPE 3M 2700K BG
Reference	A4191000BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	CUSTOM SYSTEMS

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Excluded
Electrical insulation class	III
Energy efficiency	A
LED lifespan	L80B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Cord length	Max. 3 m
Fast adjustment tensioner	Yes
Weight	1450 g.
Packaged weight	1818 g.
Packaging dimensions	413 x 172 x 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska Big Fancy Shape is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Fancy Shape is a system that enables architects to configure and distribute the space's lighting with complete freedom, creating patterns and designs using a single light source with a surface-mounted base.

POLAR DIAGRAM



CONICAL DIAGRAM




FANCY SHAPE BASE

ARKOSLIGHT®


MANDATORY FOR INSTALLATION




FANCY SHAPE BASES	n° Lamps					
FANCY SHAPE BASE 2 550 mA	1 to 2	ON/OFF	A417-02-11	WT	NT	
		DALI	A417-02-12	WT	NT	
2 Equidistant Fixing Points						
FANCY SHAPE BASE 3 550 mA	3	ON/OFF	A417-02-21	WT	NT	
		DALI	A417-02-22	WT	NT	
6 Equidistant Fixing Points						
FANCY SHAPE BASE 6 550 mA	4 to 6	ON/OFF	A417-02-31	WT	NT	
		DALI	A417-02-32	WT	NT	
12 Equidistant Fixing Points						
220 240 V~	50/60 Hz	CE		IP20		



Fancy Shape BASE
2 LAMPS



Fancy Shape BASE
3 LAMPS



Fancy Shape BASE
6 LAMPS



NT



WT

ATTENTION

Fancy Shape Base NT: Base and Cap in Black.

Fancy Shape Base WT: Black Base and White Cap.

Luminaire Cable: Black in all finishes.


Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com

5Year
GUARANTEE*

**PRODUCT**

Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


Included 1 unit x lamp

DIMENSIONAL DRAWING




PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES

FANCY SHAPE BASE
(MANDATORY)

CORD ACCESSORY

AWARDS

reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG FANCY SHAPE 3M 2700K N
Reference	A4191000N
Color	Black
RAL	Colour in the mass looks alike RAL 9005
Category	CUSTOM SYSTEMS

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Excluded
Electrical insulation class	III
Energy efficiency	A
LED lifespan	L80B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Cord length	Max. 3 m
Fast adjustment tensioner	Yes
Weight	1450 g.
Packaged weight	1818 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska Big Fancy Shape is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Fancy Shape is a system that enables architects to configure and distribute the space's lighting with complete freedom, creating patterns and designs using a single light source with a surface-mounted base.

POLAR DIAGRAM



CONICAL DIAGRAM




FANCY SHAPE BASE

ARKOSLIGHT®


MANDATORY FOR INSTALLATION




FANCY SHAPE BASES	n° Lamps					
FANCY SHAPE BASE 2 550 mA	1 to 2	ON/OFF	A417-02-11	WT	NT	
		DALI	A417-02-12	WT	NT	
2 Equidistant Fixing Points						
FANCY SHAPE BASE 3 550 mA	3	ON/OFF	A417-02-21	WT	NT	
		DALI	A417-02-22	WT	NT	
6 Equidistant Fixing Points						
FANCY SHAPE BASE 6 550 mA	4 to 6	ON/OFF	A417-02-31	WT	NT	
		DALI	A417-02-32	WT	NT	
12 Equidistant Fixing Points						
220 240 V~	50/60 Hz	CE	IP20			



Fancy Shape BASE
2 LAMPS



Fancy Shape BASE
3 LAMPS



Fancy Shape BASE
6 LAMPS



NT



WT

ATTENTION

Fancy Shape Base NT: Base and Cap in Black.

Fancy Shape Base WT: Black Base and White Cap.

Luminaire Cable: Black in all finishes.


Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com

5Year
GUARANTEE*

**PRODUCT**

Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


Included 1 unit x lamp

DIMENSIONAL DRAWING




PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES

FANCY SHAPE BASE
(MANDATORY)

CORD ACCESSORY

AWARDS

reddot winner 2021
lighting design

PRODUCT

Name	ALASKA BIG FANCY SHAPE 3M 3000K BG
Reference	A4191001BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	CUSTOM SYSTEMS

LIGHTING INFORMATION

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Excluded
Electrical insulation class	III
Energy efficiency	A
LED lifespan	L80B10 (Tc=85°C) >60.000h


OTHER DATA

Ingress Protection	IP20
Cord length	Max. 3 m
Fast adjustment tensioner	Yes
Weight	1450 g.
Packaged weight	1818 g.
Packaging dimensions	413 x 172 x 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska Big Fancy Shape is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Fancy Shape is a system that enables architects to configure and distribute the space's lighting with complete freedom, creating patterns and designs using a single light source with a surface-mounted base.

POLAR DIAGRAM



CONICAL DIAGRAM




FANCY SHAPE BASE

ARKOSLIGHT®


MANDATORY FOR INSTALLATION




FANCY SHAPE BASES	n° Lamps					
FANCY SHAPE BASE 2 550 mA	1 to 2	ON/OFF	A417-02-11	WT	NT	
		DALI	A417-02-12	WT	NT	
2 Equidistant Fixing Points						
FANCY SHAPE BASE 3 550 mA	3	ON/OFF	A417-02-21	WT	NT	
		DALI	A417-02-22	WT	NT	
6 Equidistant Fixing Points						
FANCY SHAPE BASE 6 550 mA	4 to 6	ON/OFF	A417-02-31	WT	NT	
		DALI	A417-02-32	WT	NT	
12 Equidistant Fixing Points						
220 240 V~	50/60 Hz	CE	IP20			



Fancy Shape BASE
2 LAMPS



Fancy Shape BASE
3 LAMPS



Fancy Shape BASE
6 LAMPS



NT



WT

ATTENTION

Fancy Shape Base NT: Base and Cap in Black.

Fancy Shape Base WT: Black Base and White Cap.

Luminaire Cable: Black in all finishes.


Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com

5Year
GUARANTEE*

**PRODUCT**

Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories

Included 1 unit x lamp

DIMENSIONAL DRAWING



PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING

