




DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 5M DIM DALI 2700K BG
Reference	A4282020BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 5 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 5M DIM DALI 2700K N
Reference	A4282020N
Color	Matt black
RAL	9005
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 5 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 5M DIM DALI 3000K BG
Reference	A4282021BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 5 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 5M DIM DALI 3000K N
Reference	A4282021N
Color	Matt black
RAL	9005
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 5 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 3M 2700K BG
Reference	A4281010BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 3 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 3M 2700K N
Reference	A4281010N
Color	Matt black
RAL	9005
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 3 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 3M 3000K BG
Reference	A4281011BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 3 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 3M 3000K N
Reference	A4281011N
Color	Matt black
RAL	9005
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 3 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 3M DIM DALI 2700K BG
Reference	A4281020BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 3 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 3M DIM DALI 2700K N
Reference	A4281020N
Color	Matt black
RAL	9005
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 3 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 3M DIM DALI 3000K BG
Reference	A4281021BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 3 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 3M DIM DALI 3000K N
Reference	A4281021N
Color	Matt black
RAL	9005
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	DALI - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 3 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 5M 2700K BG
Reference	A4282010BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 5 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 5M 2700K N
Reference	A4282010N
Color	Matt black
RAL	9005
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1130 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	2700 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	122 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 5 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 5M 3000K BG
Reference	A4282011BG
Color	Brushed Gold
RAL	Electrolytic bath
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 5 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories


DIMENSIONAL DRAWING






PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





DIMENSIONS



ACCESSORIES



CORD ACCESSORY

AWARDS



Name	ALASKA BIG 5M 3000K N
Reference	A4282011N
Color	Matt black
RAL	9005
Category	SUSPENSION

PRODUCT

Light source	LED
Gross luminous flux	1200 Lm
Power	9,3 W
Power values of the system	10,33 W
Colour temperature	3000 K - Other K, please consult
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	44°
Lighting efficiency	37%
Efficacy	129 Lm/W
Current intensity	550 mA
Dimming	No Dim - Other DIM, please consult
Control through bluetooth	Please Consult
Driver	Included
Electrical insulation class	☐
Energy efficiency	A
LED lifespan	L90B10 (Tc=85°C) >60.000h

LIGHTING INFORMATION


OTHER DATA

Ingress Protection	IP20
Recess measurements	Ø54 mm.
Cord length	Max. 5 m
Fast adjustment tensioner	No
Weight	1900 g.
Packaged weight	2268 g.
Packaging dimensions	413 × 172 × 127 mm
Units per package	1
Materials	Aluminium / Optical Glass




Alaska is the contemporary reinterpretation of the technology and design of the classical incandescent filament light bulb. Alaska is composed of a solid optical glass sphere that symbolically represents the glass bulb of a traditional light bulb. Its compact body is one single piece that is manually lathed and polished like a piece of jewellery. Each one of the luminaires is traditionally produced, thus acquiring the value of an unrepeatable decorative work.

POLAR DIAGRAM




CONICAL DIAGRAM





PRODUCT	
Model	Cord Accessory
Reference	02230000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING





PRODUCT	
Model	Cord Accessory One Plane
Reference	02240000N
Colour	N ■ RAL9005
Category	Accessories

DIMENSIONAL DRAWING

