

# Alphabet of light linear 240 wall/ceiling semi-recessed

BIG - Bjarke Ingels Group



IP20    Dimmerable: 



## LUMINAIRE

- Watt: **58W**
- Voltage: **220-240V**
- Delivered lumens output: **6968lm**
- CCT: **3000K**
- Efficiency: **81%**
- Efficacy: **111lm/W**
- CRI: **80**
- Dimmable Typology: **Dali**

## Notes

Patent Pending MI102016000025996

## DESCRIPTION

Alphabet of light is a language based on light intended to convey freedom, an elementary principle generating an open system. BIG starts from an abacus of essential geometries to design a new font that translates into light, an alphabet used to write and to express one's thoughts, a tool to give shape to spaces. It allows to design light in space with words, as well as with graphic signs. Two linear elements of different lengths and two round ones are combined with a system of letters, numbers, and symbols. The round elements, available in two diameters, can be separated into modules to join the linear elements together according to different angles, thus designing everchanging geometries. These simple base modules, with specific geometric proportions, can be combined with each other to create countless basic or more complex, linear or curved structures of light, thus producing suspension appliances matching with architectures or space functions. The idea of BIG joins the optoelectronic competence of Artemide to define an innovative construction principle and provide continuous and comfortable lighting. While it has a minimal presence, it encloses groundbreaking patented optoelectronic and mechanical innovation.

**PRODUCT CODE: 1427000A**

## FEATURES

- Article Code: **1427000A**
- Colour: **White**
- Installation: **CeilingRecessed**
- Material: **Methacrylate, aluminum**
- Series: **Design Collection**
- Environment: **Indoor**
- Emission: **Diffused**
- design by: **BIG - Bjarke Ingels Group**

## DIMENSIONS

- Length: **cm 238**
- Height: **cm 10**
- Diameter: **cm 5**
- Base Diameter: **cm 13**
- Glow Wire Test: **650°**

## SOURCES INCLUDED

- Category: **Led**
- Number: **4**
- Watt: **14W**
- Delivered lumens output: **2334lm**
- Color temperature (K): **3000K**
- CRI: **80**
- Color Tolerance: **MacAdam 3SDCM**
- Efficacy: **167lm/W**
- Service Life: **50000-L70**

## Accessories

NO  
IMAGE  
AVAILABLE

Driver - CV 30W 24Vdc Selv - 220-240 Vac -  
153x41x32 (LxWxH) - APP  
DV1034APP

NO  
IMAGE  
AVAILABLE

Driver - CV 30W 24Vdc Selv - 220-240 Vac -  
153x41x32 (LxWxH) - DALI  
DV1034

# Alphabet of light linear 180 wall/ceiling semi-recessed

BIG - Bjarke Ingels Group



IP20    Dimmerable: 



## LUMINAIRE

- Watt: **44W**
- Voltage: **220-240V**
- Delivered lumens output: **5226lm**
- CCT: **3000K**
- Efficiency: **81%**
- Efficacy: **105lm/W**
- CRI: **80**
- Dimmable Typology: **Dali**

## Notes

Patent Pending MI102016000025996

## DESCRIPTION

Alphabet of light is a language based on light intended to convey freedom, an elementary principle generating an open system. BIG starts from an abacus of essential geometries to design a new font that translates into light, an alphabet used to write and to express one's thoughts, a tool to give shape to spaces. It allows to design light in space with words, as well as with graphic signs. Two linear elements of different lengths and two round ones are combined with a system of letters, numbers, and symbols. The round elements, available in two diameters, can be separated into modules to join the linear elements together according to different angles, thus designing everchanging geometries. These simple base modules, with specific geometric proportions, can be combined with each other to create countless basic or more complex, linear or curved structures of light, thus producing suspension appliances matching with architectures or space functions. The idea of BIG joins the optoelectronic competence of Artemide to define an innovative construction principle and provide continuous and comfortable lighting. While it has a minimal presence, it encloses groundbreaking patented optoelectronic and mechanical innovation.

**PRODUCT CODE: 1426000A**

## FEATURES

- Article Code: **1426000A**
- Colour: **White**
- Installation: **CeilingRecessed**
- Material: **Methacrylate, aluminum**
- Series: **Design Collection**
- Environment: **Indoor**
- Emission: **Diffused**
- design by: **BIG - Bjarke Ingels Group**

## DIMENSIONS

- Length: **cm 179**
- Height: **cm 10**
- Diameter: **cm 5**
- Base Diameter: **cm 13**
- Glow Wire Test: **650°**

## SOURCES INCLUDED

- Category: **Led**
- Number: **3**
- Watt: **10W**
- Delivered lumens output: **1776lm**
- Color temperature (K): **3000K**
- CRI: **80**
- Color Tolerance: **MacAdam 3SDCM**
- Efficacy: **173lm/W**
- Service Life: **50000-L70**

## Accessories

NO  
IMAGE  
AVAILABLE

Driver - CV 75W 24Vdc Selv - 220-240 Vac -  
180x52x30 (LxWxH) - DALI  
DV1035

NO  
IMAGE  
AVAILABLE

Driver - CV 75W 24Vdc Selv - 220-240 Vac -  
180x52x30 (LxWxH) - APP  
DV1035APP