


Logico Mini table Fumé/Chrome

Gerhard Reichert, Michele De Lucchi



IP20     



LUMINAIRE

- Watt: **84W**
- Voltage: **220V-240V**
- Delivered lumens output: **1035lm**
- CCT: **2800K**

Notes

Equipped with a touch dimmer to adjust the light intensity.

DESCRIPTION

Materials: Chromed zinc-alloy base, chrome-plated steel structure; blown glass diffuser with polished-silk finish. Three layers blown glass (crystal + silk + crystal) in a mold which is upside down to assure structural consistence to glass. Logico tavolo and Logico tavolo mini have a touch dimmer to adjust the light intensity.

PRODUCT CODE: 0700110A

FEATURES

- Article Code: **0700110A**
- Colour: **Silk gloss / Aluminum gray**
- Installation: **Table**
- Material: **blown glass, steel, zamak**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 28**
- Width: **cm 28**
- Height: **cm 44**
- Base Diameter: **cm 18**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **D45**
- Watt: **30W**
- Socket: **E14**

ALTERNATIVE SOURCES


- Category: **LED RETROFIT**
- Number: **3**

Logico Mini table Silk gloss/Aluminum gray

Gerhard Reichert, Michele De Lucchi



IP20     



LUMINAIRE

- Watt: **70W**
- Voltage: **220V-240V**
- Delivered lumens output: **1083lm**
- CCT: **2900K**
- Efficiency: **92%**
- Efficacy: **15.48lm/W**
- CRI: **100**

Notes

Equipped with a touch dimmer to adjust the light intensity.

DESCRIPTION

Materials: Chromed zinc-alloy base, chrome-plated steel structure; blown glass diffuser with polished-silk finish. Three layers blown glass (crystal + silk + crystal) in a mold which is upside down to assure structural consistence to glass. Logico tavolo and Logico tavolo mini have a touch dimmer to adjust the light intensity.

PRODUCT CODE: 0700020A

FEATURES

- Article Code: **0700020A**
- Colour: **Silk gloss / Aluminum gray**
- Installation: **Table**
- Material: **blown glass, steel, zamak**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 28**
- Width: **cm 28**
- Height: **cm 44**
- Base Diameter: **cm 18**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **D45**
- Watt: **30W**
- Socket: **E14**

ALTERNATIVE SOURCES


- Category: **LED RETROFIT**
- Number: **3**

Logico Mini table Silk gloss/Chrome

Gerhard Reichert, Michele De Lucchi



IP20     



LUMINAIRE

- Watt: **70W**
- Voltage: **220V-240V**
- Delivered lumens output: **1083lm**
- CCT: **2900K**
- Efficiency: **92%**
- Efficacy: **15.48lm/W**
- CRI: **100**

Notes

Equipped with a touch dimmer to adjust the light intensity.

DESCRIPTION

Materials: Chromed zinc-alloy base, chrome-plated steel structure; blown glass diffuser with polished-silk finish. Three layers blown glass (crystal + silk + crystal) in a mold which is upside down to assure structural consistence to glass. Logico tavolo and Logico tavolo mini have a touch dimmer to adjust the light intensity.

PRODUCT CODE: 0700120A

FEATURES

- Article Code: **0700120A**
- Colour: **Silk gloss / Chrome**
- Installation: **Table**
- Material: **blown glass, steel, zamak**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 28**
- Width: **cm 28**
- Height: **cm 44**
- Base Diameter: **cm 18**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **D45**
- Watt: **30W**
- Socket: **E14**

ALTERNATIVE SOURCES


- Category: **LED RETROFIT**
- Number: **3**

Logico Mini table Tobacco/Chrome

Gerhard Reichert, Michele De Lucchi



IP20     



LUMINAIRE

- Watt: **84W**
- Voltage: **220V-240V**
- Delivered lumens output: **1035lm**
- CCT: **2800K**

Notes

Equipped with a touch dimmer to adjust the light intensity.

DESCRIPTION

Materials: Chromed zinc-alloy base, chrome-plated steel structure; blown glass diffuser with polished-silk finish. Three layers blown glass (crystal + silk + crystal) in a mold which is upside down to assure structural consistence to glass. Logico tavolo and Logico tavolo mini have a touch dimmer to adjust the light intensity.

PRODUCT CODE: 0700140A

FEATURES

- Article Code: **0700140A**
- Colour: **Tobacco / Chrome**
- Installation: **Table**
- Material: **blown glass, steel, zamak**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 28**
- Width: **cm 28**
- Height: **cm 44**
- Base Diameter: **cm 18**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **D45**
- Watt: **30W**
- Socket: **E14**

ALTERNATIVE SOURCES


- Category: **LED RETROFIT**
- Number: **3**

Logico table Fumé/Chrome

Gerhard Reichert, Michele De Lucchi



IP20     



LUMINAIRE

- Watt: **138W**
- Voltage: **220V-240V**
- Delivered lumens output: **1890lm**
- CCT: **2800K**

Notes

Equipped with a touch dimmer to adjust the light intensity.

DESCRIPTION

Materials: Chromed zinc-alloy base, chrome-plated steel structure; blown glass diffuser with polished-silk finish. Three layers blown glass (crystal + silk + crystal) in a mold which is upside down to assure structural consistence to glass. Logico tavolo and Logico tavolo mini have a touch dimmer to adjust the light intensity.

PRODUCT CODE: 0457110A

FEATURES

- Article Code: **0457110A**
- Colour: **Fumé / Chrome**
- Installation: **Table**
- Material: **blown glass, steel, zamak**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 40**
- Width: **cm 40**
- Height: **cm 64**
- Base Diameter: **cm 26**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **Qt32**
- Watt: **46W**
- Socket: **E27**
- Color Rendering: **1a**
- Duration (h): **2000h**


ALTERNATIVE SOURCES

Logico table Gloss silk/Chrome

Gerhard Reichert, Michele De Lucchi



IP20     



LUMINAIRE

- Watt: **126W**
- Voltage: **220V-240V**
- Delivered lumens output: **1592lm**
- CCT: **2800K**
- Efficiency: **84%**
- Efficacy: **12.63lm/W**
- CRI: **100**

Notes

Equipped with a touch dimmer to adjust the light intensity.

DESCRIPTION

Materials: Chromed zinc-alloy base, chrome-plated steel structure; blown glass diffuser with polished-silk finish. Three layers blown glass (crystal + silk + crystal) in a mold which is upside down to assure structural consistence to glass. Logico tavolo and Logico tavolo mini have a touch dimmer to adjust the light intensity.

PRODUCT CODE: 0457120A

FEATURES

- Article Code: **0457120A**
- Colour: **Gloss silk / Chrome**
- Installation: **Table**
- Material: **blown glass, steel, zamak**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 40**
- Width: **cm 40**
- Height: **cm 64**
- Base Diameter: **cm 26**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **Qt32**
- Watt: **46W**
- Socket: **E27**
- Color Rendering: **1a**
- Duration (h): **2000h**


ALTERNATIVE SOURCES

Logico table Silk gloss/Aluminum gray

Gerhard Reichert, Michele De Lucchi



IP20     



LUMINAIRE

- Watt: **126W**
- Voltage: **220V-240V**
- Delivered lumens output: **1592lm**
- CCT: **2800K**
- Efficiency: **84%**
- Efficacy: **12.63lm/W**
- CRI: **100**

DESCRIPTION

Materials: Chromed zinc-alloy base, chrome-plated steel structure; blown glass diffuser with polished-silk finish. Three layers blown glass (crystal + silk + crystal) in a mold which is upside down to assure structural consistence to glass. Logico tavolo and Logico tavolo mini have a touch dimmer to adjust the light intensity.

PRODUCT CODE: 0457020A

FEATURES

- Article Code: **0457020A**
- Colour: **Silk gloss / Aluminum gray**
- Installation: **Table**
- Material: **blown glass, steel, zamak**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 40**
- Width: **cm 40**
- Height: **cm 64**
- Base Diameter: **cm 26**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **Qt32**
- Watt: **46W**
- Socket: **E27**
- Color Rendering: **1a**
- Duration (h): **2000h**


ALTERNATIVE SOURCES

Logico table Tobacco/Chrome

Gerhard Reichert, Michele De Lucchi



IP20     



LUMINAIRE

- Watt: **138W**
- Voltage: **220V-240V**
- Delivered lumens output: **1890lm**
- CCT: **2800K**

Notes

Equipped with a touch dimmer to adjust the light intensity.

DESCRIPTION

Materials: Chromed zinc-alloy base, chrome-plated steel structure; blown glass diffuser with polished-silk finish. Three layers blown glass (crystal + silk + crystal) in a mold which is upside down to assure structural consistence to glass. Logico tavolo and Logico tavolo mini have a touch dimmer to adjust the light intensity.

PRODUCT CODE: 0457140A

FEATURES

- Article Code: **0457140A**
- Colour: **Tobacco / Chrome**
- Installation: **Table**
- Material: **blown glass, steel, zamak**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 40**
- Width: **cm 40**
- Height: **cm 64**
- Base Diameter: **cm 26**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **Qt32**
- Watt: **46W**
- Socket: **E27**
- Color Rendering: **1a**
- Duration (h): **2000h**

ALTERNATIVE SOURCES