


Logico Ceiling 3x120° - Grey

Gerhard Reichert, Michele De Lucchi



IP20     Dimmerable: 



LUMINAIRE

- Watt: **3x15W**
- Voltage: **220V-240V**
- Delivered lumens output: **8610lm**
- CCT: **2900K**

Notes

Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project.

PRODUCT CODE: 0458010A

FEATURES

- Article Code: **0458010A**
- Colour: **Grey**
- Installation: **Ceiling**
- Material: **Blown glass, aluminium**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, null, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 66**
- Width: **cm 66**
- Height: **cm 35**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **Qa60**
- Watt: **116W**
- Socket: **E27**
- Color Rendering: **1a**
- Color temperature (K): **2900K**

ALTERNATIVE SOURCES


- Category: **LED RETROFIT**
- Number: **3**
- Watt: **15W**
- Socket: **E27**

Logico Ceiling 3x120° - Tobacco

Gerhard Reichert, Michele De Lucchi



IP20     Dimmerable: 



LUMINAIRE

- Watt: **3x15W**
- Voltage: **220V-240V**
- Delivered lumens output: **8610lm**
- CCT: **2900K**

Notes

Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project.

DESCRIPTION

PRODUCT CODE: 0458040A

FEATURES

- Article Code: **0458040A**
- Colour: **Tobacco**
- Installation: **Ceiling**
- Material: **Blown glass, aluminium**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, null, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 66**
- Width: **cm 66**
- Height: **cm 35**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **Qa60**
- Watt: **116W**
- Socket: **E27**
- Color Rendering: **1a**
- Color temperature (K): **2900K**

ALTERNATIVE SOURCES


- Category: **LED RETROFIT**
- Number: **3**
- Watt: **15W**

Logico Ceiling 3x120° - White

Gerhard Reichert, Michele De Lucchi



IP20     Dimmerable: 



LUMINAIRE

- Watt: **315W**
- Voltage: **220V-240V**
- Delivered lumens output: **4917lm**
- CCT: **2800K**
- Efficiency: **86%**
- Efficacy: **16lm/W**
- CRI: **100**

Notes

Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project.

PRODUCT CODE: 0458020A

FEATURES

- Article Code: **0458020A**
- Colour: **White**
- Installation: **Ceiling**
- Material: **Blown glass, aluminium**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, null, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 66**
- Width: **cm 66**
- Height: **cm 35**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **Qa60**
- Watt: **116W**
- Socket: **E27**
- Color Rendering: **1a**
- Color temperature (K): **2900K**

ALTERNATIVE SOURCES


- Category: **LED RETROFIT**
- Number: **3**
- Watt: **15W**
- Socket: **E27**

Logico Micro ceiling 3x120°

Gerhard Reichert, Michele De Lucchi



IP20     Dimmerable: 



LUMINAIRE

- Watt: **138W**
- Voltage: **220V-240V**
- Delivered lumens output: **1890lm**
- CCT: **2800K**

Notes

Its modular shape lends itself to the creation and realisation of customized compositions, supplied as special project.

PRODUCT CODE: 0645020A

FEATURES

- Article Code: **0645020A**
- Colour: **White**
- Installation: **Ceiling**
- Material: **Blown glass, aluminium**
- Series: **Design Collection**
- Environment: **Indoor**
- Area contract: **Hospitality, null, Office**
- Emission: **Diffused And Direct**
- design by: **Gerhard Reichert, Michele De Lucchi**

DIMENSIONS

- Length: **cm 33**
- Width: **cm 33**
- Height: **cm 21**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **3**
- Lbs: **Qt26**
- Watt: **46W**
- Socket: **E14**
- Color Rendering: **1a**
- Color temperature (K): **2800K**

ALTERNATIVE SOURCES

- Category: **LED RETROFIT**
- Number: **3**
- Watt: **5W**
- Socket: **E14**