Model Code F5647

date of issue 22-03-22 revision 00

revision of 19-05-23 (the present replaces any previous versions)

Designer: centro studi interno

Structure: pinewood, multilayer and plywood covered with polyurethane foam, additionally covered with 100% dacron polyester padding.

Spring system: elastic webbing.

Seat Padding: seat cushions in ecological polyurethane foam covered with 100% polyester layer

Back Padding: in ecological polyurethane foam covered with 100% polyester layer

Arm Interior: in ecological polyurethane foam covered with 100% polyester layer

Removability: not available, loose seat cushions

Sewing: leather covers feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) covers. The model features a decorative stitch (embroidery stitch n° 1_1 ago/needle) on armrests.

Mechanisms: the model is equipped with backrests that can be manually lifted, thanks to a user-friendly mechanism that turns into a decorative element of the sofa. The backrest metal mechanism is available in shiny metal or matt black finish. The total height of the model with lifted backrests is 103 cm. "Electric footrest" versions feature an electric recliner mechanism operated by a touch sensor positioned on the internal sides. The maximum depth of the model with completely open footrest is 138 cm. Corner version 000 is not equipped with liftable backrests.

Components: the model features n. 1 kidneyrest pillow in feather mix on each backrest.

Standard feet: matt black metal standard feet, h. 16 cm. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function.





Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back	
1	35 Medium	27	
D - NL - CH			
USA - California	35 soft	27 soft 31 fire retardant	
GB	37 fire retardant		
Others			

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to took at the SAFETV INFORMATION TECHNUDUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split	✓		
DeLuxe			~
multi colour**			~
multi-category**			~
multi covering**			✓

* fabrics and microfibers are not available for the U.K. market

Components / Optional vers.



Feet



PM2157

Ottoman



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg ($\hat{z}x100$ kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



fold following the dotted line

CALIA

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



fold following the dotted line



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).




